

Journal	Pages
Y. 8. cl. R. 1. W	1
Y. 9. cl. R. 1. W	4
Y. 10. cl. R. 1. W	7
North of Boundary	9
Y. 7. cl. R. 2. W	13
Y. 8. cl. R. 2. W	14
Y. 9. cl. R. 2. W	20
Y. 10. cl. R. 2. W	23
Part of Y. 11. cl. R. 2. W	27
Y. 7. cl. R. 1. E	28
Y. 7. cl. R. 1. E	32
Y. 8. cl. R. 1. E	35
Y. 9. cl. R. 1. E	39
Y. 10. cl. R. 1. E	45
Y. 7. cl. R. 2. E	48
Laps on S. side of	
Y. 7. R. 1. E	106

Field Notes		
No.	Locality	Page
A	Bush	13
B	Bush	16
C	Bush	17
D	Bush	18
E	Bush	19
F	Bush	20
G	Bush	21
H	Bush	22
I	Bush	23
J	Bush	24
K	Bush	25
L	Bush	26
M	Bush	27
N	Bush	28
O	Bush	29
P	Bush	30
Q	Bush	31
R	Bush	32
S	Bush	33
T	Bush	34
U	Bush	35
V	Bush	36
W	Bush	37
X	Bush	38
Y	Bush	39
Z	Bush	40

John Ayer S No 20 77 R. East  
Set for June 30,

SURVEYOR RECORD

BOOK - 1



Field notes Township No 8 North of Range No one West

posts	Bearing Trees	Inches diameter	Courses	Links dist	posts	Bearing Trees	Links dist	Courses	Links dist
A	Beech	13	S 26° E	18	M	Sugar	12	S 78° W	25
	Tr Oak	16	S 46° W	32		Elm	36	N 37° W	15
a	" "	" "	" "	" "	m.	Beech	24	N 38° E	12
"	" "	" "	" "	" "		Hemlock	9	S 38° W	22
B	Sugar	12	S 85° W	10	N	Tr Oak	24	N 15° E	25
	Beech	5	N 72° E	13		Beech	10	S 39° W	3
b	" "	" "	" "	" "	n	Tr Oak	10	S 85° W	30
"	" "	" "	" "	" "		Do	18	N 83° W	19
c	Sugar	10	S 10° W	10	O	Lichony	3	S 62° E	3
	Do	5	N 32° W	8		Tr Oak	"	N 32° W	18
c	" "	" "	" "	" "	P			N 30° W	10
"	" "	" "	" "	" "				S 59° E	14
D	Beech	30	N 20° W	28	Q	Sugar	18	N 35° W	27
	Do	15	N 30° E	26		Beech	10	S 28° E	5
d	" "	" "	" "	" "	R	Beech	14	N 80° E	7
"	" "	" "	" "	" "		Sugar	10	S 45° W	20
E	Sugar	12	S 60° E	17	r	Lichony	13	N 54° E	6
	Do	10	N 80° W	27		Hogwood	4	S 72° W	22
e	" "	" "	" "	" "	S	Beech	4	S 70° E	12
"	" "	" "	" "	" "		Do	4	West	13
F	Sugar	25	N 36° W	73	s	Sugar	6	N 52° E	3
	Beech	14	S 45° W	5		Do	4	S 65° W	16
f	" "	" "	" "	" "	T	Beech	12	N 73° W	12
"	" "	" "	" "	" "		Tr Oak	30	S 40° E	23
G	Bitternut	10	N 34° E		t	" "	" "	" "	" "
	Sugar	13	S 18°			" "	" "	" "	" "
g	Elm	8	S 6°		U	Beech	10	N 68° E	11
	Beech	15	N			Do	8	S 16° E	18
H	Sugar	8	S		u	" "	" "	" "	" "
	Beech	12				" "	" "	" "	" "
h	Tr Oak	36			V	Sugar	10	N 32° W	3
	Sugar	6				Do	8	S 7° W	20
i	Beech	12	N 30° E	31	v	" "	" "	" "	" "
	Sugar	24	S 2° E	60		" "	" "	" "	" "
i	Beech	8	S 74° W	9	W	Intersect the post			
	Tr Oak	12	S 39° E	23	w	" "	" "	" "	" "
K	Beech	18	N 58° E	16		" "	" "	" "	" "
	Do	16	S 58° W	33	X	Sugar	18	S	
k	Tr Oak	24	S 82° W	6		Hogwood	2	N 1°	
	Maple	8	S 78° E	5	x	" "	" "	" "	" "
L	Beech	20	S 65° E	12 1/2		" "	" "	" "	" "
	Beech	8	N 35° E	57 1/2	Y	Lichony	10	S 90° W	17
e	Sugar	16	East	15		Hogwood	3	N 55° E	12
"	" "	" "	" "	" "	y	" "	" "	" "	" "
"	" "	" "	" "	" "		" "	" "	" "	" "



## Township No 8 North of Range No 1 West

Section corner	Bearing Line	In dia	Notes	Sh dist	Section corner	Bearing Line	In dia	Notes	Sh dist
25.26.35.36	Maple	10	N 16 W	3	17.18.19.20	Beech	12	N 9 W	46
	Beech	3	S 52 E	7		do	8	S 43 E	25
23.24.25.26	Hickory	10	N 80 E	16	7.8.17.18	Sugar	8	N 49 W	4
	Beech	5	S 31 E	11		do	11	N 47 E	15
13.14.23.24	Beech	8	S 67 E	15	3.6.7.8	Sugar	12	N 68 W	25
	h Oak	10	S 29 W	22		do	8	S 70 E	10
11.12.13.14	Beech	18	S 23 W	19					
	h Oak	15	N 60 E	18					
1.2.11.12	Beech	4	S 35 E	4					
	do	5	N 81 W	11					
26.27.34.35	ash	6	East	15					
	do	8	N 59 E	19					
22.23.26.27	Hickory	18	S 35 E	15	M to V at 1	Beech	12	N 59 E	12
	Dogwood	5	N 82 W	4		do	5	S 24 E	12
14.15.22.23	h. ash	6	N 85 E	10	X 2	Beech	12	S 37 E	12
	Sugar	18	N 11 W	30		Sugar	10	S 68 W	17
10.11.14.15	Sugar	8	N 84 W	11	3	Beech	29	S 8 E	23
	Dogwood	6	N 65 E	15		Sugar	8	S 78 W	24
2.3.10.11	Beech	6	S 14 E	11	4	h Oak	8	N 82 E	22
	do	6	N 61 W	14		Beech	8	N 53 E	12
7.28.33.34	Beech	8	N 85 E	26	5	Beech	8	S 70 E	28
	do	8	N 72 W	14		do	10	S 10 W	22
21.22.27.28	Beech	5	N 26 W	6	6	Sugar	10	S 83 E	9
	do	10	N 27 E	26		Beech	10	N 83 W	14
	Beech	20	N 15 E	5	L to V at 1	Beech	6	N 53 E	25
		20	S 81 E	30		h Oak	15	S 23 E	14
		8	N 60 W	15	2	Sugar	8	S 27 W	24
		18	N 57 E	17		do	10	N 22 W	20
			N 52 E	7	3	h Oak	30	N 35 E	6
			S 20 W	21		ash	15	S 12 E	30
28.29.32.33			S 88 W	32	4	h Oak	30	N 20 E	10
			S 55 W	14		Beech	35	S 47 E	25
20.21.23.24	B. Walnut	15	S 9 E	6	5	ash	15	N 67 E	10
	Sugar	9	N 80 W	11		Sugar	5	S 63 W	22
16.17.20.21	Sugar	20	S 45 E	27	6	Beech	18	East	12
	do	15	N 41 W	21		h Oak	18	N 48 W	10
8.9.16.17	Beech	10	S 63 E	28	K to W at 1	h Oak	20	S 25 E	30
	Sugar	15	S 47 W	9		do	8	N 15 E	16
4.5.8.9	Sugar	30	S 4 W	27	2	Beech	6	S 87 E	7
	do	15	S 58 W	31		Gum	20	N 87 W	24
27.30.31.32	Pronwood	6	S 75 W	14	3	Sugar	9	S 76 W	10
	Elm	6	N 76 W	29		do	8	N 15 E	7
19.20.29.30	Sugar	8	S 45 E	43	4	Beech	5	N 31 E	7
	Hickory	15	S 21 W	54		ash	5	S 60 W	11

Section corner	Bearing Line	In dia	Notes	Sh dist
5	Beech			
	Sugar			
6	Beech			
	do			
16.17.21	Beech			
	do			
2	Beech			
	do			
3	Beech			
	Sugar			
4	h Oak			
	Sugar			
5	Sugar			
	do			
6	Sugar			
	Hickory			
H to V at 1	Beech			
	do			
2	Beech			
	do			
3	Beech			
	do			
4	Beech			
	do			
5	Sugar			
	h Walnut			
6	Sugar			
	Beech			
O to E at 1	Beech			
	do			
2	Beech			
	h Walnut			
3	Sugar			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	h Walnut			
3	Sugar			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			
2	Beech			
	Sugar			
3	Beech			
	do			
4	Beech			
	do			
5	Beech			
	Sugar			
6	Pronwood			
	Sugar			
O to E at 1	Beech			
	do			



## Township No 8 North of Range No one West

From To	Bearing Tree	Each diam	Courses	Ths dist	From To	Bearing Tree	Each diam	Courses	Ths dist	
	5	Beech	30	S 47° E	18	3	Beech	10	S 37° E	6
		Sugar	"	N 39° W	19		Tr ash	18	S 12° W	15
	6	Beech	15	N 54° W	11	4	Sugar	8	S 34° E	16
		do	8	S 24° E	15		do	10	N 46° W	6
X at	1	Beech	12	N 56° E	8	5	Sugar	8	S 30° E	21
		do	12	N 65° W	22		Honwood	5	N 30° E	5
	2	Beech	10	S 64° E	21	6	Beech	16	S 18° W	9
		do	8	S 42° W	22		do	8	N 29° E	15
	3	Buckeye	10	S 19° W	15	A to D at 1	Hickory	12	S 34° W	22
		Sugar	4	N 31° E	15		poplar	4	N 80° W	7
	4	Tr Oak	15	S 57° W	7	2	Sugar	5	S 72° W	18
		Sugar	12	N 23° W	26		Beech	4	N 36° E	22
	5	Sugar	8	S 76° W	14	3	Sugar	12	S 62° W	13
		do	5	N 84° E	18	"	Buckeye	10	N 5° W	25
	6	Sugar	10	S 11° E	16	4	Beech	10	S 27° W	19
		Hickory	10	N 54° W	35		do	10	N 60° E	30
to X at	1	Beech	5	N 76° E	7	5	Beech	8	S 48° W	15
		do	6	S 76° W	20		Sugar	16	N 57 1/2° W	33 1/2
	2	Beech	12	N 45° W	6	6	poplar	6	S 5° E	7
		do	10	N 9° W	13		Beech	4	S 77° E	11
	3	Beech	4	S 46° E	32	R to C at 1	Elm	12	corner tree	
		do	6	S 15° W	32	"	"	"	"	"
	4	Beech	3	N 85° W	8	2	Beech	4	S 10° W	13
		do	30	S 42° W	13		Elm	8	N 39° E	23
	5	Sugar	15	N 24° W	17	3	Beech	8	N 87° W	11
		Tr walnut	30	S 20° E	46		do	5	S 26° E	17
	6	Sugar	8	S 12° E	21	4	Beech	36	N 30° W	23
		Beech	18	N 61° W	40		Sugar	15	S 30° E	6
to F at	1	Beech	15	N 30° E	25	5	Sugar	18	N 75° E	11
		do	15	N 30° W	32		do	15	S 11° W	47
	2	Beech	15	N 56° W	13	6	Sugar	10	S 53° E	17
		Sassafras	"	S 18° E	26		Beech	36	West	17
	3	Sugar	12	N 8° E	22	S to Bat 1	Sugar	8	N 59° E	21
		do	12	N 19° W	22		do	12	N 57° W	7
	4	Beech	8	S 70° E	24	2	Sugar	12	S 23° W	37
		do	10	S 50° W	22		Elm	20	N 6° E	39
	5	Beech	20	S 2° W	24	3	Sugar	10	S 45° W	8
		Sugar	10	N 54° W	26		do	15	N 44° E	28
	6	Brownwood	3	S 40° E	15	4	Sugar	15	N 57° E	11
		Sugar	7	N 14° W	26		Beech	8	S 83° W	29
to E at	1	Beech	8	N 13° E	13	5	Ash	18	S 19° W	16
		do	18	S 23° W	30		Tr Oak	24	N 42° W	11
	2	Sugar	10	S 4° E	20	6	Cum	5	S 5° W	15
		Beech	12	N 30° W	5		Cum	12	S 68° W	13
						End of S 8 R 1 West				







## Field notes of Township no 9 north of Range no one west

Section corners	Bearing Trees	In dia	Courses	Lks dist	Section corners	Bearing Trees	In dia	Courses	Lks distant
26.35.36	Beech	16	S 71° E	16	17.18.19.20	Lichony	36	N 64° E	11
	Beech	12	N 8° W	12		Sugar	14	S 31° E	25
24.25.26	Beech	10	N 62° W	13	7.8.17.18	Beech	10	N 13° W	14
	Beech	16	N 41° E	10 1/2		Beech	30	S 60° E	16
14.23.24	Walnut	3	N 80° W	11	5.6.7.8	Beech	20	N 28° E	17
	Sugar	14	N 88° E	21		Beech	11	S 54° W	16
12.13.14	Beech	3	S 12° E	21					
	B. Oak	6	N 37° W	8					
2.11.12	Beech	6	South	10	From to	Bearing Trees	In dia	Courses	Lks distant
	Lichony	7	N 41 1/2° W	17					
27.34.35	Beech	3	S 30° W	17					
	Sugar	4	N 26° E	10	M to V at 1	Sugar	16	S 29° W	16
23.26.27	W Oak	16	S 42 1/2° E	3 1/2		Beech	20	N 9° E	30
	B Oak	4	N 25° W	35	2	Sugar	8	N 7° E	12
15.22.23	Logwood	3	51° W	22		Sugar	20	S 61° W	22
	Beech	10	N 41° E	18	3	Sugar	10	N 74° W	21
11.14.15	B. Oak	12	S 45° W	39		Sugar	10	S 23° W	14
	Lichony	10	N 31° E	15 1/2	4	Sugar	10	S 5° W	25
2.3.10.11	W. Walnut	9	S 50° E	27		Lichony	24	N 6° E	22
	Box Elder	3	S 85° W	30	5	B. Walnut		S 45° E	30
7.25.33.34	Beech	24	S 86° E	8		Beech	7	S 61° W	50
	Beech	24	S 42° W	20	6	Oak	20	S 49° E	6
1.22.27.28	Beech	5	N 46° W	3		Oak	18	S 56° W	27
	Sugar	8	S 37° E	27	4 to V at 1	Beech	30	S 7° E	21
16.21.22	W Oak	14	S 57° W	27		Beech	24	N 21° E	35
	Maple	11	N 73° E	15	2	W Oak	11	N 34° E	3
10.15.16	Beech	20	N 7° W	13		ash	30	S 10° E	15
	Beech	18	S 48° E	10	3	Lichony	6	N 54° E	2
4.7.10	Sugar	12	S 40° E	3		Beech	6	S 76° W	2
	Beech	12	N 43° W	22	4	Elm	40	S 22° W	11
29.32.33	Sugar	12	S 43 1/2° E	43		ash	36	N 4° E	13
	Sugar	16	N 41° W	54	5	Sugar	5	S 22° E	5
21.28.29	Elm	18	N 37° W	12		Beech	5	N 12° E	14
	Elm	10	S 32° W	29	6	Beech	8	N 72° E	24
17.20.21	Sugar	12	S 44° W	5		Elm	24	S 20° E	24
	Beech	18	N 43° E	18	K to Wat 1	ash	24	N 36° W	5
7.16.17	Beech	12	S 15° E	14		Sugar	3	S 16° W	21
	W Oak	12	S 63° E	16	2	Sassafras	4	S 30° E	6
5.8.9	Beech	14	N 31° W	17		Elm	5	N 41° E	6
	Beech	14	S 41° E	13	3	poplar	40	N 85° W	16
30.31.32	Logwood	8	S 53 1/2° E	44		Beech	16	S 74° E	21
	Poplar	16	S 13° E	57 1/2	4	Beech	10	S 62° W	19
20.29.30	Sugar	6	S 7° E	14		W Oak	36	N 45° E	19
	Sugar	4	S 20° E	11					




From & To	Bearing	Tree	Dist	From & To	Bearing	Tree	Dist	
I to X at 1	Beech	18	S 40° E	3	Beech	5	S 35° E	
	Beech	4	N 15° E	16	Sugar	15	N 35° E	
	Beech	18	N 20° E	3	Hogwood	3	N 20° E	
	Sugar	9	S 32° E	39	Beech	18	S 24° E	
	Hogwood	3	N 57° E	11 1/2	Beech	16	S 19° E	
	Hickory	17	S 41° E	10	Do	10	N 35° E	
2	Elm	4	N 40° E	18	Maple	13	S 43° E	
	Beech	5	N 67° E	33	Do	11	N 36° E	
3	Hogwood	5	S 47° E	6	Hickory	10	S 29° E	
	Hogwood	5	N 48 1/2° E	22	Sugar	20	N 18° E	
4	Beech	15	S 76° E	16	Sugar	16	N 84° E	
	Sugar	6	N 10° E	10	Beech	6	N 86° E	
5	Beech	8	N 32° E	22	Beech	14	N 81° E	
	Beech	30	S 34° E	10	Do	6	N 47 1/2° E	
6	W Oak	12	S 41° E	5	Beech	4	N 69° E	
	Hogwood	9	N 41° E	13	Do	6	N 37° E	
H to Y at 1	Hickory	13	S 61° E	25	Beech	10	S 47° E	
	Beech	16	N 54° E	9	Poplar	4	S 32° E	
2	Beech	15	N 17° E	10	Buckeye	3	Corner	
	Sugar	8	S 9° E	20	" " "	" " "	" " "	
3	Beech	14	S 53° E	26	R to C at 1	Beech	30	S 46° E
	Beech	14	N 5° E	35	Do	18	N 3° E	
4	Beech	10	N 27° E	10	Beech	6	S 13° E	
	Beech	12	S 15° E	9	Do	8	N 44° E	
5	B. Oak	12	S 28° E	6	ash	24	S 22° E	
	Maple	10	N 64° E	30	ash	24	N 8° E	
6	Beech	7	N 63° E	17	W Oak	12	S 31° E	
	Do	20	S 21° E	12	Hackberry	15	N 74° E	
O to F at 1	ash	3	S 62° E	29	Beech	18	N 57° E	
	Sugar	18	N 28° E	28	W ash	18	S 24° E	
2	Beech	10	S 21° E	16	Beech	12	N 20° E	
	Beech	11	N 32° E	20	Hickory	18	N 68° E	
3	Hogwood	3	S 59° E	24	Hickory	4	S 39° E	
	Beech	20	N 65° E	21	Hogwood	4	N 45° E	
4	Sugar	10	S 21° E	7	Beech	18	Corner	
	Hogwood	4	N 21° E	11	" " "	" " "	" " "	
5	Hogwood	6	N 88° E	12	Sugar	3	S 2° E	
	Do	5	N 57° E	13	Do	24	N 63° E	
6	Beech	4	S 52° E	11	Sugar	—	S 57° E	
	W Oak	10	N 12° E	9	Do	11	N 4° E	
P to E at 1	Sugar	18	S 84° E	5	Beech	11	N 80° E	
	Beech	30	S 36° E	27	Hogwood	9	S 29° E	
2	Beech	16	S 14° E	21	Beech	30	N 45° E	
	Do	9	N 31° E	21	Do	24	S 10° E	
							End of Sg R 1. next	

End of Y9 R1. west



Township No 10 North of Range 1 west of 2<sup>d</sup> Principal Meridian

[illegible]



Field Notes of Thomas

Notes	Bearing	Dist.	Remarks
A	North	13	
B	Do	16	
C	Do	11	
D	Do	8	
E	Do	4	
F	Do	4	
G	Do	5	
H	Do	9	
I	Do	10	
J	Do	24	
K	Do	14	







Field notes of T 10 N of R 1. West & North of Boundary line

Post or Section corner	Bearing true	Dist dia	Bound dist	Post or Sec corner	Bearing true	Dist dia	Bound dist	Chk dist	
L	"	"	"	V	Maple	17	S 45° W	12	
"	"	"	"	"	B. Oak	5	N 38° E	7	
L	Hickory	7	S 57° E	36	W	B. Birch	4	S 54° W	8
"	Hogwood	7	N 61° W	21	"	"	"	"	
"	"	"	"	"	"	"	"	"	
"	"	"	"	"	"	"	"	"	
M	Elm	15	S 32° E	2	X	"	"	"	
"	Sugar	15	N 53° W	55	"	"	"	"	
"	"	"	"	"	"	"	"	"	
"	"	"	"	"	"	"	"	"	
N	Hickory	4	N 33° E	14	Y	"	"	"	
"	Hogwood	21	S 30° W	20	"	"	"	"	
"	"	"	"	"	"	"	"	"	
"	"	"	"	"	"	"	"	"	
O	"	"	"	"	"	"	"	"	
"	"	"	"	"	"	"	"	"	
O	Lynn	16	S 46° W	6	Section corner	Bearing true	Dist dia	Bound dist	Chk dist
"	Birch	5	N 38° E	19	"	"	"	"	"
P	Birch	12	N 50° W	34	25-26-27-36	Birch	8	N 55° W	5
"	do	24	S 58° E	28	"	do	14	S 61° E	25
P	Lynn	30	N 40° E	9	23-24-25-26	B. Oak	23	S 54° W	8
"	Ash	12	N 77° E	5	"	Birch	16	N 49° E	26
Q	Birch	18	S 48° W	17	13-14-23-24	H. Oak	23	N 76° W	16
"	"	"	"	"	"	B. Birch	23	N 45° E	17
"	Ash	20	S 81° W	16	11-12-13-14	Birch	18	N 35° W	15
"	Birch	10	N 53° E	15	"	do	11	S 27° E	23
R	H. Oak	14	S 65° E	27	1-2-11-12	Birch	18	S 45° W	5
"	Birch	5	N 21° E	23	"	Maple	19	N 71° E	7
"	Birch	18	S 61° W	16	26-27-28-35	Birch	16	N 55° W	17
"	do	11	N 57° E	50	"	do	14	N 76° E	14
S	Sugar	14	S 28° E	5	22-23-26-27	Birch	17	N 21° W	26
"	"	"	"	"	"	B. Birch	28	S 26° E	5
"	Ash	30	North	15	14-15-23-28	H. Oak	15	N 77° W	17
"	Birch	14	S 75° E	27	"	Birch	8	N 68° E	13
T	Birch	5	S 16° W	13	10-11-14-15	Birch	5	N 36° W	5
"	Birch	12	N 24° E	28	"	do	4	S 41° W	19
"	Ash	13	S 60° W	22	2-3-10-11	Birch	16	N 68° W	16
"	Birch	15	N 7° W	23	"	do	6	N 83° E	26
U	Birch	10	S 47° W	12	27-28-33-34	Birch	6	N 64° W	2
"	do	40	N 31° E	40	"	Birch	12	S 9° E	12
"	"	"	"	"	21-22-27-28	H. Oak	10	N 50° W	5
"	"	"	"	"	"	do	14	S 15° E	19
V	ash	15	S 45° E	12	15-16-21-22	Hogwood	8	N 88° W	8
"	Maple	8	N 75° W	15	"	do	5	N 16° E	17



Field Notes of Township No 10 North of Range No One west of 2<sup>nd</sup> principal Meridian

Section	Bearing	On	From	Bearing	On
owners	Tree	dist	boards	Tree	dist
10.15.16	Beech	26	N 32° E	13	3
	do	7	S 84° W	27	
4.9.10	Logwood	4	N 28° W	5	4
	do	6	N 41° E	31	
29.32.33	Beech	18	S 75° E	7	5
	ash	20	N 9° W	33	
21.28.29	Beech	4	E	10	6
	Beech	18	N 35° W	21	H to Wat 1
17.20.21	Beech	4	N 88° W	27	
	do	17	N 73° E	12	2
9.16.17	Maple	16	N 39° W	18	
	W oak	20	S 38° E	26	3
5.8.9	Beech	22	N 72° W	7	
	Sugar	18	N 44° E	21	4
38.31.32	Hickory	11	S 30° E	32	
	Sycamore	14	N 77° W	14	5
20.29.30	Beech	9	S 38° W	3	
	W oak	24	N 63° E	14	6
18.19.20	Logwood	4	S 20° W	10	
	Sugar	4	N 50° E	11	I to X at 1
17.18	Sugar	6	N 47° W	7	
	Beech	17	S 47° E	14	2
6.7.8	Beech	5	S 56° W	13	
	do	6	S 87° E	16	3



## Field notes of T 10 R 1 West of 2 principal Meridian.

From to	Bearing Line	Tree diam	Number boards	Dist								
O to F at	1	Beech	3	A 73 1/2	11	Sto B at	6	Beech	20	A 24 1/2	5	
		Beech	17	S 63 E	7			Ash	3	S 11 E	40	
	2	Beech	15	A 19 1/2	28			1	Beech	4	S 53 E	16
		Do	6	S 81 E	27			Do	30	A 2 1/2	13	
	3	Beech	5	A 37 E	9			2	Hornwood	4	A 11 1/2	4
		Logwood	6	S 21 1/2	13				Beech	10	S 49 E	34
	4	Beech	6	A 61 E	8			3	Buckeye	6	A 25 E	12
		Do	18	S 67 1/2	25				1/2 Beech	6	S 53 E	15
	5	Sugar	16	A 67 1/2	31			4	Hornbeam	3	A 43 E	8
		Do	17	A 60 E	16				Logwood	4	S 67 1/2	18
	6	Beech	10	S 75 1/2	11			5	Beech	4	A 24	10
		Do	6	S 37 E	12				1/2 oak	17	A 74 E	14
	P to E at	1	Beech	6	S 30 1/2		12		6	Logwood	6	A 47 1/2
		Do	8	A 24 E	13			Do	5	S 23 E	18	
2		Beech	4	A 14 1/2	19	End of Township no 10 north of Range no One West						
		Do	30	S 68 E	18							
3		Beech	22	A 74 E	17							
		Sugar	8	S 46 1/2	18							
4		Beech	14	A 43 1/2	53							
		Do	8	S 65 E	27							
5		Beech	12	A 42 E	10							
		Hickory	14	S 24 E	17							
6		Beech	18	S 33 1/2	8							
		Do	14	A 76 E	24							
1		1/2 oak	34	S 56 1/2	20							
	Hickory	5	S 8 E	19								
A to D at	2	Beech	4	S 77 E	5							
		Do	14	S 57 1/2	16							
	3	Beech	13	A 34 E	21							
		Do	6	S 44 1/2	25							
	4	Sugar	12	A 56 E	14							
		Do	4	A 70 1/2	25							
	5	Hickory	16	A 26 1/2	18							
		Beech	19	S 36 E	28							
	6	Logwood	4	S 88 1/2	15							
		1/2 oak	12	S 83 E	22							
	1	Sugar	24	A 88 1/2	11							
		Beech	6	S 34 1/2	6							
H to C at	2	Beech	12	A 62 E	15							
		Beech	10	A 34 1/2	15							
	3	Sugar	6	A 85 E	24							
		Sugar	15	S 79 1/2	24							
	4	Beech	7	A 41 1/2	20							
		Do	16	A 71 E	22							
	5	Beech	2	A 32 E	14							
		Hornbeam	2	S 64 1/2	4							

From to	Bearing Line	Tree diam	Number boards	Dist
A	Logwood			
	Hickory			
B	Sugar			
	Do			
C	Beech			
	Hickory			
D	Hickory			
	1/2 oak			
E	Hickory			
	Logwood			
F	1/2 oak			
	Sugar			
G	Beech			
	1/2 oak			
H	Beech			
	Sugar			
I	Beech			
	Do			
J	Sugar			
	Do			
K	Sugar			
	Beech			
L	Do			
	Beech			
	Do			
	Hickory			
	Do			



## Field Notes of Township No 7 Range No 2 West of 2 Principal Meridians

conts or terior mors	Bearing Lines	inch dia	Courses	Lbs dist						
20 A 24 1/2 5	A	Dogwood	6	S 5° E	17	M	Beech	18	A 82 1/2	18
3 S 11 E 10		Maple	18	A 39 E	31		do	16	S 8 E	39
4 S 53 E 14	a	"	"	"	"	m	Beech	24	S 50 1/2	20
30 A 2 1/2 10		"	"	"	"		do	26	A 12 E	49
4 A 11 1/2 4	B	Sugar	12	S 52 E	10	N	Beech	30	S 77 1/2	32
10 S 49 E 39		do	8	A 20 E	23		Poplar	30	A 2 1/2	38
5 A 25 E 12	b	"	"	"	"	m	1/2 Oak	36	corner	
6 S 13 E 15		"	"	"	"		"	"	"	"
3 A 43 E 8	C	Sum	15	A 65 E	33	O	Beech	16	S 55 1/2	3
4 S 67 1/2 18		Chickory	15	S 88 1/2	58		do	16	A 65 E	44
4 A 24 1/2 10	c	"	"	"	"	o	Sugar	8	A 56 1/2	4
17 A 74 1/2 14		"	"	"	"		do	10	S 86 E	23
6 A 47 1/2 11	D	Chickory	8	A 84 1/2	20	p	1/2 Oak	18	corner	
5 S 23 E 15		1/2 Oak	12	North	23		Sugar	12	A 53 E	12
	d	"	"	"	"	p	Beech	30	S 57 E	12
		"	"	"	"		do	20	A 27 1/2	14
	E	Mulberry	7	S 81 1/2	16	Q	1/2 Oak	15	S 25 1/2	81
		Dogwood	3	S 46 E	18		Beech	20	S 56 E	22
	e	"	"	"	"	q	Beech	14	A 4 E	7
		"	"	"	"		Sugar	7	A 81 1/2	17
	F	1/2 Oak	18	A 76 1/2	12	R	Beech	24	S 6 E	17
		Sugar	4	S 12 1/2	23		Sugar	8	A 67 1/2	10
	f	"	"	"	"	r	1/2 Oak	16	A 43 E	19
		"	"	"	"		Beech	15	S 67 1/2	31
	G	Beech	12	A 73 1/2	12	S	Sum	15	S 87 1/2	25
		1/2 Oak	30	S 40 E	23		Beech	6	A 84 E	31
	g	Beech	16	S 52 E	13	s	1/2 Oak	24	S 50 E	25
		elm	18	A 10 1/2	25		Walnut	20	A 47 1/2	24
	H	Beech	16	A 71 1/2	14	T	1/2 Oak	40	S 20 1/2	21
		Sugar	6	S 83 E	19		Sugar	14	A 5 1/2	39
	h	Beech	36	A 15 E	14	t	"	"	"	"
		do	24	S 5 E	31		"	"	"	"
	I	Beech	36	A 50 E	17	U	Beech	hit the post		
		do	16	A 80 1/2	24		gum	12 S 39 1/2 W 15		
	i	Sugar	14	A 58 E	10		"	22 A 79 1/2 W 22		
		do	16	S 55 1/2	15	u	"	"	"	"
	K	elm	18	A 63 1/2	31		"	"	"	"
		Sugar	12	A 29 E	7	V	Sugar	7	S 67 E	20
	k	Beech	18	A 86 E	11		elm	5	A 32 E	30
		do	18	S 86 1/2	21	v	"	"	"	"
	L	Beech	18	A 19 1/2	11		"	"	"	"
		do	18	S 22 1/2	42	W	1/2 Oak	35	A 26 E	40
							Beech	12	S 28 1/2	30
	l	Beech	18	A 27 1/2	24	w	"	"	"	"
		elm	18	S 46 1/2	26		"	"	"	"



## Field notes of Township No 7 North of Range 2 West of 2 principal meridians

Posts or Interior corner	Bearing Line	inch dia	boards course	lbs dist	Interior Section corner	Section corner	in dia	boards course	lbs dist
X	Sugar	12	corner	20.21.28.29	Beech	8	S 48° E	15	17.28
"	"	"	"	"	"	15	N 12° E	31	17.28
"	"	"	"	"	Elm	15	N 87° E	41	17.28
"	"	"	"	"	Tr Oak	30	S 17° E	20	17.28
Y	Beech	5	S 72° E	15	8.9-16.17	Tr Oak	18	N 81° E	15
"	do	15	N 72° E	32	"	Dogwood	3	S 41° E	14
"	"	"	"	"	"	Sum	3	S 45° E	9
"	"	"	"	"	"	do	10	N 61° E	12
"	"	"	"	"	"	Beech	6	S 59° E	17
"	"	"	"	"	"	Sum	10	S 20° E	16
"	"	"	"	"	"	Sugar	8	N 35° E	14
"	"	"	"	"	"	Maple	15	S 33° E	31
"	"	"	"	"	"	Maple	8	S 61° E	3
"	"	"	"	"	"	Hickory	15	S 60° E	31
"	"	"	"	"	"	Dogwood	4	S 56° E	17
"	"	"	"	"	"	Beech	8	S 67° E	20
"	"	"	"	"	"	Tr Oak	12	S 2° E	8
"	"	"	"	"	"	Tr Oak	20	N 64° E	24
Interior Section corner	Bearing Line	inch dia	boards course	lbs dist	Interior Section corner	Bearing Line	in dia	boards course	lbs dist
25.26.33.36	Hickory	12	S 52° E	25	17.18-19.20	Maple	8	S 61° E	3
"	do	10	S 38° E	37	"	Hickory	15	S 60° E	31
2.24.25.26	Sugar	10	N 46° E	21	7.8-17.18	Dogwood	4	S 56° E	17
"	Walnut	12	N 54° E	36	"	Beech	8	S 67° E	20
3.14.23.24	Beech	5	S 56° E	14	5.6.7.8	Tr Oak	12	S 2° E	8
"	Sugar	8	N 7° E	17	"	Tr Oak	20	N 64° E	24
1.12.13.14	Sugar	4	S 55° E	18	"	Sum	"	"	"
"	do	4	N 41° E	18	"	do	"	"	"
2.11.12	Tr Oak	12	N 82° E	18	"	do	"	"	"
"	Beech	10	S 72° E	7	"	do	"	"	"
26.27.34.35	Hickory	6	N 2° E	17	"	do	"	"	"
"	Beech	6	S 20° E	24	"	do	"	"	"
2.23.26.27	Hickory	10	N 62° E	25	"	do	"	"	"
"	do	8	N 46° E	31	"	do	"	"	"
1.15.22.23	Beech	10	S 63° E	6	"	do	"	"	"
"	Poplar	25	N 7° E	17	"	do	"	"	"
8.11.14.15	Beech	10	N 32° E	15	"	do	"	"	"
"	Hickory	15	N 71° E	17	"	do	"	"	"
1.3.10.11	Beech	10	N 18° E	14	"	do	"	"	"
"	do	50	S 24° E	19	"	do	"	"	"
27.28.33.34	Beech	12	N 36° E	30	"	do	"	"	"
"	Sugar	7	S 15° E	18	"	do	"	"	"
21.22.27.28	do	12	S 8° E	28	"	do	"	"	"
"	do	10	N 38° E	5	"	do	"	"	"
16.21.22	Tr Walnut	10	N 70° E	10	"	do	"	"	"
"	Sugar	10	N 39° E	11	"	do	"	"	"
10.15.16	Tr Oak	30	S 76° E	21	"	do	"	"	"
"	Tr Oak	20	N 1° E	20	"	do	"	"	"
4.7.10	Tr Oak	30	S 76° E	21	"	do	"	"	"
"	Tr Oak	20	N 1° E	20	"	do	"	"	"
3.29.32.33	Beech	10	N 7° E	3	"	do	"	"	"
"	Dogwood	8	S 57° E	33	"	do	"	"	"

Fall Notes of 1728			
Line	Bearing	Dist	Tree
1728	To Oak	12	1
	Beech	15	2
	Hickory	12	3
	do	11	4
	Dogwood	8	5
	To Oak	18	6
	Sugar	12	7
	do	4	8
	Sugar	18	9
	Hickory	4	10
1729	Sugar	15	1
	Beech	20	2
	do	12	3
	do	6	4
1730	To Oak	15	1
	Hickory	12	2
	do	12	3
	Beech	4	4
	Beech	10	5
	To Oak	18	6
	To Oak	20	7
	Dogwood	4	8
	Beech	8	9
	do	5	10
1731	Sugar	8	1
	Beech	12	2
	Beech	3	3
	do	6	4
	To Oak	12	5
	do	4	6
	To Oak	20	7
	Poplar	10	8
	do	10	9
	do	6	10
1732	Sugar	18	1
	Sugar	10	2
	Hickory	10	3
	Sugar	18	4
	Hickory	5	5
	do	12	6
	Beech	15	7
	do	10	8
	Sugar	18	9
	do	12	10
1733	To Oak	12	1
	do	12	2



Notes of 7 north of Range no 2 west of 2<sup>d</sup> principal Meridian

From To	Bearing	In	Ch	From To	Bearing	In	Ch
to	to	to	to	to	to	to	to
W at 1	Tr Oak	12	N 1 W	5	Elm	8	N 60 E
	Buck	15	S 77 E		Sugar	8	S 72 W
2	Hickory	12	N 79 W	6	Ash	12	N 45 E
	do	10	S 35 E		Buck	7	S 8 W
3	Logwood	3	S 26 W	P to E at 1	Buck	18	S 14 W
	B. Oak	18	N 10 W		do	8	N 30 W
4	Sugar	12	S 73 W	2	Logwood	4	N 17 E
	do	4	S 39 E		Hickory	10	S 17 W
5	Sugar	10	N 53 W	3	"	"	"
	Hickory	4	S 12 E		"	"	"
6	Sugar	15	N 18 W	4	Tr Oak	15	N 5 W
	Buck	50	N 84 W		Buck	18	S 71 W
X at 1	Elm	12	S 5 E	5	Buck	10	S 23 W
	Sugar	6	N 77 E		do	6	S 52 W
2	Tr Oak	15	S 57 E	6	Buck	20	S 68 E
	Hickory	12	S 78 W		do	12	S 45 W
3	Gum	12	N 45 E	R to D at 1	Sugar	10	N 24 E
	Logwood	4	S 47 W		do	6	S 7 W
4	Buck	10	N 45 E	2	Sugar	6	S 53 W
	Tr Oak	15	S 22 W		do	5	S 57 E
5	Tr Oak	20	N 32 W	3	Maple	10	N 5 E
	Logwood	4	S 3 E		Buck	10	N 42 W
6	Buck	8	N 41 W	4	Buck	18	N 24 E
	do	5	S 60 E		Sugar	8	S 45 W
X at 1	Sugar	8	N 11 E	5	Cherry	4	N 8 E
	Buck	12	S 23 E		Poplar	6	S 10 W
2	Buck	3	S 82 W	6	Maple	18	S 12 E
	do	6	N 78 E		Hickory	4	S 35 W
3	Tr Oak	15	S 10 E	R to C at 1	Poplar	18	S 61 E
	do	4	"		Buck	6	N 76 W
4	Tr Oak	20	N 42 E	2	Gum	12	N 89 E
	Poplar	10	S 18 W		Buck	10	S 47 E
5	Gum	10	N 89 W	3	Hickory	15	S 88 E
	do	6	S 11 E		Sugar	5	N 88 W
6	Gum	18	S 18 E	4	Tr Oak	18	S 30 E
	Sugar	10	nest		Buck	4	N 65 W
E at 1	Hickory	10	N 3 nest	5	Maple	10	S 20 E
	Sugar	18	N 7 E		Gum	8	N 66 E
2	Hickory	5	N 77 E	6	Maple	15	S 26 W
	do	12	S 39 W		Tr Oak	24	N 40 W
3	Buck	15	S 5 E	S to B at 1	B. Oak	24	N 66 E
	do	10	N 19 W		Buck	"	S 21 W
4	Sugar	12	S 5 E	2	Tr Oak	12	S 40 W
	Tr Walnut	12	N 55 W		Buck	7	S 58 E



From & To	Bearing Tree	Tree dia	boards	lbs dist
3	W ash	24	N 45° E	12
	Buck	6	S 87° E	18
4	Logwood	3	S 13° W	7
	Sugar	12	N 45° E	17
5	Cum	5	N 84° E	16
	Sugar	10	S 18° E	24
6	Cum	30	S 89° E	25
	Logwood	4	N 63° W	13

End of Township No 7 north  
of Range No 2 west of the 2  
Principal Meridian

End of Township No 7 north  
of Range No 2 east of the 2<sup>d</sup>  
Principal Meridian



Field Notes of Township No 8 North of Range 2 West of the 2<sup>d</sup> Principal Meridian

Post or interior corner	Bearing Tree	inch diam	Bound	Chs dist	Interior Section corner	Bearing Tree	inch diam	Bound	Links distant
P	Sugar	12	South	17	25.26.35.36	Sugar	10	S 80 E	20
	Mulberry	8	N 54 W	34		Beech	20	S 76 W	7
P	Hickory	20	S 68 E	34	23.24.25.26	Elm	12	N 19 W	7
	Do	18	N 87 W	25		Beech	13	S 20 E	10
Q	Hickory	15	S 74 E	16	13.14.23.24	Poplar	40	N 4 W	11
	Do	14	N 14 W	20		Sugar	15	S 44 E	24
g	Hickory	12	S 54 W	30	11.12.13.14	Beech	30	S 10 W	13
	W Oak	18	N 79 E	43		Logwood	5	N 15 E	19
R	Gum	12	S 57 E	18	1.2.11.12	Hickory	8	N 12 E	9
	Hickory	16	N 33 W	19		Do	26	S 36 W	13
r	Logwood	6	N 84 E	30	26.27.34.35	Sugar	10	N 62 E	"
	Sugar	12	West	24		Logwood	3	S 34 E	7
S	Sugar	16	N 49 E	23	22.23.26.27	Do	6	S 31 E	27
	Beech	16	S 49 W	23		Gum	6	N 20 W	21
s	Walnut	8	N 55 E	20	14.15.22.23	Walnut	10	S 61 E	22
	Sugar	14	S 76 W	13		Do	10	S 25 W	5
T	Logwood	6	S 5 E	17	10.11.14.15	Sugar	10	N 27 W	25
	Maple	18	N 39 E	30		Do	12	N 46 E	9
T	"	"	"	"	2.3.10.11	Sassafras	6	S 16 W	6
	"	"	"	"		Logwood	5	N 36 W	11
U	Beech	12	N 63 E	4	27.28.33.34	Gum	6	S 17 W	18
	Do	15	S 86 E	20		Poplar	40	S 45 W	20
"	"	"	"	"	21.22.27.28	Beech	11	S 71 E	15
	"	"	"	"		Poplar	24	S 89 W	20
V	Beech	8	N 80 W	5	15.16.21.22	Sugar	5	N 29 E	7
	Do	5	N 10 E	7		Do	5	S 55 W	7
v	"	"	"	"	9.10.15.16	Hickory	8	N 56 W	8
	"	"	"	"		W Oak	20	S 40 W	32
W	Beech	15	N 83 W	18	3.4.9.10	Beech	8	N 40 W	29
	Logwood	4	S 45 E	22		Ash	26	S 63 E	27
"	"	"	"	"	28.29.32.33	Sugar	5	N 6 W	8
	"	"	"	"		Elm	10	S 78 W	13
X	Beech	8	N 20 E	5	20.21.28.29	Logwood	4	N 45 W	11
	Do	12	S 63 E	19		Do	4	S 53 E	20
x	"	"	"	"	14.17.20.21	Hornwood	4	S 78 E	5
	"	"	"	"		Sugar	8	S 27 W	15
y	Sugar	4	N 84 W	15	8.9.16.17	Beech	5	N 82 W	18
	Do	18	S 37 W	24		Do	8	N 65 E	14
g	"	"	"	"	4.5.8.9	Sugar	6	N 5 E	10
	"	"	"	"		Hickory	12	S 63 W	22
	"	"	"	"	29.30.31.32	Poplar	40	N 23 W	28
	"	"	"	"		Beech	10	S 67 E	24
	"	"	"	"	12.20.27.30	Gum	20	S 58 E	14
	"	"	"	"		Do	18	N 68 W	17



Field notes of Township No 8 North of Range No 2 west of 2<sup>nd</sup> principal Meridian

posts on Anterior Corner	Bearing Tree	inch diam	boards	ch dist	posts on Posterior Corner	Bearing Tree	inch diam	boards	ch dist
7. 18. 19. 20	Maple	18	S 25 <sup>o</sup> W	12	6	Beech	4	S 70 <sup>o</sup> W	36
	do	5	A 27 <sup>o</sup> E	17		ash	4		
7. 8. 17. 18	Hickory	24	A 16 <sup>o</sup> W	5	I to X at 1	Hickory	5	S 10 <sup>o</sup> E	14
	do	10	A 19 <sup>o</sup> E	13		Logwood	3	A 48 <sup>o</sup> W	8
5. 6. 7. 8	Beech	6	A 43 <sup>o</sup> E	12	2	W oak	10	S 10 <sup>o</sup> W	7
	do	6	S 24 <sup>o</sup> E	10		Hickory	10	A 26 <sup>o</sup> W	5
From and To	Bearing Tree	inch diam	boards	ch dist					
M to U at 1	W oak	10	A 74 <sup>o</sup> E	17					
	W ash	20	S 56 <sup>o</sup> W	16					
2	Sugar	10	A 58 <sup>o</sup> E	7					
	do	10	S 54 <sup>o</sup> W	22	H to Y at 1	Beech	12	S 75 <sup>o</sup> W	10
3	Logwood	4	S 35 <sup>o</sup> W	15		Hickory	14	A 60 <sup>o</sup> E	23
	Beech	4	S 85 <sup>o</sup> W	11	2	Beech	14	S 57 <sup>o</sup> E	13
4	Logwood	3	S 45 <sup>o</sup> E	13		Hickory	6	S 40 <sup>o</sup> W	10
	Cum	10	A 51 <sup>o</sup> W	34	3	Sugar	6	A 78 <sup>o</sup> E	20
5	Sugar	8	E ast	25		Hickory	18	S 1 <sup>o</sup> E	21
	"	"	"	"	4	Elm	12	A 84 <sup>o</sup> E	27
6	Logwood	6	S 55 <sup>o</sup> W	"		Hackberry	10	A 66 <sup>o</sup> W	17
	Hickory	12	A 76 <sup>o</sup> E	29	5	ash	20	E ast	8
L to V at 1	Beech	12	A 60 <sup>o</sup> E	15		Beech	24	A 19 <sup>o</sup> E	12
	Sugar	18	S 56 <sup>o</sup> W	24	6	Beech	12	A 66 <sup>o</sup> E	26
2	W oak	6	S 32 <sup>o</sup> E	8		do	8	S 30 <sup>o</sup> E	17
	Maple	10	S 57 <sup>o</sup> W	23	O to F at 1	Beech	12	S 44 <sup>o</sup> W	34
3	Sugar	15	A 20 <sup>o</sup> E	10		Hickory	12	A 40 <sup>o</sup> E	23
	Elm	5	S 30 <sup>o</sup> E	13	2	Beech	15	A 72 <sup>o</sup> W	18
4	Beech	5	A 34 <sup>o</sup> W	40		do	8	S 74 <sup>o</sup> E	7
	do	15	S 40 <sup>o</sup> E	28	3	Beech	7	S 65 <sup>o</sup> W	20
5	W oak	—	S 45 <sup>o</sup> W	13		Red Bud	5	A 87 <sup>o</sup> E	11
	do	10	A 45 <sup>o</sup> W	11	4	Sugar	12	A 87 <sup>o</sup> W	20
6	W oak	30	A 72 <sup>o</sup> W	18		Elm	6	S 57 <sup>o</sup> E	18
	W oak	12	A 35 <sup>o</sup> E	14	5	Beech	12	S 72 <sup>o</sup> W	14
R to W at 1	Cum	20	S 60 <sup>o</sup> E	3		do	4	S 57 <sup>o</sup> E	15
	Logwood	5	A 33 <sup>o</sup> W	25	6	Brownwood	8	A 41 <sup>o</sup> E	3
2	Beech	10	S 31 <sup>o</sup> E	14		Logwood	8	S 49 <sup>o</sup> W	16
	W oak	12	A 66 <sup>o</sup> E	16	P to E at 1	W oak	19	A 44 <sup>o</sup> W	13
3	Sugar	5	S 37 <sup>o</sup> E	20		Elm	6	S 29 <sup>o</sup> W	8
	do	20	S 10 <sup>o</sup> W	17		Poplar	10	S 50 <sup>o</sup> E	8
4	Sugar	24	S 10 <sup>o</sup> E	19	2	Beech	12	S 18 <sup>o</sup> W	27
	W ash	3	A 88 <sup>o</sup> W	12		Hackberry	10	S 13 <sup>o</sup> E	17
5	W oak	18	S 55 <sup>o</sup> E	4		Logwood	6	S 24 <sup>o</sup> E	7
	ash	3	S 84 <sup>o</sup> W	33	3	Elm	6	S 27 <sup>o</sup> W	6
						Poplar	10	S 84 <sup>o</sup> E	8

Field notes of Township No 8 North of Range No 2 west of 2<sup>nd</sup> principal Meridian

posts on Anterior Corner	Bearing Tree	inch diam	boards	ch dist
1	Beech	12		
2	Logwood	6		
3	Sugar	18		
4	W oak	36		
5	Beech	15		
6	do	4		
7	Logwood	6		
8	Poplar	12		
9	Cum	6		
10	W oak	15		
11	Poplar	30		
12	Beech	26		
13	W oak	15		
14	"	"		
15	Maple	15		
16	do	15		
17	Sugar	18		
18	Hickory	12		
19	Cum	7		
20	Sugar	12		
21	W oak	7		
22	do	5		
23	Beech	20		
24	Elm	4		
25	Beech	—		
26	Poplar	12		
27	Hickory	18		
28	Cum	15		
29	Sugar	12		
30	Logwood	4		
31	Beech	5		
32	W oak	8		
33	Beech	24		
34	Sugar	12		
35	Beech	10		
36	Beech	10		
37	W oak	9		
38	W oak	9		
39	W oak	9		
40	W oak	9		



Field notes of Township No 8 north of range 2 west of 2<sup>d</sup> principal Meridian

From	Bearing	inch	lbs
To	Tree	dia	boards
4	Beech	12	S 10° W 29
5	Hogwood	6	S 24° E 9
5	Sugar	10	N 81° W 20
10	H Oak	36	S 37° W 25
6	Beech	15	N 71° W 6
40	Do	4	S 17° E 16
to D at 1	Sassafras	6	S 11° E 6
10	Poplar	12	N 72° W 17
2	Cum	6	S 54° E 32
5	H Oak	15	S 87° W 10
3	Poplar	30	S 85° W 7
15	Beech	36	N 70° E 4
20	H Oak	15	corner
10	"	"	"
12	Maple	15	S 44° E 4
14	Do	15	N 26° W 21
6	Sugar	10	S 30° W 5
12	Bickory	12	N 42° E 14
to C at 1	Cum	7	N 53° E 14
5	Sugar	10	S 8° E 19
2	H Walnut	7	N 11° E 4
12	Sugar	18	S 20° W 36
3	Hogwood	6	N 37° W 4
10	Bickory	10	N 27° E 16
4	H Oak	7	S 57° E 8
12	Do	5	S 3° E 15
5	Beech	20	S 62° W 32
12	Elm	4	N 11° E 20
6	Beech	—	N 75° E 10
12	Poplar	12	N 27° E 10
to B at 1	Bickory	10	S 27° W 7
18	Cum	18	N 17° E 10
2	Sugar	10	S 73° W 10
4	Hornwood	4	N 14° W 15
3	Beech	5	S 35° W 9
8	H Walnut	8	N 43° E 21
4	Beech	24	N 15° E 13
12	Sugar	12	S 70° W 23
5	Sugar	12	N 30° E 10
8	Beech	8	S 52° E 35
6	Beech	10	N 87° E 4
7	Beech	9	S 40° W 12

End of Township No 8  
th of Range 2 west of the  
principal Meridian

End of Township No 8 North of  
Range No 2 west of the 2<sup>d</sup>  
principal Meridian











Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia	boards dist	From to	Bearing true	inch dia	boards dist
K to W at 1	Sugar	9	75° E 4 1/2	5	Beech	11	S 7° W 9
	Sugar	8	S 5° E 34		Sugar	6	S 67° E 15
2	cherry	2 1/2	S 26° W 10	6	Beech	16	S 23° W 5
	Beech	24	N 40° E 50		do	10	N 15° E 21
3	Sugar	20	N 32° E 10	P to E at 1	Beech	10	N 40° E 10
	Sugar	9	S 52° W 13		Beech	12	S 15° E 18
4	Beech	10	N 61° E 7	2		5	S 57° W 15
	Sugar	9	N 68° W 28		Dickory	7	N 75° W 14
5	Sugar	8	N 69° E 19	3	Beech	7	N 83° W 17
	Beech	27	S 68° W 15		Beech	36	N 70° E 37
6	Beech	12	S 65° E 10	4	Walnut	16	N 60° E 21
	Beech	74	N 44° W 16		Sugar	17	S 44° W 32
I to X at 1	Dogwood	3	S 54° W 5	5	Sugar	14	N 13° W 2
	do	2 1/2	N 54° E 2		Sugar	4	S 26° E 7 1/2
2	Walnut	16	S 60° W 26	6	W Beech	3	56° W 18
	Beech	17	N 74° E 31		Sugar	11	N 58° W 25
3	Sugar	15	N 27° E 12	A to D at 1	Sugar	5	N 13° E 10
	do	4	S 55° E 12		Beech	12	S 80° W 10
4	Sugar	9	N 87° E 22	2	Sugar	7	S 59° W 28
	do	10	S 4° E 5		do	16	N 82° E 28
5	Beech	5	corner	3	Beech	9	N 47° W 18
	Beech	11	N 7° E 17		Elm	24	S 14° E 40
6	Beech	12	S 27° W 14	4	Sugar	12	S 86° E 4
	do	30	N 5° E 38		do	27	S 59° W 23
H to Y at 1	Beech	10	S 42 1/2° W 47	5	Beech	14	N 27° W 33
	do	8	N 33° E 22		Beech	5	S 35° E 16
2	Sugar	17	S 89° W 14	6	Beech	18	West 5
	Beech	11	S 64° E 29		do	7	S 68° W 26
3	Sugar	20	S 71° W 9	R to C at 1	Beech	12	S 14° W 16
	Sugar	14	N 7° E 22	W Oak	B Beech	14	N 8° W 22
4	W Oak	20	N 86° E 34	2	Dickory	14	N 66° W 16
	Elm	12	N 77° E 40		Beech	13	N 52° E 13
5	Beech	19	N 15° E 16	3	Lynn	12	S 58° E 7
	do	15	S 1° W 42		Dickory	9	N 37° W 40
6	Dickory	14	N 29° W 1	4	Beech	18	N 11° W 42
	Beech	6	S 59° E 6		Beech	24	N 85° W 28 1/2
O to F at 1	W Oak	15	S 8° W 16	5	Beech	9	S 51° E 7
	do	16	North 10 1/2		Sugar	12	West 18
2	W Beech	3	S 48° W 25	6	Beech	7	S 40° E 23
	ash	30	N 42° W 29		do	8	N 25° W 8
3	Sugar	14	S 24° W 9	S to B at 1	Beech	8	S 85° W 19
	Beech	20	N 16° E 19		W Oak	27	N 15° W 22
4	Beech	18	N 19° W 16	2	Sugar	14	S 8° W 10
	Sugar	10	S 10° E 17		Beech	18	N 24° E 27

From to	Bearing true	inch dia
3	Sugar	11
	Beech	9
4	Elm	22
	W Beech	8
5	Beech	13
	Dogwood	6
6	Dickory	10
	W Oak	22

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
A	Beech	10
	do	8

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
B	Beech	9
	Beech	10

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
C	W Oak	12
	Beech	24

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
D	Dogwood	8
	Beech	15

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
E	Sugar	7
	Dickory	10

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
F	Dogwood	8
	do	3

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
G	Beech	5
	do	12

Field notes of Township No 7 south of range No 2 west of the E principal Meridian

From to	Bearing true	inch dia
H	Sugar	17
	do	14



old notes of Township No 9 north of Range No 2 west of the 3<sup>d</sup> Principal Meridian

From	Bearing	inch	limbs
To	Line	diam	bounds dist
3	Sugar	11	A 20 1/2 7
	Beech	9	S 45 E 39
4	Elm	20	A 7 E 57
	tr Beech	8	S 75 E 23
5	Beech	18	S 31 1/2 28
	Dogwood	6	A 76 1/2 20
6	Hickory	10	S 7 E 11
	tr oak	20	A 24 1/2 15

End of Township No 9 north of  
Range No 2. west of the 2<sup>d</sup>  
Principal Meridian

old notes of Township No 10 north of Range No 2 west of the 2<sup>d</sup> Principal Meridian

pts or trees in cross	Bearing	inch	limbs	pts or trees in cross	Bearing	inch	limbs
	Trees	diam	bounds		Trees	diam	bounds distant
A	Beech	10	S 85 1/2 12	H	Beech	13	A 29 E 31
	Leo	8	A 70 E 34		Elm	12	A 60 1/2 40
a	"	"	"	h	Sugar	12	A 49 1/2 7
	"	"	"		Butternut	18	S 57 E 3
B	Beech	9	A 40 E 2	i	Hickory	12	S 37 1/2 3
	Beech	10	S 54 1/2 22		Leo	10	S 68 E 18
c	"	"	"	j	Sugar	10	A 38 1/2 34
	"	"	"		Leo	3	S 30 E 21
C	tr ash	12	S 77 E 17	K	Beech	18	A 46 1/2 20
	Beech	24	A 23 1/2 20		Dogwood	4	S 59 1/2 12
e	"	"	"	h	Maple	14	S 10 E 29
	"	"	"		Poplar	25	S 75 1/2 10
D	Dogwood	8	S 34 E 6	L	Hickory	12	S 80 E 20
	Beech	18	A 23 1/2 23		Beech	12	S 74 1/2 26
d	"	"	"	l	Beech	14	S 10 E 18
	"	"	"		Leo	11	A 77 1/2 10
E	Sugar	7	S 79 E 4	M	Dogwood	4	S 33 E 32
	Buckeye	10	S 80 1/2 16		Leo	6	A 33 1/2 34
e	"	"	"	m	Hickory	10	west 18
	"	"	"		Maple	11	S 55 E 32
F	Ironwood	8	S 35 E 3	N	Beech	13	A 26 E 18
	Leo	3	A 69 1/2 8		tr Oak	16	S 46 1/2 32
f	"	"	"	n	Hickory	13	A 37 E 31
	"	"	"		Leo	14	S 53 1/2 22
G	Beech	8	S 16 1/2 13	O	Dogwood	5	S 76 1/2 28
	Leo	12	A 24 E 25		Leo	4	A 76 E 16
g	Sugar	17	S 58 E 36	o	Beech	10	S 46 E 14
	Leo	14	A 19 1/2 13		Dogwood	5	A 87 1/2 16



Field notes of Township No 10 north of Range No 2 west of 5<sup>th</sup> principal Meridian

posts on Eastern or See corners	Bearing Tree	inch dia	the boundaries	dist	Interior Section corners	Bearing Tree	in di	hours	links dist
P	tr Oak	15	N 30 W	7	25.26.35.36	Beech	10	S 45 W	29
	Beech	16	N 48 W	24		Ash	10	N 18 E	23
P	do	11	N 52 E	16	23.24.25.26	Walnut	48	S 7 E	70
	do	12	S 21 E	18		Locust	18	N 74 E	59
Q	Sugar	4	N 89 W	10	13.14.23.24	Beech	5	S 42 E	42
	do	5	S 41 W	14		do	12	N 2 1/2 W	22
g	Lichony	18	S 18 E	14	11.12.13.14	Beech	16	N 81 W	17
	Beech	6	N 27 E	21		do	18	S 81 E	17
R	Beech	12	N 46 W	9	1.2.11.12	"	"	"	"
	do	12	S 14 W	18		"	"	"	"
r	do	13	N 45 E	29	26.27.34.35	Beech	11	S 18 W	23
	Beech	12	S 9 E	7		Beech	10	N 42 E	34
S	do	12	S 36 E	17	22.23.26.27	Beech	20	S 49 E	20
	do	6	N 8 W	26		Boxwood	4	S 85 W	12
s	do	11	N 64 E	27	14.15.22.23	tr Oak	15	S 73 E	21
	do	18	S 16 E	35		Elm	9	N 62 W	21
T	do	10	S 80 W	12	10.11.14.15	Beech	5	S 55 W	16
	do	8	N 78 E	34		do	11	N 36 E	10
th	"	"	"	"	2.3.10.11	"	"	"	"
	"	"	"	"	"	"	"	"	"
U	Beech	9	S 65 E	32	27.28.32.34	Sugar	7	S 62 W	16
	Beech	10	N 16 W	"		Beech	6	N 66 E	21
v	"	"	"	"	21.22.27.28	Beech	10	N 80 E	15
	"	"	"	"	"	do	8	S 74 W	40
V	Sugar	14	N 40 E	13	15.16.21.22	Beech	3	West	1 1/2
	Sugar	18	S 4 E	15		Ash	20	S 57 E	16 1/2
v	"	"	"	"	9.10.15.16	Beech	17	N 81 E	27
	"	"	"	"	"	Beech	18	S 72 W	28
W	Sugar	13	N 42 E	11	3.4.9.10	Beech	5	N 84 W	3
	Beech	6	S 23 E	25		tr Oak	16	S 40 E	13
w	"	"	"	"	25.27.32.33	Beech	12	N 89 E	8
	"	"	"	"	"	Beech	8	S 56 W	12
X	Beech	18	S 17 W	34	20.21.28.29	tr Beech	3	S 42 E	16
	Poplar	30	N 64 E	20		Elm	12	N 36 E	27
x	"	"	"	"	16.17.20.21	Lichony	8	S 5 E	26
	"	"	"	"	"	Sassafras	3	S 59 W	28
y	Beech	4	East	14	8.9.16.17	Beech	14	South	20
	Beech	11	N 78 W	19		do	14	N 19 E	2
y	"	"	"	"	4.5.8.9	tr Beech	7	N 49 W	16
	"	"	"	"		Beech	12	S 21 E	37
	"	"	"	"	27.31.31.32	Beech	6	S 71 E	18
	"	"	"	"	17.20.27.30	tr Ash	14	S 33 W	11
	"	"	"	"		Beech	12	N 75 E	13
	"	"	"	"		tr Ash	14	S 20 W	7

posts on Western or See corners	Bearing Tree	in di
23.24	Beech	10
	do	10
24.25	Sugar	12
	Beech	12
25.26	do	12
26.27	Beech	10
27.28	do	10
28.29	Beech	10
29.30	do	10
30.31	Beech	10
31.32	do	10
32.33	Beech	10
33.34	do	10
34.35	Beech	10
35.36	do	10
36.37	Beech	10
37.38	do	10
38.39	Beech	10
39.40	do	10
40.41	Beech	10
41.42	do	10
42.43	Beech	10
43.44	do	10
44.45	Beech	10
45.46	do	10
46.47	Beech	10
47.48	do	10
48.49	Beech	10
49.50	do	10
50.51	Beech	10
51.52	do	10
52.53	Beech	10
53.54	do	10
54.55	Beech	10
55.56	do	10
56.57	Beech	10
57.58	do	10
58.59	Beech	10
59.60	do	10
60.61	Beech	10
61.62	do	10
62.63	Beech	10
63.64	do	10
64.65	Beech	10
65.66	do	10
66.67	Beech	10
67.68	do	10
68.69	Beech	10
69.70	do	10
70.71	Beech	10
71.72	do	10
72.73	Beech	10
73.74	do	10
74.75	Beech	10
75.76	do	10
76.77	Beech	10
77.78	do	10
78.79	Beech	10
79.80	do	10
80.81	Beech	10
81.82	do	10
82.83	Beech	10
83.84	do	10
84.85	Beech	10
85.86	do	10
86.87	Beech	10
87.88	do	10
88.89	Beech	10
89.90	do	10
90.91	Beech	10
91.92	do	10
92.93	Beech	10
93.94	do	10
94.95	Beech	10
95.96	do	10
96.97	Beech	10
97.98	do	10
98.99	Beech	10
99.100	do	10



old notes of Township No 10 north of Range No 2 west of 2<sup>d</sup> principal Meridian

to or station	Bearing	in	th	From						
corner	Line	dia	boards	dist	n	to				
18.19.20	Beech	10	S 45° E	12	168	at 1	"	"	"	"
	do	10	S 72° E	31	"	"	"	"	"	"
17.18	Sugar	10	S 28° E	12	2	Hickory	16	N 61° E	33	
	Beech	14	N 30° E	6	"	do	17	S 71° E	28	
7.8	do	14	S 72° E	21	3	Tr oak	30	S 19° E	15	
						ash	11	N 7° E	16	
18.19.20	Bearing	in	th	4	Beech	14	East	4		
18.19.20	Line	dia	boards	dist	Beech	12	S 81° E	39		
					Beech	12	S 73° E	19		
					Beech	12	S 61° E	15		
0 at 1	Beech	6	N 44° E	11	6	"	"	"	"	"
	Tr Ash	18	S 26° E	23	"	"	"	"	"	"
2	Elm	9	N 30° E	6	H to Y at 1	"	"	"	"	"
	Sugar	14	S 66° E	23	"	"	"	"	"	"
3	Sugar	9	N 38° E	19	2	"	"	"	"	"
	Sugar	12	N 58° E	25	"	"	"	"	"	"
4	Beech	12	N 88° E	26	3	B. Gum	18	S 29° E	20	
	Beech	14	N 80° E	32	"	Beech	12	S 56° E	20	
5	Beech	14	N 62° E	15	4	Beech	12	N 86° E	9	
	Tr oak	30	S 8° E	20	"	Beech	10	N 80° E	15	
6	Beech	14	N 33° E	23	5	Beech	7	S 14° E	8	
V at 1	Tr Beech	7	S 60° E	16	"	Tr Ash	12	N 35° E	32	
	do	8	S 76° E	18	6	Beech	9	N 88° E	17	
2	Hickory	7	North	7	"	Beech	14	N 60° E	21	
	do	12	S 81° E	12	O to Fat 1	Sugar	9	N 19° E	—	
3	Beech	9	S 59° E	22	"	Beech	9	S 45° E	30	
	Beech	20	N 20° E	14	2	Sugar	12	S 55° E	7	
4	Sugar	12	N 9° E	18	"	Beech	12	S 67° E	11	
	Tr Ash	27	S 25° E	27	3	Maple	3	S 35° E	3 1/2	
5	Beech	7	N 56° E	16	"	do	5	S 85° E	4	
	Sugar	6	S 46° E	14	4	B. Oak	36	North	14	
6	Beech	11	N 27° E	23	"	Beech	16	— 47° E	14	
	do	14	N 82° E	28	5	"	"	"	"	"
W at 1	B. oak	36	S 60° E	2	"	"	"	"	"	"
	Beech	6	N 62° E	21	6	"	"	"	"	"
2	Elm	3	N 7° E	8	"	"	"	"	"	"
	Beech	6	N 77° E	9	P to E at 1	Beech	8	S 54° E	7	
3	Beech	8	N 62° E	19	"	Sugar	8	N 25° E	23	
	Beech	6	S 54° E	24	2	Sugar	14	S 7° E	25	
4	Logwood	2 1/2	N 48° E	9	"	Beech	17	North	9	
	Plum Tree	3	S 82° E	8	3	Sugar	12	N 77° E	10	
5	Beech	12	N 83° E	21	"	Beech	18	S 35° E	37	
	Beech	12	S 46° E	25	4	Beech	7	N 41° E	14	
6	Beech	15	N 13° E	12	"	Beech	12	S 60° E	33	
	Beech	4	S 30° E	8	"	"	"	"	"	"




Field notes of Township No 10 North of Range 2 West of 2 Principal Meridian

From & To	Bearing	Tree	inch dia	boards	lbs
5	Beech	12	S 76° E	15	
	Beech	15	N 60° W	33	
6	"	"	"	"	"
	"	"	"	"	"
A to D at 1	Logwood	6	S 50° E	6	
	Poplar	30	N 74° W	4	
2	Sugar	9	S 60° W	7	
	Red Oak	24	S 60° E	13	
3	Logwood	4	S 61 1/2° W	13	
	Beech	24	N 56° E	25	
4	Beech	9	S 22° W	7	
	Beech	12	S 70° E	23	
5	Beech	11	S 17° W	18	
	Beech	2 1/2	N 5 1/2° E	19	
6	H Oak	17	S 16° W	24	
	Beech	16	N 31° E	13	
R to C at 1	Beech	7	N 30° E	18	
	Beech	6	S 34° W	6	
2	Beech	12	N 62° E	15	
	Beech	10	N 34° W	16	
3	Sugar	6	N 35° E	24	
	Sugar	15	S 79° W	24	
4	Hickory	8	S 80° E	4	
	Hickory	12	S 14° E	7	
5	Beech	12	S 24° W	13	
	Beech	18	N 25° W	9	
6	Sugar	10	N 44° E	2	
	H Walnut	30	S 82° E	6	
S to B at 1	Beech	5	S 43° E	18	
	Beech	10	N 33° E	20	
2	Beech	30	N 64° W	12	
	Beech	30	S 7° E	17	
3	Beech	14	S 6° W	26	
	Beech	15	N 89° E	43	
4	Beech	7	S 10° E	18	
	Ironwood	3	N 70° E	13	
5	Sycamore	30	N 60° W	23	
	Elm	6	N 35° E	30	
6	"	"	"	"	
	"	"	"	"	
	Elm	12	corner		

End of T 10 R 2 West of 2 Principal Meridian



Map and field notes of so much of Township No 11 north of  
Range No 2 west of 2<sup>d</sup> principal Meridian as belongs to  
Monroe County



corners on the River

posts on interior line corners	Bearing Trees	in dis	courses	Chs dist	posts on the River	Bearing Trees	in dis	courses	Chs dist
P	N oak	30	N 74° W	15	1	Maple	7	N 73° W	20
	Poplar	36	S 85° E	27		Elm	14	N 70° E	12
P	Beech	27	S 37° W	33	2	Ash	6	S 86° E	13
	Sugar	10	N 31° E	27		Sycamore	12	S 58° W	8
A	Beech	6	N 65° W		3	Sycamore	12	corner	—
	do	10	N 4° E			"	"	"	"
g	Beech	18	N 8° W						
	do	18	S 24° W						

interior line corners	Bearing Trees	in dis	courses	Chs dist	corners on the boundary line to R. W. for sections 27-34-27-28-21-29-20-31-19-20	Bearing Trees	in dis	courses	Chs dist
27-28-33-34	Hackberry	16	N 17° E	27	27-34	Elm	15	S 32° E	2
	Hickory	12	S 21° W	25		Sugar	15	N 53° W	35
28-29-32-33	W. Thorn	6	S 33° E	14	27-28	Beech	9	S 64° W	4
	Hackberry	4	N 88° W	22		Sugar	10	S 54° W	25
From A to	Bearing trees	in dis	courses	Chs dist	21-23	Hickory	7	S 37° E	26
						Dogwood	9	N 61° W	21
Or to D at	Hackberry	26	N 45° W	10	20-21	Sugar	4	S 59° E	10
	Sugar	14	S 19° E	8		do	3	N 77° W	21
R to C at	Hickory	16	S 66° E	22	19-20	Beech	8	N 37° E	9
	do	20	N 66° W	58		Beech	4	S 37° W	22

of Township 11 north of Range No 2 west of 2<sup>d</sup> principal Meridian







Old notes of Township No 7 North of Range 1 West of the 2<sup>d</sup> Principal Meridian

old notes of Township No 7 North of Range 1 West of the 2<sup>d</sup> Principal Meridian

inch	boules	dist	pts of	Bearing	inch	boules	dist	pts of	Bearing	inch	boules	dist		
dia	boules	dist	on section	tree	dia	boules	dist	Interior	tree	dia	boules	dist		
6	S 87 E	3												
9	A 26 N	18	X	Sugar	12	A 36 E	36	28.29.32.33	Beech	12	S 4 E	14		
5	S 74 N	9		Blackberry	12	S 80 N	20		Do	18	A 52 E	42		
6	S 45 E	24	X	"	"	"	"	20.21.28.29	Sugar	1	S 76 E	21		
10	S 72 E	9		"	"	"	"		Ironwood	4	A 68 N	4		
15	A 66 N	17	Y	Sycamore	24	East	19	16.17.20.21	Beech	26	A 18 E	12		
6	A 18 N	12		Elm	12	S 5 E	31		Sugar	4	S 20 N	6		
5	S 45 N	6	Z	"	"	"	"	8.9.16.17	Beech	30	East	3		
16	S 34 E	6		"	"	"	"		Sugar	8	S 40 N	28		
12	A 10 E	26						4.5.8.9	Sugar	18	A 8 E	13		
12	A 10 E	26		Bearing	inch				Beech	20	S 77 N	26		
10	S 26 E	10		tree	dia	boules	dist	29.30.31.32	Logwood	4	S 64 E	26		
15	A 52 E	5						19.20.29.30	Elm	7	A 59 N	20		
9	S 75 N	13		Beech	18	A 30 N	28		Beech	15	A 57 E	22		
18	S 65 E	8		Do	12	S 56 E	28	17.18.19.20	Do	25	S 48 E	31		
12	A 83 N	24		Beech	15	A 15 E	25		Beech	15	S 73 E	11		
30	A 82 N	40		Do	8	S 16 N	23	7.8.17.18	Do	10	S 63 N	15		
10	A 77 E	27		Maple	5	S 21 N	23		Do	12	A 45 N	12		
12	S 54 N	7		Do	8	A 55 N	39	5.6.7.8	Beech	18	South	8		
30	A 10 E	23		Hickory	8	S 30 E	7		Sugar	12	S 86 E	43		
30	S 60 N	11		N Oak	18	A 68 N	22							
30	A 71 E	27		11.12	Beech	10	S 46 N	13	through	Bearing	inch	links		
30	S 60 E	25		Do	12	A 21 E	19	X Do	tree	dia	boules	distance		
8	S 77 N	25		7.34.35	Beech	8	A 72 E	17						
36	S 15 N	17		Do	"	A 11 N	8	M to V at 1	Sugar	10	S 47 N	4		
8	A 71 N	27		3.26.27	N Oak	20	A 21 E	6		Do	18	A 77 E	32	
8	S 50 N	25		Beech	10	S 45 N	39		2	Beech	6	A 56 E	14	
15	A 60 E	26		-22.23	"	"	"			Do	10	S 20 E	11	
30	S 77 N	32		14.15	Beech	6	S 39 N	19		3	Maple	10	S 64 E	24
30	A 2 N	38		Do	5	A 20 E	18		4	Hickory	12	S 27 N	14	
"	"	"		10.11	Beech	12	A 41 E	10		4	N Oak	20	A 57 N	13
"	"	"		8.33.34	Do	5	S 27 E	6		5	Do	24	A 72 E	12
8	A 45 E	30		Beech	12	S 57 E	14		5	Beech	10	A 28 E	28	
4	S 71 E	30		Beech	8	A 4 E	23		6	Do	4	S 85 E	22	
"	"	"		27.28	Beech	8	S 7 E	25		6	Hickory	18	A 72 N	23
"	"	"		21.22	Hickory	10	A 87 N	27	L to V at 1	Sugar	8	S 25 E	32	
"	"	"		15.16	Beech	10	A 87 E	15		Beech	12	S 4 E	11	
"	"	"		7.10	Do	15	S 79 N	12		Do	10	A 82 N	12	
"	"	"		"	Beech	12	A 40 N	14		2	Poplar	5	A 45 E	11
"	"	"		"	Sugar	8	A 46 E	14		2	Do	5	S 15 N	17
"	"	"		"	Beech	4	A 4 E	12		3	Beech	25	A 18 E	30
"	"	"		"	N Walnut	6	West	35		4	Do	15	S 74 N	11
"	"	"		"	"	"	"	"			Sugar	8	A 76 E	21
"	"	"		"	"	"	"	"			Do	8	S 12 E	21



Field notes of Township No 7 north of Range No 1 west of E principal Meridian

From to	Bearing true	in di	to be distant	From to	Bearing true	in di	to be distant
5	"	"	"	4	Beech	20	S 14 N 23
"	"	"	"	"	do	12	S 70 E 20
6	Beech	8	N 4 E 34	5	N Oak	20	N 41 E 23
"	do	10	S 35 N 11	"	do	12	S 42 N 26
R to W at 1	Beech	10	N 100 E 20	6	N Oak	20	N 75 E "
"	do	15	S 64 N 20	"	do	20	S 16 N 9
2	Beech	10	N 77 E 16	P to E at 1	N Walnut	10	N 70 N 15
"	do	8	S 16 E 17	"	do	17	N 42 E 14
3	Poplar	100	S 49 N 12	2	"	"	"
"	Sugar	20	N 62 E 18	"	"	"	"
4	Sugar	10	N 20 E 22	3	Beech	15	S 77 N 17
"	do	5	S 33 E 21	"	do	15	N 45 N 27
5	Beech	10	N 26 E 5	4	N Oak	12	S 42 N 4
"	do	5	S 19 N 9	"	do	15	N 28 E 20
6	N Walnut	5	N 50 E 80	5	Beech	4	S 57 N 20
I to X at 1	N Oak	5	N 20 E 33	"	N Walnut	10	S 73 E 20
"	Ironwood	6	N 21 E 29	6	Beech	15	S 40 E 15
2	Beech	3	S 62 E 5	"	do	15	N 24 N 12
"	do	"	N 28 E 10	A to D at 1	Beech	12	E 30
3	Beech	20	S 48 N 18	"	elm	10	N 69 N 25
"	Sugar	8	S 88 E 11	2	Beech	6	N 26 E 6
4	Sugar	6	N 13 E 17	"	do	10	S 36 N 8
"	do	12	S 7 E 27	3	elm	10	N 32 E 7
5	Beech	12	S 6 E 4	"	Beech	5	S 5 N 7
"	do	4	N 28 E 5	4	Sugar	7	S 56 E 11
6	N Walnut	36	N 24 E 19	"	do	10	S 86 N 17
"	Ash	18	S 35 N 19	5	Sugar	10	N 15 E 10
H to Y at 1	Logwood	6	N 30 N 17	"	Logwood	3	N 57 E 9
"	Maple	10	S 9 N 20	6	N Ash	20	S 10 E 25
2	Beech	8	S 16 N 4	"	Beech	5	S 52 N 4
"	do	4	N 7 E 20	R to C at 1	Ash	20	N 37 N 8
3	Beech	3	N 45 E 13	"	Beech	6	N 100 N 20
"	do	18	S 63 N 21	2	Beech	4	Corner
4	Sugar	15	S 75 E 17	"	"	"	"
"	do	12	S 7 E 27	3	elm	18	N 14 N 26
5	Poplar	10	S 17 N 10	"	Beech	8	S 26 N 19
"	Sugar	5	N 75 E 9	4	Beech	5	S 29 E 19
6	Sugar	10	N 36 E 3	"	do	4	N 81 E 20
"	do	9	S 37 N 35	5	Beech	30	S 56 N 26
O to F at 1	Beech	18	S 50 E 26	"	do	10	S 45 E 25
"	do	10	N 78 N 7	6	Hickory	20	N 46 E 6
2	Beech	8	S 16 N 40	"	Logwood	4	S 14 E 18
"	do	4	N 9 E 20	S to B at 1	Beech	10	S 57 E 21
3	Beech	3	N 45 E 13	"	do	12	S 78 N 27
"	do	18	S 63 N 21				

Field notes of Township No 7 north of Range No 1 west of E principal Meridian

From	Bearing	in	to
1	Sugar	8	
2	do	8	
3	Hickory	15	
4	Sugar	15	
5	N Oak	20	
6	Beech	6	
7	Beech	7	
8	do	6	
9	Beech	8	
10	Sugar	5	

End of Township No 7 north of Range No 1 west of E principal Meridian



West of 2<sup>d</sup> principalfield notes of Township No 7 north of range 1 west of the 2<sup>d</sup> principal Meridian

tho	inch	dist	from to	Bearing	inch	tho
dist	dist	dist	to	to	dist	dist
20	S 14	1/2				
12	S 70	1/2				
20	N 44	1/2				
12	S 42	1/2				
20	N 75	1/2				
20	S 16	1/2				
10	N 70	1/2				
17	N 42	1/2				
15	S 97	1/2				
15	N 45	1/2				
12	S 42	1/2				
15	N 28	1/2				
4	S 27	1/2				
10	S 78	1/2				
15	S 40	1/2				
15	N 24	1/2				
12	E 26	1/2				
10	N 69	1/2				
6	N 26	1/2				
10	S 36	1/2				
12	N 32	1/2				
5	S 5	1/2				
7	S 52	1/2				
10	S 56	1/2				
10	N 15	1/2				
10	N 57	1/2				
3	S 10	1/2				
20	S 10	1/2				
5	S 52	1/2				
20	N 37	1/2				
6	N 17	1/2				
4	S 14	1/2				
18	S 26	1/2				
8	S 29	1/2				
5	N 87	1/2				
4	S 86	1/2				
30	S 44	1/2				
10	N 26	1/2				
20	S 10	1/2				
4	S 17	1/2				
10	S 78	1/2				

2	Sugar	8	S 16	1/2	19
	do	8	S 77	1/2	33
3	Hackberry	12	S 40	1/2	17
	Sugar	15	N 40	1/2	26
4	Tr oak	24	S 30	1/2	6
	Beech	6	S 88	1/2	12
5	Beech	7	S 13	1/2	4
	do	6	N 24	1/2	22
6	Beech	8	S 29	1/2	24
	Sugar	5	N 33	1/2	11

End of Township No 7 north of range No 1 west of the  
2<sup>d</sup> principal Meridian



## Field Notes of Township No 7 north of Range No 1 East of E principal Meridian

posts or Exterior or boundaries	Bearing in true	dist	boundaries dist						
A	B oak	24	N 15 E	25	M	Hickory	12	S 24 W	20
	Beech	10	S 39 W	3		Poplar	8	S 48 W	23
a	"	"	"	"	m	Hickory	9	N 47 E	22
	"	"	"	"		Sugar	16	S 32 E	11
B	Elm	12	S 26 W	8	N	Hickory	14	N 14 E	23
	Beech	10	N 1 W	21		Beech	6	N 80 E	16
b	"	"	"	"	n	Sugar	15	S 61 W	19
	"	"	"	"					
C	W oak	40	S 50 W	20	O	Beech	24	S 75 W	14
	Elm	15	N 87 E	18		Hickory	10	S 74 E	27
c	"	"	"	"	o	Elm	12	N 12 W	8
	"	"	"	"		Maple	14	S 46 W	24
D	Elm	10	S 88 W	6	P	W oak	30	N 7 E	21
	Beech	20	N 70 E	12		Do	16	S 69 W	24
d	"	"	"	"	p	Sycamore	5	S 72 E	12
	"	"	"	"		W oak	16	N 30 W	26
E	hit the Post				Q	Hickory	10	N 37 W	5
e	"	"	"	"		W oak	15	S 74 E	34
	"	"	"	"	q	W oak	24	N 76 E	29
F	Beech	18	N 33 E	20		Sycamore	6	S 27 W	24
	Do	10	S 33 W	25	R	W oak	19	S 27 W	6
f	"	"	"	"		Do	8	N 86 E	20
	"	"	"	"	r	Hickory	10	N 84 E	32
G	W oak	15	N 35 E	22		W oak	24	N 65 W	34
	Hickory	11	S 72 W	28	S	W oak	24	N 65 W	34
g	"	"	"	"		Hickory	7	N 73 E	17
	"	"	"	"	s	W oak	24	S 15 W	22
	"	"	"	"		chestnut	9	S 71 E	19
H	Hickory	6	S 34 E	13		Beech	9	N 23 W	9
	Do	6	N 33 E	14	T	Sugar	10	N 72 E	9
h	Hickory	16	S 61 E	15		Do	15	N 66 W	17
	Maple	8	N 19 W	18	t	"	"	"	"
i	Beech	8	S 43 W	7		"	"	"	"
	Do	6	N 32 E	6	U	Beech	6	N 46 E	5
i	Beech	9	S 47 W	18		Do	6	N 61 W	14
	Do	16	N 9 E	33	u	"	"	"	"
K	Poplar	9	N 85 W	8		"	"	"	"
	B oak	15	N 84 E	29	V	Maple	8	N 37 E	30
k	W oak	15	N 19 W	26		Beech	9	S 11 W	8
	B oak	30	N 5 E	47	v	"	"	"	"
L	Hickory	15	N 80 W	22		"	"	"	"
	Sugar	15	S 45 E	45	W	Hickory	6	S 10 E	2
	Elm	6	S 22 E	8		Do	8	S 85 E	13
	B oak	15	N 23 E	21	w	Beech	6	N 45 W	16
	"	"	"	"		"	"	"	"



1 East of 2 Principal Meridian

## Field Notes of Township 7 North of Range No 1 East of 2 Principal Meridian

pts or cor direction corners	Bearing Line	inch diam	boards dist	Interior Section corners	Bearing Line	in dia	boards dist	Chs dist
2 S 24 1/2 E 20	X	Beech	20	N 23 1/2 W 29	to Oak	15	N 52 E 22	
8 S 48 1/2 E 23		Elm	4	S 51 1/2 W 5	do	15	N 10 1/2 W 25	
9 N 47 E 22	X	"	"	8.9.16.17	to Walnut	6	corner line	
16 S 32 E 11		"	"	"	"	"	"	
14 N 14 E 21	Y	Lichory	6	N 60 W 19	Beech	8	N 52 W 8	
6 N 31 E 16		Beech	10	S 40 W 32	do	6	N 39 E 11	
15 S 61 1/2 E 19	Y	"	"	29.30.31.32	to Oak	10	S 44 E 20	
					B. Oak	20	N 36 W 30	
24 S 74 1/2 E 10	Interior line	Bearing	in	19.20.29.30	poplar	25	S 10 E 24	
10 S 74 E 27	inter	Line	di		Elm	6	N 30 E 14	
12 N 12 E 8			boards	17.18.19.20	Beech	5	S 49 E 12	
14 S 46 E 24	26.35.36	to Walnut	5	S 5 E 11	to Oak	8	N 7 W 13	
30 N 7 E 21		Sassafras	6	S 52 W 21	B. Oak	14	N 43 W 10	
16 S 69 E 24	24.25.26	Lichory	5	N 66 W 15	"	"	"	
5 S 72 E 12		do	15	N 70 E 33	5.6.7.8	Beech	20	N 80 E 24
16 N 30 E 26	4.23.24	B. Oak	20	S 24 W 7	do	8	N 26 W 18	
10 N 37 E 5		Ironwood	6	N 7 W 17				
15 S 74 E 34	2.13.14	Ironwood	4	S 61 W 12	Iron	Bearing	in	links
24 N 76 E 27		Beech	5	N 61 E 17	to	Line	dia	boards
6 S 27 E 20	11.12	"	"	"				dist
19 S 27 E 6		"	"	"	to V at 1	Elm	15	corner line
8 N 56 E 20	27.34.35	to Walnut	5	S 5 E 11	"	"	"	"
10 N 84 E 32		Sassafras	6	S 52 W 21	2	Beech	15	N 54 W 9
24 N 65 E 34	13.26.27	Lichory	4	N 66 E 5		Poplar	6	S 26 W 10
24 N 65 E 34		do	8	S 27 E 11	3	Logwood	5	S 39 W 8
7 N 73 E 17	5.22.23	Blue Ash	10	N 48 E 13		do	6	N 72 E 10
24 N 71 E 17		to Oak	20	S 54 E 25	4	Beech	20	N 10 E 8
7 N 71 E 17	14.15	Hackberry	15	S 40 W 26		to Oak	12	N 60 W 3
7 N 28 E 7		to Walnut	4	S 27 E 11	5	Maple	10	N 34 W 15
10 N 72 E 9	10.11	Lichory	7	S 70 W 20		Elm	12	N 81 E 27
15 N 66 E 17		Elm	14	S 57 E 22	6	to Oak	10	East 5
"	8.33.34	B. Oak	20	N 36 E 27		do	12	S 73 W 22
"		to Oak	10	N 75 E 21	to V at 1	Ironwood	5	S 12 W 11
"	2.27.28	Chestnut	20	S 18 E 4		Beech	7	N 78 E 20
6 N 46 E 14		poplar	6	N 7 W 27	2	Beech	10	N 44 W 21
6 N 61 E 14	6.21.22	Chestnut	15	N 20 W 10		do	8	N 15 W 20
"		Lichory	12	S 22 W 12	3	to Oak	8	S 33 E 22
"	0.15.16	Elm	8	S 63 W 10		do	8	N 41 W 22
8 N 87 E 8		B. Oak	12	N 19 E 14	4	to Oak	15	S 53 W 11
9 N 11 E 13	9.10	poplar	20	N 30 E 15		do	18	N 24 E 4
"		Beech	6	N 45 W 16	5	Ironwood	4	N 15 E 7
"	7.32.33	Maple	10	N 48 E 5		Logwood	4	S 18 W 16
6 S 10 E 13		to Oak	12	N 7 W 29	6	to Oak	12	N 73 E 11
5 N 45 E 16	1.28.29	to Oak	30	S 81 E 9		Lichory	8	N 60 W 15
		B. Oak	18	N 61 W 9				



Field Notes of Township No 7 North of Rang No 1 East of E. Principal Meridian

From & To	Bearing Line	in dia	in bonds	Chs dist	From & To	Bearing Line	in dia	in bonds	Chs dist
R to W at 1	Beech	10	N 50° W	2	5	"	"	"	"
	Do	12	S 5° E	4		"	"	"	"
2	Beech	10	N 87° E	40	6	Beech	12	corner	See
	Maple	10	S 2° W	16	P to E at 1	Hickory	6	S 54° E	22
3	Summwood	4	N 75° E	29		W Oak	12	N 6° W	27
	Maple	8	S 3° E	38	2	W Oak	18	N 54° W	5
4	Beech	6	S 5° W	4		Beech	8	S 55° E	24
	Do	10	S 55° W	8	3	Sugar	8	S 52° E	7
5	Hickory	4	N 17° W	3		Poplar	10	N 85° W	18
	Ash	10	S 61° E	13	4	Sycamore	40	S 60° W	66
6	W Oak	20	N 65° E	20	1	Elm	5	S 82° W	46
	Do	10	S 52° E	8	5	Elm	24	S 81° W	21
I to X at 1	W Oak	18	N 65° W	5		Do	22	N 34° W	40
	B Oak	10	S 32° E	20	6	Beech	22	S 11° E	2
2	Elm	15	S 77° E	21		Do	3	S 72° W	20
	Beech	10	S 52° E	22	O to D at 1	B Oak	12	N 69° E	11
3	Dogwood	6	S 12° W	20		W Oak	8	N 54° W	8
	B Oak	21	S 29° W	20	2	W Oak	15	corner	See
4	W Oak	8	S 31° W	19		"	"	"	"
	Beech	8	N 4° W	3	3	Dogwood	3	N 67° E	60
5	Summwood	5	S 3° E	11		thicket Oak	9	S 27° W	17
	Hickory		N 37° E	20	4	B Oak	12	N 66° E	12
6	Sum	10	N 18° W	11		Do	8	S 66° W	21
	Beech	8	S 26° W	32	5	W Oak	20	S 14° E	17
H to Y at 1	Beech	10	N 4° W	18		Do	—	S 82° W	47
	Dogwood	4	N 53° E	24	6	Beech	12	N 89° E	16
2	W Oak	15	S 74° E	13		Do	8	S 81° W	18
	Beech	10	S 32° W	14	R to G at 1	B Oak	20	South	21
3	Beech	15	N 40° E	18		Sum	20	N 3° W	18
	Sugar	8	S 34° W	17	2	W Oak	30	S 77° E	5
4	W Oak	15	N 57° W	17		Beech	4	S 67° W	13
	B Oak	4	S 77° E	11	3	W Oak	10	S 72° E	14
5	Beech	6	N 6° E	20		B Oak	10	S 63° W	13
	Do	12	N 88° W	30	4	Dogwood	4	N 71° W	34
6	Beech	12	N 47° W	16		Sum	20	S 51° E	10
	Beech	10	S 43° E	8	5	W Oak	15	S 84° W	20
O to F at 1	Elm	4	N 8° E	12		Maple	8	N 62° E	22
	Franklin	10	S 12° W	27	6	Beech	10	N 30° W	6
2	Sugar	10	N 48° E	27		Do	10	S 15° E	25
	Maple	10	N 89° W	20	S to B at 1	B Oak	10	N 25° E	8
3	Maple	4	South	7		Do	10	S 27° W	17
	Maple	8	S 54° E	15	2	Hickory	10	N 71° E	27
4	W Oak	12	N 20° E	15		B Oak	18	S 20° W	12
	Sugar	6	N 22° W	24	3	Dogwood	5	S 41° W	12
						Hickory	8	S 60° E	18

Field Notes of Township			
Section	Bearing	in	dia
1	Beach	12	"
2	do	12	"
3	Beach	12	"
4	Beach	12	"
Field Notes of Township			
E. Principal Meridian			
Section	Bearing	in	dia
1	Butternut	12	"
2	Lugar	12	"
3	"	"	"
4	"	"	"
5	Lugar	12	"
6	Groenwood	12	"
7	"	"	"
8	"	"	"
9	Beach	8	"
10	do	6	"
11	"	"	"
12	"	"	"
13	"	"	"
14	"	"	"
15	"	"	"
16	"	"	"
17	"	"	"
18	"	"	"
19	"	"	"
20	"	"	"
21	"	"	"
22	"	"	"
23	"	"	"
24	"	"	"
25	"	"	"
26	"	"	"
27	"	"	"
28	"	"	"
29	"	"	"
30	"	"	"
31	"	"	"
32	"	"	"
33	"	"	"
34	"	"	"
35	"	"	"
36	"	"	"
37	"	"	"
38	"	"	"
39	"	"	"
40	"	"	"
41	"	"	"
42	"	"	"
43	"	"	"
44	"	"	"
45	"	"	"
46	"	"	"
47	"	"	"
48	"	"	"
49	"	"	"
50	"	"	"
51	"	"	"
52	"	"	"
53	"	"	"
54	"	"	"
55	"	"	"
56	"	"	"
57	"	"	"
58	"	"	"
59	"	"	"
60	"	"	"
61	"	"	"
62	"	"	"
63	"	"	"
64	"	"	"
65	"	"	"
66	"	"	"
67	"	"	"
68	"	"	"
69	"	"	"
70	"	"	"
71	"	"	"
72	"	"	"
73	"	"	"
74	"	"	"
75	"	"	"
76	"	"	"
77	"	"	"
78	"	"	"
79	"	"	"
80	"	"	"
81	"	"	"
82	"	"	"
83	"	"	"
84	"	"	"
85	"	"	"
86	"	"	"
87	"	"	"
88	"	"	"
89	"	"	"
90	"	"	"
91	"	"	"
92	"	"	"
93	"	"	"
94	"	"	"
95	"	"	"
96	"	"	"
97	"	"	"
98	"	"	"
99	"	"	"
100	"	"	"



Field Notes of Township No 7 North of Range No 1 East of 2 Principal Meridian

From	Bearing in	in	to	dist
To B at 5	Beech	12	S 58° E	22
	do	15	N 56° W	9
6	Beech	18	S 40° W	10
	Beech	12	N 46° E	20

End of Township No 7 North of  
Range No 1 East of 2 Principal  
Meridian

Field Notes of Township No 8 North of Range No 1 East of the  
2 Principal Meridian

From	Bearing in	in	to	dist	Section	Bearing in	in	to	dist
tion	Line	dis	boundaries	dist	corners	boundaries	dis	boundaries	dist
A	Butternut	12	N 34° E	12	1	B Ash	4	S 62° W	14
	Sugar	13	S 11° E	37		Oak	20	N 56° W	3
a	"	"	"	"	i	B. Oak	7	S 76° E	12
	"	"	"	"		to Oak	8	S 24° W	16
B	Sugar	15	S 22° E	16	K	to Oak	24	S 80° E	17
	Ironwood	3	N 23° E	11		"	8	S 34° W	14
b	"	"	"	"	h	Beech	20	S 15° W	21
	"	"	"	"		do	14	N 81° E	30
C	Beech	8	N 75° W	6	L	Beech	10	N 44° E	11
	do	6	S 60° E	25		Hickory	15	S 25° W	17
c	"	"	"	"	l	Gum	20	N 30° E	7
	"	"	"	"		do	20	S 30° E	31
D	hit the post				M	Sugar	8	N 87° W	14
d	Beech	14	S 30° E	21		do	8	S 9° W	20
	"	13	N 16° W	24	m	Beech	10	S 1° W	33
	"	"	"	"		do	14	N 1° E	9
E	hit the post				N	to Oak	15	N 55° E	32
e	Gum	14	N 56° W	23		Hickory	11	S 72° W	28
	Boak	17	N 51° E	11	n	Sugar	12	S 29° W	30
	"	"	"	"		do	12	N 74° E	40
F	Elm	15	corner		O	Beech	16	N 56° E	25
	Boak	30	N 81° W	24		do	15	S 59° W	36
f	maple	12	S 13° E	24	o	Poplar	16	N 25°	...
	"	"	"	"		"	"	"	"
G	to Oak	14	N 67° E	20	p	corner in the branch			
	Gum	12	S 57° W	50		"	"	"	"
g	Logwood	7	S 26° E	5	p	Beech	12	S 17° E	15
	B. Oak	5	N 78° E	31		Elm	16	N 20° E	24
H	Maple	30	North	119	q	Beech	36	N 58° E	8
	Beech	20	S 29° W	5		to Oak	24	S 63° W	15
h	Hickory	18	S 59° E	15	r	Beech	16	S 28° E	20
	Beech	8	S 16° E	7		do	6	N 34° E	25



## Field Notes of Township N 9 North of Range No 1 East of 2 principal Meridian

Section corner	Bearing Line	inch dia	boards	lbs dist					
R	Burch	16	N 45 E	11	1. 2. 11. 12	Hickory	9	S 59 E	14
	do	16	S 77 W	23		W Walnut	15	S 16 W	32
r	W oak	16	N 24 E	19	26. 27. 30. 35	W oak	6	corner	See
	Burch	10	S 8 E	38					
S	Burch	24	S 43 W	14	22. 23. 26. 27	Burch	10	S 18 W	14
	do	12	N 9 W	23		do	12	S 87 E	15
s	Burch	10	S 25 W	12	14. 15. 22. 23	Burch	30	S 14 W	33
	do	18	N 35 E	27		do	4	South	20
T	W oak	24	N 15 E	25	10. 11. 14. 15	Burch	20	N 85 W	31
	Burch	10	S 39 W	3		do	20	N 45 E	13
T	"	"	"	"	2. 3. 10. 11	Burch	12	N 44 E	12
	"	"	"	"	"	do	12	East	58
U	Burch	15	S 41 E	24	27. 28. 33. 34	W oak	10	N 60 W	17
	Sugar	12	S 8 W	26		Sugar	6	S 48 W	18
u	Burch	3	S 58 E	19	21. 22. 27. 28	Burch	10	S 79 E	24
	Sugar	16	do	15		do	4	S 6 E	14
V	Burch	12	S 10 E	10	15. 16. 21. 22	Burch	12	corner	
	do	4	N 28 E	28					
v	"	"	"	"	9. 10. 15. 16	Logwood	4	S 52 W	11
	"	"	"	"	"	Burch	3	N 55 E	4
W	Burch	15	S 19 W	13	3. 4. 9. 10	Burch	18	S 55 W	10
	do	18	S 72 E	24		do	8	N 83 E	7
w	"	"	"	"	25. 29. 32. 33	W oak	10	S 16 E	3
	"	"	"	"	"	do	5	N 36 E	15
X	Burch	8	S 10 W	18	20. 21. 28. 29	Logwood	5	S 85 W	14 1/2
	do	12	N 56 W	20		Burch	8	S 50 E	29
x	"	"	"	"	16. 17. 20. 21	Burch	12	S 55 W	10
	"	"	"	"	"	do	5	N 79 E	10
y	W oak	18	N 8 W	13	8. 9. 16. 17	W oak	15	S 51 E	28
	Burch	10	S 67 E	17		Hickory	6	West	19
y	"	"	"	"	4. 5. 8. 9	W oak	15	N 15 E	14
	"	"	"	"	"	do	15	S 30 W	15
					27. 30. 31. 32	W oak	15	S 5 W	18
Interior Section corners	Bearing Line	inch dia	boards	lbs dist	12. 20. 29. 30	Hickory	5	S 45 W	14 1/2
25. 26. 35. 36	Burch	10	S 21 E	7	17. 18. 19. 20	Burch	12	S 38 E	9
	Sugar	6	N 15 E	25		Logwood	4	N 48 W	14
23. 24. 25. 26	W oak	20	N 27 W	15	7. 8. 17. 18	Sassafras	6	S 50 W	15
	Burch	7	S 25 E	13		do	6	S 70 E	4
13. 14. 23. 24	W oak	8	N 24 E	15	5. 6. 7. 8	Logwood	3	N 2 E	3
	W oak	10	S 78 W	14		W oak	20	S 55 W	24
11. 12. 13. 14	W oak	25	N 46 W	4		W oak	24	S 60 E	4
	do	8	N 75 E	22		Logwood	3	S 54 W	14



Field Notes of Township No 8 North of Range No 1 East of 2<sup>nd</sup> Principal Meridian



Field Notes of Township No 8 North of Range No 1 East of 2<sup>d</sup> Principal Meridian

From & To	Bearing Line	inches dia	bounds	links dist
Q to D at 3	Promwood	4	S 28° E	12
	do	6	N 4° W	32
	4 Birch	20	S 44° E	15
	do	10	N 50° E	18
	5 Birch	18	S 70° W	20
	do	8	N 83° E	11
R to C at 1	6 W oak	30	S 70° E	—
	Wagwood	5	N 67° W	23
	1 Maple	10	N 28° W	6
	do	8	S 56° E	18
	2 Birch	9	East	16
	Elm	30	West	10
	3 Birch	25	S 28° E	35
	do	8	N 27° W	13
	4 Birch	18	S 22° W	22
	do	15	N 34° W	10
	5 W oak	40	N 78° W	14
	Hickory	12	N 80° E	18
	6 Birch	10	N 81° E	7
	do	10	N 77° W	26
	1 Birch	18	S 28° W	25
	do	18	N 84° W	21
S to B at 1	2 Birch	10	N 58° W	5
	Wagwood	4	S 9° E	20
	3 W oak	4	S 10° E	21
	Hickory	4	N 26° E	9
	4 Poplar	30	S 58° E	9
	Birch	8	S 20° W	8
	5 Hickory	18	N 15° E	8
	W oak	15	S 15° W	10
	6 Maple	12	S 45° W	10
	Sugar	15	N 26° W	20

End of Township No 8 North of  
Range No 1 East of 2<sup>d</sup> Principal  
Meridian

End of Township No 8 North of Range No 1 East of  
the 2<sup>d</sup> Principal Meridian



No 1 East of 2<sup>nd</sup> Principal Meridian

## Field Notes of Township No 9 North of Range No 1 East of Principal Meridian

Notes or Corner	Bearing in Trees	dia	bourses	dist	Estimation Section	Bearing in Trees	dia	bourses	dist
A	Beech	14	East	32	M	h oak	18	S 25 <sup>h</sup> W	23
	elm	4	West	30		oak	10	N 70 <sup>h</sup> W	21
a	"	"	"	"	m	Sugar	3	N 33 <sup>h</sup> E	5
	"	"	"	"		Beech	4	S 71 <sup>h</sup> W	7
B	B oak	10	South	13	N	h oak	14	N 67 <sup>h</sup> E	20
	B oak	6	N 54 <sup>h</sup> W	13		Sum	12	S 57 <sup>h</sup> W	50
b	"	"	"	"	n	h oak	12	S 62 <sup>h</sup> E	11
	"	"	"	"		do	12	North	13
C	Sycamore	8	S 24 <sup>h</sup> W	12	O	B. oak	30	N 51 <sup>h</sup> W	26
	Hickory	15	S 33 <sup>h</sup> E	92		Maple	12	S 13 <sup>h</sup> E	26
c	"	"	"	"	o	h oak	14	S 51 <sup>h</sup> E	35
	"	"	"	"		Sugar	13	N 13 <sup>h</sup> W	26
D	Beech	4	S 15 <sup>h</sup> E	6	P	Sum	16	S 56 <sup>h</sup> W	23
	h oak	4	N 18 <sup>h</sup> W	7		B. oak	19	N 81 <sup>h</sup> E	11
D	"	"	"	"	p	Sugar	6	S 45 <sup>h</sup> E	10
	"	"	"	"		Beech	30	West	46
E	B oak	4	N 11 <sup>h</sup> W	9	Q	Beech	14	S 30 <sup>h</sup> E	21
	Hickory	10	S 88 <sup>h</sup> E	28		do	13	N 10 <sup>h</sup> W	24
e	"	"	"	"	a	Beech	8	S 81 <sup>h</sup> W	5
	"	"	"	"		h oak	36	N 29 <sup>h</sup> E	26
F	Oak	4	N 37 <sup>h</sup> W	20	R	Maple	16	S 47 <sup>h</sup> W	14
	do	12	S 29 <sup>h</sup> E	28		Hickory	8	N 5 <sup>h</sup> W	12
f	"	"	"	"	R	Beech	15	N 15 <sup>h</sup> W	17
	"	"	"	"		Sugar	12	S 60 <sup>h</sup> E	30
G	"	"	"	"	S	Hickory	14	N 35 <sup>h</sup> W	19
	"	"	"	"		Beech	16	S 11 <sup>h</sup> W	30
g	"	"	"	"	s	Hickory	5	S 45 <sup>h</sup> E	6
	"	"	"	"		do	4	South	33
H	Beech	18	S 77 <sup>h</sup> W	22	T	Bitternut	12	N 24 <sup>h</sup> E	12
	do	20	N 9 <sup>h</sup> W	10		Sugar	13	S 14 <sup>h</sup> E	27
h	"	"	"	"	t	"	"	"	"
	"	"	"	"		"	"	"	"
I	Sassafras	6	S 85 <sup>h</sup> E	6	Second part				
	do	8	N 28 <sup>h</sup> E	6	V	h oak	30	corner	tree
i	"	"	"	"		"	"	"	"
	"	"	"	"	v	"	"	"	"
K	poplar	3	corner			"	"	"	"
	"	"	"	"	W	Beech	18	N 20 <sup>h</sup> W	24
k	"	"	"	"		do	4	N 45 <sup>h</sup> E	26
	"	"	"	"	W	"	"	"	"
L	B. oak	15	S 2 <sup>h</sup> W	26		"	"	"	"
	Hickory	5	S 84 <sup>h</sup> E	17	X	B oak	10	N 45 <sup>h</sup> W	6
l	"	"	"	"		h Walnut	10	N 6 <sup>h</sup> E	10
	"	"	"	"	x	"	"	"	"
	"	"	"	"		"	"	"	"

Township No 8 North  
No 1 East of 2<sup>nd</sup> Principal  
Meridian

of range No 1 East



Field Notes of Township No 9 North of Range 1 East. of 2<sup>d</sup> Principal Meridian

Entire or Sec corners of Tg. R. 1 East	Bearing Lines	in dia boulders	lbs dist	Known to Tg. R. 1 East					
X	Sugar	18	S 30° W	25	4	Beech	30	N 15° E	27
	do	11	S 85° E	30		Sugar	6	N 13° W	39
Y	"	"	"	"	5				
	"	"	"	"	6				
L to V at 1									
Entire or Corners of Tg. R. 1 East	Bearing Lines	in dia boulders	lbs dist		2				
25.26.35.36	Beech	8	S 64° W	20	3	W oak	18	S 25° E	25
	do	6	S 31° E	10		Logwood	3	N 71° W	5
26.27.34.35	Beech	8	S 25° E	32	4	Hickory	8	N 57° E	10
	B. Oak	20	N 38° W	30		Maple	15	N 88° W	28
22.23.26.27	W. Oak	20	West	10	5	Sugar	8	S 42° W	6
	"	"	"	"		Sycamore	35	N 75° W	12
27.28.33.34	Brownwood	3	S 64° W	6	6	Beech	20	S 37° E	9
	Beech	5	N 87° E	7		do	15	N 33° E	18
21.22.27.28	W. Oak	10	S 27° E	36	R to W at 1				
	Beech	15	N 66° W	28					
15.16.21.22	W. Oak	6	N 75° E	11	2				
	Beech	8	S 64° W	21					
28.29.32.33	Beech	10	S 64° E	18	3				
	Hickory	8	S 31° W	5					
20.21.28.29	B. Oak	10	S 78° W	10	4	Logwood	5	N 74° E	11
	Hickory	7	S 67° E	9		Poplar	18	S 14° E	28
16.17.20.21	Lynx	18	N 67° E	12	5	Hickory	9	N 50° W	24
	Beech	8	S 12° E	14		Beech	6	S 76° E	18
29.30.31.32	Beech	6	S 69° W	6	6	Beech	8	N 84° E	18
	do	6	N 82° E	14		do	20	S 50° E	10
19.20.29.30	Sugar	8	N 79° E	4	H to X at 1				
	do	8	N 55° W	34					
17.18.19.20	Beech	20	N 10° E	16	2				
	do	18	S 10° E	17					
7.8.17.18	Beech	20	S 11° W	23	3				
	Beech	12	N 73° E	26					
H to Y at 1									
Known to Tg. R. 1 East	Bearing Lines	in dia boulders	lbs dist		4				
H to V at 1	W oak	18	S 33° W	14	5	B. Oak	12	S 41° W	30
	Oak	6	N 13° W	26		Hickory	10	S 27° E	10
2	Beech	5	N 75° E	55	6	Poplar	8	S 75° E	12
	Sugar	8	West	10		do	6	N 39° E	14
3	Logwood	5	East	2	H to Y at 1				
	Beech	20	South	1					
					2	W. Oak	10	S 88° E	26



End of the field Notes South of  
the Boundary line in Townships  
No 7 North of Range No 1 East  
of the 2<sup>d</sup> principal Meridian

Transcribed by  
James W. Spencer Esq County  
Surveyor of Monroe County  
on the 8<sup>th</sup> day of July A.D 1871



Field notes of Township No 9 North of Range No 1 East of 2<sup>nd</sup> Principal Meridian

Exterior Sec corners T9 N1 E	Bearing Tree	inches dia	Course	Ch dist	Exterior Sec corners T9 N1 E	Bearing Tree	inches dia	Course	Ch dist
A	Hickory	9	N 68° W	8	M	Elm	11	S 54° W	7
	Walnut	9	S 80° E	21		Bush	14	N 85° E	33
a	"	"	"	"	M	"	"	"	"
	"	"	"	"		"	"	"	"
B	Beech	13	S 66° E	28	N	"	"	"	"
	Tr oak	7	N 46° W	63		"	"	"	"
B	"	"	"	"	N	"	"	"	"
	"	"	"	"		"	"	"	"
C	Beech	14	N 66° E	20	O	Oak	4	N 37° W	20
	Poplar	18	S 12° E	12		do	12	S 29° E	28
c	"	"	"	"	O	"	"	"	"
	"	"	"	"	P	B oak	4	S 11° W	9
D	Sugar	10	N 57° E	40		Hickory	10	S 88° E	29
	Beech	9	N 88° W	36	P	"	"	"	"
D	"	"	"	"		"	"	"	"
	"	"	"	"	A	Bush	4	S 15° E	6
E	Beech	12	S 38° E	19		Tr oak	4	N 18° W	7
	Sugar	30	N 77° W	41	a	"	"	"	"
E	"	"	"	"		"	"	"	"
	"	"	"	"	R	Logwood	3	S 24° W	12
F	Maple	14	S 74° E	38		Hickory	15	S 33° E	22
	Tr oak	20	S 70° W	10	R	"	"	"	"
F	"	"	"	"		"	"	"	"
	"	"	"	"	S	B. oak	10	South	18
G	Tr oak	18	S 30° W	26		do	6	N 50° W	13
	Hickory	7	N 32° E	28	S	"	"	"	"
G	Tr oak	10	S 31° W	62		"	"	"	"
	Hickory	12	N 3° W	19	T	"	"	"	"
H	Beech	12	S 75° W	26		"	"	"	"
	Tr oak	14	N 83° E	15	T	"	"	"	"
H	B. oak	7	N 4° W	11		"	"	"	"
	do	6	S 23° E	21	U	Tr oak	18	S 25° W	23
I	Tr oak	12	S 27½° W	30		Oak	10	N 70° W	21
	do	8	N 6° W	29	U	"	"	"	"
I	Hickory	12	N 75° W	31		"	"	"	"
	Logwood	5	N 38° E	19	V	Tr oak	15	S 2° W	20
K	Tr oak	20	S 23° E	18		Hickory	5	S 84° E	17
	Hickory	10	N 87° W	15	V	"	"	"	"
K	Sugar	15	S 72° E	5		"	"	"	"
	Tr oak	48	S 80° W	46	W	Poplar	3	corner line	
L	Elm	11	N 65° W	30		"	"	"	"
	do	16	S 85° E	27	W	"	"	"	"
L	Hickory	8	N 68° E	10		"	"	"	"
	Tr oak	32	S 78° W	30	X	Sassafras	6	S 65° E	6
						do	8	N 15° E	6



old notes of Township No 9 north of Range No 1 East of 2<sup>d</sup> principal meridian

Section	Corner Sec	Bearing	inch	Chs	From & To of Sec	Bearing	inch	Chs
	runners of R 1 East	Lines	dia	boards dist		Lines	dia	boards dist
11	S 54 <sup>1</sup> / <sub>2</sub> W 7							
14	N 85 <sup>1</sup> / <sub>2</sub> E 33	X			M to V at 1			
		Y	Beech	18	S 79 <sup>1</sup> / <sub>2</sub> W 12	2		
			B oak	20	N 8 <sup>1</sup> / <sub>2</sub> W 10			
		Z	Sugar	18	S 30 <sup>1</sup> / <sub>2</sub> W 28	3		
			do	11	S 85 <sup>1</sup> / <sub>2</sub> E 30			
					4			
					5			
					6			
4	N 37 <sup>1</sup> / <sub>2</sub> W 21							
12	S 29 <sup>1</sup> / <sub>2</sub> E 23							
4	S 11 <sup>1</sup> / <sub>2</sub> W 9	0. 15. 16	tr oak	12	S 42 <sup>1</sup> / <sub>2</sub> E 37			
10	S 88 <sup>1</sup> / <sub>2</sub> E 29		Beech	15	N 42 <sup>1</sup> / <sub>2</sub> W 40	L to V at 1	Litchy	8 S 76 <sup>1</sup> / <sub>2</sub> E 29
		24. 25. 26	tr oak	20	N 48 <sup>1</sup> / <sub>2</sub> W 40		Dogwood	4 N 78 <sup>1</sup> / <sub>2</sub> W 21
			do	14	N 4 <sup>1</sup> / <sub>2</sub> W 38	2	tr oak	15 S 41 <sup>1</sup> / <sub>2</sub> W 13
4	S 15 <sup>1</sup> / <sub>2</sub> E 6	4. 23. 24	tr oak	15	S 66 <sup>1</sup> / <sub>2</sub> E 30		do	12 N 71 <sup>1</sup> / <sub>2</sub> E 30
4	N 15 <sup>1</sup> / <sub>2</sub> W 7		tr oak	18	N 32 <sup>1</sup> / <sub>2</sub> W 17	3		
		2. 13. 14	Sugar	14	S 85 <sup>1</sup> / <sub>2</sub> E 18			
			do	6	S 89 <sup>1</sup> / <sub>2</sub> W 38	4	Beech	12 S 11 <sup>1</sup> / <sub>2</sub> E 33
		11. 12	tr oak	7	N 65 <sup>1</sup> / <sub>2</sub> W 27			
3	S 24 <sup>1</sup> / <sub>2</sub> W 12		tr oak	13	S 37 <sup>1</sup> / <sub>2</sub> E 51	5		
15	S 33 <sup>1</sup> / <sub>2</sub> E 22	17. 34. 35						
					6			
		5. 22. 23	tr oak	20	S 24 <sup>1</sup> / <sub>2</sub> W 85	R to X at 1	tr oak	16 S 83 <sup>1</sup> / <sub>2</sub> E 29
10	South 13		Gum	8	N 24 <sup>1</sup> / <sub>2</sub> E 38		Maple	10 S 79 <sup>1</sup> / <sub>2</sub> W 37
6	N 55 <sup>1</sup> / <sub>2</sub> W 13	1. 14. 15	Sugar	7	S 6 <sup>1</sup> / <sub>2</sub> E 22	2	tr oak	10 N 3 <sup>1</sup> / <sub>2</sub> W 7
			Beech	7	N 37 <sup>1</sup> / <sub>2</sub> W 17		do	10 S 5 <sup>1</sup> / <sub>2</sub> W 14
		10. 11	tr oak	11	S 81 <sup>1</sup> / <sub>2</sub> W 42	3	Beech	11 N 39 <sup>1</sup> / <sub>2</sub> W 38
			tr oak	8	N 34 <sup>1</sup> / <sub>2</sub> E 37		do	6 S 3 <sup>1</sup> / <sub>2</sub> W 28
		9. 10	Sarsaparil	6	S 42 <sup>1</sup> / <sub>2</sub> E 16	4		
			do	7	N 42 <sup>1</sup> / <sub>2</sub> W 16			
		1. 16. 17	Beech	8	S 87 <sup>1</sup> / <sub>2</sub> E 37	5		
			Maple	12	S 75 <sup>1</sup> / <sub>2</sub> E 12			
18	S 25 <sup>1</sup> / <sub>2</sub> W 23	8. 9.	tr oak	10	N 20 <sup>1</sup> / <sub>2</sub> E 6	6		
10	N 70 <sup>1</sup> / <sub>2</sub> W 21		do	6	S 19 <sup>1</sup> / <sub>2</sub> W 13			
		6. 7. 8	Beech	16	S 5 <sup>1</sup> / <sub>2</sub> E 40	L to X at 1	tr oak	11 corner Line
			do	18	N 55 <sup>1</sup> / <sub>2</sub> W 15		Gum	24 N 86 <sup>1</sup> / <sub>2</sub> W 25
						2	tr oak	8 S 76 <sup>1</sup> / <sub>2</sub> E 50
							tr oak	12 N 72 <sup>1</sup> / <sub>2</sub> W 72
						3	tr oak	10 N 50 <sup>1</sup> / <sub>2</sub> W 16
							Gum	15 S 75 <sup>1</sup> / <sub>2</sub> E 25
						4	Beech	12 S 79 <sup>1</sup> / <sub>2</sub> W 25
							Litchy	8 S 74 <sup>1</sup> / <sub>2</sub> E 8



Field Notes of Township No 9 North of Range No 1 East of 2<sup>d</sup> principal Meridian

From & To of Twp R. & E.	Bearing Line	in di	courses	Chs dist	From To of Twp R. & E.	Bearing Line	in di	courses	Chs dist
5	"	"	"	"	3	"	"	"	"
6	"	"	"	"	4	Beech	22	S 5 <sup>h</sup> W	25
H to Y at 1	h oak	20	N 62 <sup>h</sup> W	15	5	Sugar	8	N 25 <sup>h</sup> W	34
	do	13	S 72 <sup>h</sup> E	34		B oak	18	N 6 <sup>h</sup> W	28
2	Hickory	6	S 10 <sup>h</sup> E	23	6	Sugar	6	S 21 <sup>h</sup> E	16
	Logwood	5	N 20 <sup>h</sup> W	3		do	6	S 21 <sup>h</sup> E	28
3	B oak	5	S 32 <sup>h</sup> E	50	R to Cat 1	"	"	"	"
	do	11	N 34 <sup>h</sup> W	18		"	"	"	"
4	Sassafras	8	S 21 <sup>h</sup> W	4	2	"	"	"	"
	B. Walnut	10	N 24 <sup>h</sup> E	20		"	"	"	"
5	Beech	12	N 4 <sup>h</sup> E	48	3	"	"	"	"
	Sugar	6	S 7 <sup>h</sup> W	22		"	"	"	"
6	Cum	30	S 32 <sup>h</sup> E	33	4	"	"	"	"
	Beech	24	N 18 <sup>h</sup> W	54		"	"	"	"
O to F at 1	"	"	"	"	5	Beech	15	N 35 <sup>h</sup> W	24
	"	"	"	"		do	7	S 7 <sup>h</sup> W	15
2	"	"	"	"	6	Beech	12	S 85 <sup>h</sup> W	29
	"	"	"	"		Sugar	12	S 74 <sup>h</sup> E	75
3	h oak	10	S 4 <sup>h</sup> W	22	S to Bat 1	"	"	"	"
	do	6	S 57 <sup>h</sup> E	15		"	"	"	"
4	Beech	12	N 23 <sup>h</sup> W	60	2	"	"	"	"
	do	11	S 49 <sup>h</sup> E	13		"	"	"	"
5	B oak	16	N 70 <sup>h</sup> W	21	3	"	"	"	"
	h oak	9	S 12 <sup>h</sup> E	10		"	"	"	"
6	Hickory	12	S 11 <sup>h</sup> E	38	4	"	"	"	"
	h Oak	16	N 5 <sup>h</sup> E	25		"	"	"	"
P to E at 1	"	"	"	"	5	"	"	"	"
	"	"	"	"		"	"	"	"
2	"	"	"	"	6	Beech	12	S 78 <sup>h</sup> W	30
	"	"	"	"		Beech	10	S 73 <sup>h</sup> W	40
3	h Oak	24	S 24 <sup>h</sup> E	23					
	do	20	N 40 <sup>h</sup> W	25					
4	Sugar	11	S 66 <sup>h</sup> W	40					
	do	12	N 11 <sup>h</sup> E	8					
5	Hickory	12	S 1 <sup>h</sup> E	20					
	h Oak	17	N 31 <sup>h</sup> E	54					
6	Hickory	7	S 57 <sup>h</sup> E	16					
	Beech	6	N 5 <sup>h</sup> W	13					
O to D at 1	"	"	"	"					
	"	"	"	"					
2	"	"	"	"					
	"	"	"	"					

End of the field notes north  
of the Boundary line in Township  
No 9 North of Range No 1 East  
of the 2<sup>d</sup> principal Meridian



## Field Notes of Township No 10 North Range No 1 East of 2 Principal

Interior Sec nos of T R 1 E	Bearing Trees	in dia	bound dist	Interior Sec nos T 10 R 1 E	Bearing Trees	in dia	bound dist
A	Beech	9	S 25° W 10	M	Beech	10	S 29° E 28
	Leo	12	N 3° E 31		Hickory	10	S 75° W 4
a	"	"	"	m	Beech	10	S 30° W 19
	"	"	"		Leo	10	N 1° W 24
B	Beech	10	S 25° W 43	N	Sugar	12	N 15° W 13
	Leo	12	S 23° E 32		Beech	12	S 24° E 32
B	"	"	"	O	Beech	8	S 65° E 25
	"	"	"		Leo	30	S 71° W 6
C	Beech	5	S 22° W 41	o	Beech	30	N 63° E 33
	Hogwood	6	S 67° E 28		Cherry	9	N 60° W 9
c	"	"	"	p	Beech	13	S 63° E 20
	"	"	"		Leo	8	N 81° W 22
D	Beech	23	S 55° E 19	p	Gum	12	N 71° E 4
	Hogwood	6	S 20° W 25		Beech	8	South 13
d	"	"	"	Q	Beech	12	N 26° E 12
	"	"	"		Beech	8	N 26 1/2° W 41
E	Beech	4	S 58° E 24	a	Beech	24	S 10° E 23
	Beech	3	S 50° W 30		Sassafras	8	N 5° W 9
	Beech	2	S 53° E 24	R	Hickory	20	N 44° W 16
	Leo	3	S 32° W 32		Walnut	12	S 59° E 29
	"	"	"	r	Beech	10	S 69° E 18
	"	"	"		Leo	10	N 42° W 24
F	W Oak	14	S 52° W 28	S	Beech	13	S 25° W 10
	Hickory	14	S 23° E 21		Leo	10	N 32° W 24
f	"	"	"	s	"	"	"
	"	"	"		"	"	"
G	Beech	10	N 68° W 12	T	Walnut	7	S 50° E 21
	Sugar	12	S 81° E 18		Hickory	9	N 68° W 8
g	W Oak	24	S 35° W 64	t	"	"	"
	"	"	"		"	"	"
H	W Oak	8	N 14° W 3	U	Maple	6	N 55° E 10
	Leo	6	S 46° W 12		Elm	5	S 12° W 18
h	W Oak	18	S 19° E 44	u	"	"	"
	Hogwood	6	S 82° W 6		"	"	"
i	Oak	13	N 8° W 11	V	Hogwood	6	N 73° W 18
	Leo	7	S 57° W 6		Leo	7	S 72° E 7
i	Lynn	14	N 1° E 28	v	"	"	"
	"	"	"		"	"	"
K	Beech	18	N 22° W 18	W	Beech	22	N 38° E 50
	Poplar	36	S 41° W 17		Leo	19	S 1° E 11
k	Beech	14	S 8° E 18	w	"	"	"
	Walnut	12	N 33° E 37		"	"	"
L	Gum	22	S 37° E 8	X	Sugar	17	S 37° E 40 43
	Beech	14	N 11° E 19		Poplar	6	N 55° E 54
l	Beech	13	N 44° W 5				
	Hogwood	7	S 25° E 22				

Field Notes at Council N m a Gum 24  
Beech 10  
S 33° W 17  
elm dist



## Field notes of Township No 10 North of Range N 1 East of 2

Exterior Corners T 10 R 1 E	Bearing Lines	in dia	bourses	chs	Interior See Corners T 10 R 1 E	Bearing Lines	in di	bourses	chs
X	"	"	"	"	16.17.20.21	Beech	6	S 84° E	10
	"	"	"	"		Hornbeam	5	N 88° E	24
Y	Beech	19	S 41° E	11	8.9.16.17	H. oak	14	S 59° E	7
	do	14	N 79° E	26		6 <sup>th</sup> oak	4	N 43° E	27
Z	"	"	"	"	4.5.8.9	B. Gum	16	N 40° E	15
	"	"	"	"		Hickory	16	N 63° E	24
29.30.31.32						Soft Oak	4	S 40° E	8
						H. oak	23	N 73° E	45
Interior See corners T 10 R 1 E	Bearing Lines	in dia	bourses	chs	19.20.29.30	Beech	13	N 27° E	57
						Hornbeam	12	S 60° E	30
					17.18.19.20	Beech	26	S 66° E	19
24.26.35.36	Beech	15	N 48° E	14		do	28	N 34° E	28
	B. Gum	12	N 85° E	8	7.8.17.18	Beech	34	N 89° E	6
23.24.25.26	6 <sup>th</sup> Oak	14	N 72° E	10		Elm	14	S 15° E	34
	Hickory	4	S 48° E	19	5.6.7.8	H. oak	18	N 50° E	11
13.14.23.24	Logwood	5	N 51° E	9		do	19	S 59° E	11
	Hickory	3	S 32° E	16					
11.12.13.14	Poplar	15	S 87° E	30	From 4	Bearing	in	chs	
	Lynx	12	N 2° E	23	To see	Lines	di	bourses	dist
1.2.11.12	Beech	4	N 29° E	22	T 10 R 1 E				
	do	25	S 23° E	14	M to O at 1	Beech	22	S 21° E	16
24.27.34.35	Sugar	36	S 1° E	26		do	16	N 10° E	35
	Beech	13	N 55° E	73	2	Pile of stone in fallen timber			
22.23.26.27	H. oak	5	N 32° E	10	"	"	"	"	"
	do	19	N 57° E	8	3	Buckeye	10	S 34° E	7
14.15.22.23	Sugar	15	N 73° E	54		Hornbeam	4	N 61° E	13
	Elm	14	S 3° E	6	4	H. oak	18	N 71° E	21
10.11.14.15	Poplar	8	N 45° E	14		do	12	S 9° E	19
	Beech	30	S 6° E	27	5	S oak	10	N 11° E	8
2.3.10.11	Sugar	3	S 57° E	10		Hickory	14	S 63° E	15
	Elm	4	S 40° E	35	6	"	"	"	"
27.28.33.34	Beech	6	N 50° E	10	"	"	"	"	"
	Hornbeam	4	N 59° E	12	L to X at 1	Sugar	12	N 31° E	23
21.22.27.28	Beech	4	N 67° E	23		Beech	20	S 57° E	24
	B. Oak	4	S 53° E	8	2	Poplar	6	N 51° E	8
15.16.21.22	Beech	8	N 50° E	10		Sassafras	4	N 72° E	22
	Sugar	12	S 43° E	11	3	Maple	6	N 9° E	13
9.10.15.16	Beech	22	N 60° E	18		Hickory	16	S 72° E	16
	Maple	24	S 82° E	48	4	Beech	20	S 27° E	13
3.4.9.10	Beech	14	N 48° E	6		Sugar	12	N 3° E	25
	do	12	S 60° E	34	5	Elm	23	S 25° E	21
28.29.32.33	Beech	16	N 8° E	18		Beech	3	N 50° E	15
	Poplar	13	S 28° E	17	6	"	"	"	"
20.21.28.29	Beech	22	N 39° E	22	"	"	"	"	"
	do	6	S 88° E	18	"	"	"	"	"



Field Notes of Township No 10 North of Range No 1 East of 2 Principal Meridian

from & to				Bearing	in	from & to				Bearing	in	from & to			
di	boards	10	R 1	Trus	dia	boards	dist	Trus	dia	boards	dist	Trus	dia	boards	
6	S 45° E	18	Wat	1	oak	6	S 45° E	18	5	sugar	6	N 52° E	19		
5	N 43° E	24			dogwood	4	S 61° W	25		do	5	S 31° W	54		
14	S 59° E	7	2	Buch	7	N 26° E	17	6	oak	28	N 60° W	18			
4	N 43° W	27		do	14	S 14° W	12		sugar	18	S 50° E	12			
16	N 40° E	15	3	sugar	8	N 48° E	21								
16	N 13° W	24		do	7	N 14° W	27	pto E, at 1		hickory	3	N 39° W	4		
4	S 40° E	8	4	Buch	10	N 24° E	10		Buckeye	16	S 33° E	15			
23	N 73° W	25		B. Gum	17	S 2° E	22	2	oak	19	N 52° W	28			
13	N 27° W	11	5	dogwood	4	S 25° E	5		do	14	S 53° E	21			
12	S 60° E	30		Buch	5	N 2° W	26	3	ironwood	5	S 45° E	6			
26	S 66° W	19	6	"	"	"	"		do	4	N 42° W	18			
28	N 34° E	23		"	"	"	"	4	oak	5	N 35° E	16			
34	N 77° W	6	X at 1		B. Gum	16	S 31° W	28		do	10	S 30° E	44		
14	S 18° E	24		do	4	S 34° E	15	5	B. oak	24	N 65° E	8			
18	N 73° W	11	2	dogwood	3	S 32° W	14		dogwood	4	S 75° W	12			
19	S 59° E	41		oak	30	N 44° W	28	6	oak	30	N 42° E	32			
			3	B. Gum	"	N 52° W	18		poplar	2	N 45° W	20			
				oak	5	S 1° E	5	O to Dat 1		dogwood	4	N 10° W	7		
			4	Buch	28	S 41° E	18		ironwood	3	S 43° E	22			
				do	5	N 15° W	23	2	B. Gum	20	N 29° W	7			
			5	dogwood	5	S 48° W	11		B. Gum	4	N 64° E	5			
				hickory	10	N 11° E	21	3	Buch	7	N 41° E	17			
			6	"	"	"	"		Maple	14	S 68° W	16			
				"	"	"	"	4	hickory	12	N 70° E	25			
			Y at 1		oak	18	S 57° W	18		do	14	S 74° W	19		
				hickory	10	N 44° E	14	5	poplar	12	S 61° W	16			
			2	Buch	14	S 32° W	18		dogwood	4	N 64° E	18			
				do	12	N 12° E	27	6	oak	46	N 65° E	10			
			3	dogwood	3	N 56° W	11		dogwood	6	S 36° W	21			
				Buch	30	S 20° E	15	R to C at 1		B. Gum	20	N 70° W	37		
			4	Buch	8	N 50° E	21		Buch	6	N 30° E	43			
				elm	5	N 58° E	25	2	Buch	17	S 53° W	28			
			5	ash	6	N 63° W	18		poplar	24	N 17° E	27			
				Buch	23	S 15° E	28	3	hickory	8	N 77° E	18			
			6	"	"	"	"		do	4	S 73° W	10			
				"	"	"	"	4	Maple	6	N 60° E	10			
			at 1		Buch	14	N 62° E	19		Buch	19	S 40° W	19		
				do	6	N 54° W	17	5	oak	12	N 17° E	18			
			2	elm	4	N 25° W	20		dogwood	5	N 68° W	17			
				hickory	5	N 28° E	22	6	hickory	10	N 76° W	25			
			3	Buch	24	corner tree			Buch	18	S 24° E	31			
				do	11	S 57° E	14								
			4	oak	24	N 44° W	10								
				hickory	5	N 67° E	24								



Field Notes of Township No 10 North of Range No 1 East of 2 Principal

From & To of S 10 R 1 E	Bearing Trees	inch diam	bounds	chrs dist	continuation of the field notes of Township No 7. Range No 2 East				
S to Bat 1	to oak B Gum	18 12	N 49° W S 11 E	31 17	posts by B 2 E	Bearing Trees	in dia	bounds	chrs dist
2	Beech B. oak	5 17	N 23 E S 48 W	17 29	V	to oak do	30 15	S 52 E N 65 W	48 28
3	Pronwood Beech	5 6	S 84 W S 23 E	6 6	V	" "	" "	" "	" "
4	Beech Dogwood	22 5	S 89 W N 21 E	6 7	W	to oak Beech	10 5	S 50 W N 50 E	6 16
5	Beech Pronwood	16 3	N 45 E S 43 W	21 9	W	" "	" "	" "	" "
6	Lycamore Poplar	14 10	N 74 W N 83 E	41 52	X	B. Ash Hickory	12 8	N 56 E N 15 W	12 12
End of the field notes of Township No 10 North of range No 1 East of 2 Principal Meridian					sections corner	Bearing Trees	in dia	bounds	chrs dist
					29.30.31.32	Hickory to oak	10 30	N 84 W S 27 E	22 33
Field notes of Sections no 17 18. 19. 20. 29. 30. 31. & 32 of Township No 7 North of range 2 East of 2 principal Meridian					17.20 29.30	Maple dogwood	6 4	S 36 W N 53 E	7 "
					17.18.19.20	to oak to oak	15 15	S 40 E N 52 W	10 41
					7-8-17.18	B. Gum Beech	20 5	N 85 W S 40 E	19 17
Posts	Bearing Trees	inch diam	bounds	chrs dist	From & To	Bearing Trees	in dia	bounds	chrs dist
R.	Cut oak Dogwood	18 5	S 75 E N 57 W	19 8	L to V at 5	Beech do	20 4	S 25 E N 74 W	26 20
n	to oak R oak	10 18	N 20 E S 40 E	11 13	6	poplar chestnut	30 20	N 56 E N 88 W	24 36
S	to oak do	15 18	N 16 E S 70 E	25 19	K to W at 5	to oak R oak	10 10	S 4 E N 46 E	12 12
s	to oak Hickory	8 7	N 84 E S 55 W	34 25	6	Sassafras do	6 8	S 27 E N 24 W	21 23
T	do Sugar	7 16	N 63 E S 32 E	31 11					
t	Hickory	14	N 14 E	28					
U	" "	" "	" "	" "					
U	to oak Hickory	40 8	S 46 E N 50 E	50 23					
v	" "	" "	" "	" "					

I hereby certify that the above is a correct copy of the United States Surveyor of sections 17. 18. 19. 20. 29. 30. 31. & 32 Township 7. Range 2 East

G. H. Porter  
Recorder



Transcribed of all the Surveys made by James W. Spencer

and other County Surveys in and for the County of Monroe  
State of Indiana that was not lost or destroyed or so mutilated  
that the record could not be made out.

May 10<sup>th</sup> 1838

Surveyed the following lines and made the following corners  
in Section No 12 Town 9 North of Range No 2 West for Henry  
Hamplur Elias Stone James Dunning & others Beginning at the  
East 1/2 Mile post witness Sugar 12 inches diam N 47° E 9 links  
distant Butternut 18 in diam S 57° E 3 lbs dist then S 85 1/2° E  
82 poles 9 links to a stake witness Sugar 8 in diam S 36° E 12 3/4  
links distant Sugar 10 in diam N 49° E 21 links distant then  
S 85 1/2° E 82 poles 4 9 links to a stake witness B. Oak 30 inches  
diam S 35° E 9 links dist Black Hickory 10 in diam N 35° E 9  
lbs dist then S 85 1/4° E 87 poles 8 links to a stake witness  
Green Beech 10 in diam S 62° E 4 1/2 lbs dist Hickory 8 in diam  
N 14° E 31 links dist then S 85 1/2° E 87 poles 8 links to a stake  
it being the West 1/2 mile post witness Sugar 12 in diam N 26 1/2° E  
39 1/2 links dist Beech 14 in diam S 21 1/2° E 37 links distant  
then Beginning at the North east corner of said Section then  
S 85 1/2° E 87 poles 20 1/2 links to a stake witness Sugar 13 in diam  
N 5° E 26 1/4 links dist to Oak 12 inches diam S 83° E 25 lbs dist  
then S 85 1/2° E 87 poles 20 1/2 links to a stake or stone standing at the  
North half mile post of said Section No (12) witness Beech  
10 in diam S 42 1/2° E 36 lbs dist Beech 5 in diam N 33° E 22 lbs  
distant then S 85 1/2° E to a stake witness Hickory 10 in diam  
N 47° E 21 lbs dist to Oak 24 inches diam S 37° E 38 lbs dist  
then S 85 1/2° E to the N E cor of Section No 12 witness Beech  
16 in diam S 16° E 12 lbs dist Hickory 18 in diam N 77° E 23  
links distant then S 6 1/2° E 160 poles 22 1/2 lbs to the West 1/2  
mile post witness Green above described then S 6 1/2° E 160  
poles 22 1/2 lbs to a stone witness Sugar 7 inches diam N 80° E  
12 lbs distant Elm 7 in diam S 66° E 19 lbs dist then  
the distance not being taken N 85° E witness Beech 6 in  
diam S 69° E 10 1/3 lbs dist Ash 5 in diam N 30° E 14 1/3 links

James Dunning  
Aaron Stone chain  
Beards sworn

James W. Spencer M 6 S



May 15<sup>th</sup> 1838


ran the following line and made the following corners in  
Section No 32 Township 9 North of Range No 2 west  
for William Foster and others Beginning at the North west  
corner of said Section No 33 witness <sup>Tree</sup> Sugar 9 inches diameter  
S 31° N 7 links distant Birch 13 inches diam S 82° E 20 links dist  
then N 85° E 87 poles 11 links to a stake witness Black ash 21 inches  
diam N 63° W 19 links dist Cherry 11 in diam S 35° E 11 lks dist  
then N 85° E 87 poles 11 links to a stone witness <sup>Tree</sup> Beech 6 in  
diam N 11° E 5 lks dist Black walnut 12 in diam S 42° E 9 links  
dist then S 7° E 16 <sup>Poles</sup> 10 links to a stake witness Sugar 15 in diam  
S 87° E 35 <sup>4</sup> lks dist Butternut 3 in diam S 24° W 34 links dist  
then S 85° W 80 poles 11 <sup>3</sup>/<sub>4</sub> links to a stake in open ground then  
S 85° W 80 poles witness Beech 8 in diam S 85° W 19 lks dist B  
ash 27 inches N 15° W 22 links then N 7° W 163 poles 11 lks  
to the place of Beginning

James W. Spencer  
Monroe County Surgeon

May 20<sup>th</sup> 1838

Surveyed for Throop & Humphills heirs  
a part of lot No 7 lying and being in the A & B quarters  
of Section 3 T 8 R 1 west or designated as being  
Sold for the benefit of the College & Bounded as  
follows Beginning at (A) as shown in the plat being  
the S<sup>th</sup> corner then N 85 $\frac{1}{4}$ ° E 39. poles 19 $\frac{1}{2}$  links to (C)  
then N 5 $\frac{1}{2}$ ° W 36 poles to (B) then S 85 $\frac{1}{4}$ ° W 38.17 $\frac{1}{2}$  <sup>poles</sup> links  
then S 5 $\frac{1}{2}$ ° E 36. poles to the Beginning containing  
Eight acres 3 quarters & 14 poles

James H. Spencer  
Monroe County Surveyor



delivered in the Year  
1823 1824 1825  
having three 1826  
to the three 1827  
three 1828 4 pro  
the 1829 4 pro  
of beginning

Benjamin Rogers  
Master Anderson  
Maine 1803

	B	C
As 1	As 2	
Williams	Gohm	
Sturmden	Barlow	
d R P	d R P	
16.3.24	17.8.19	

Labeled for V.  
 1. 2. 4.  
 8.  
 10.  
 12.  
 14.  
 16.  
 18.  
 20.  
 22.  
 24.  
 26.  
 28.  
 30.  
 32.  
 34.  
 36.  
 38.  
 40.  
 42.  
 44.  
 46.  
 48.  
 50.  
 52.  
 54.  
 56.  
 58.  
 60.  
 62.  
 64.  
 66.  
 68.  
 70.  
 72.  
 74.  
 76.  
 78.  
 80.  
 82.  
 84.  
 86.  
 88.  
 90.  
 92.  
 94.  
 96.  
 98.  
 100.




May 20<sup>th</sup> 1838

Surveyed in the Town of Bloomington for George W Hardin in lots Nos 162 & 320 Lot No 162 Beginning at the N E corner running thence N 85 1/2° E 8 poles to a stake thence S 5 1/2° E 4 poles to a stake thence S 85 1/4° W 8 poles to a stake thence N 5 1/2° W 4 poles to the Beginning Lot No 320 Beginning at the S E corner thence N 5 1/2° W 4 poles to a stake thence S 85 1/4° W 8 poles to a stake thence S 5 1/2° E 4 poles to a stake thence N 85 1/4° E 8 poles to the place of Beginning

Benjamin Rogers  
Newton Anderson  
chain bearers sworn

James W Spencer  
Monroe County Surveyor



May 22<sup>nd</sup> 1838

Surveyed for William Alexander John Carter & Benjamin Rogers Lots No 1, 2, & 3 Situated in the North West quarter of Section No 3 Township No 8 North of range 1 West Beginning at a stone it being the N E corner of said Section withup Beech 30 in diam N 20° W 28 links distant Beech 15 in diam N 30° E 26 chs dist thence N 84 3/4° E 38 poles 19 1/2 links to (C) a stone thence N 84 3/4° E 39 poles 3 1/2 chs to D a stone thence S 5 1/2° E 70 poles 14 1/2 links to (E) a stake thence S 84 1/4° W 39 poles 3 1/2 links to a stake thence S 84 3/4° W 38 poles 19 1/2 links to (C) a stake thence withup sugar 3 in diam S 43° E 1 1/2 chs dist sugar 4 in diam S 59° W 10 chs dist thence S 84 3/4° W 38 poles 8 links to H a stake thence N 5 1/2° W 70 poles 14 1/2 links to the Beginning

James W Spencer M.C.S



May 29<sup>th</sup> 1838

Surveyed for William Frost & Josiah Baker the following designated lines in Section No 29 North of Range 1 West Beginning at the South  $\frac{1}{2}$  mile stake then N  $6^\circ$  W 80 poles to a stake then same course continued then S  $85^\circ$  W 80 poles 22  $\frac{1}{2}$  links to a stake then N  $85^\circ$  E 80 poles 9 links to the beginning

James W. Spencer M C S

William Lee and Robert  
Cousley Chain bearers sworn

June 5<sup>th</sup> 1838

Surveyed for William Alexander the following lot of land situate in the South West quarter of Section No 34 Town 9 Range No 1 West Beginning at a stone standing in the center of the Morgantown state road being the western  $\frac{1}{2}$  mile post of said Section Witnessed Hickory 10 in diam S  $25^\circ$  W 22 links dist then N  $84^\circ$  E 60 poles to a stone then S  $5^\circ$  E 107 poles  $\frac{14}{100}$  poles to a stone Witnessed Sugar 6 inches diameter S  $39^\circ$  W 22 links dist then S  $84^\circ$  E 60 poles to a stone then N  $5^\circ$  W 107 poles  $\frac{14}{100}$  poles to the beginning containing 40 acres & 28 poles

John Alexander and  
David Rogers Chain Bearers  
sworn

J W Spencer M C S

Oct 30<sup>th</sup> 1838

Surveyed the following Tract of land to wit in section No 2 Township No 9 North of Range No 1 West for David Browning & William Elliott. Beginning at the West  $\frac{1}{2}$  mile post of said Section Witnessed Maple 13 inches diam S  $45^\circ$  W 26 links distant Maple 11 inch diam 36 E 9 links dist then N  $85^\circ$  E 80 poles 10  $\frac{1}{2}$  links to a stake Beech 15 in diam N  $77^\circ$  E 16 links dist ash 30 in diam N  $28^\circ$  W 37 links dist then N  $85^\circ$  E 80 poles 10  $\frac{1}{2}$  links to a stake then N  $5^\circ$  W 160 poles to a stake then S  $85^\circ$  E 80 poles 10  $\frac{1}{2}$  links Witnessed Beech 18 in diam S  $49^\circ$  E 7 links dist Beech 4 in diam S  $59^\circ$  W 20 links dist then S  $85^\circ$  E 80 poles 10  $\frac{1}{2}$  links to the N W cor of said Section then S  $5^\circ$  E 160 poles to the beginning containing 160 acres 3 quarters & 2 poles

John Oliver & Jacob Yates  
chain Bearers sworn and  
subscribed to this 30<sup>th</sup> day of  
October 1838

J W Spencer M C S



December 27<sup>th</sup> A.D. 1838


Surveyed the following tract of land for John Christian  
60 1/2 acres off the North end of the South West quarter of  
Section 10. Lower 9 North of Range No 1 West Beginning at  
the west 1/2 mile post of said Section witness Beech 10 inch  
X diam S 47° E 23 lbs dist Poplar 4 in diam S 32° W 18 lbs dist  
then S 6° E 60 poles witness Blue Ash corner then S 84 1/2° E 162  
Poles witness Beech 10 inch diam S 61° E 22 1/3 lbs dist Logwood  
4 in diam S 36° W 44 lbs dist then S 6° W 60 lbs dist poles  
to the Beginning containing 60 1/2 acres

J S Hardisty & Henry Cross  
chain Bearers shown this  
27<sup>th</sup> Dec 1838

Jr Spencer No 6 & 7

January 9<sup>th</sup> A.D. 1839

Run the following design  
from the following design  
7 poles 1/2 pole and lines in sections No 5 Township A  
links dist then 7 Range No 1 West for Joseph  
beginning at the S W corner of said  
sections or at A a stone witness Sugar  
poplar 5 in diam S 13° E 8 1/2 links dist  
wild cherry forking at the ground  
inch diam S 46° E 61 1/4 lbs distant  
then S 6° E 162 poles 11 links to a  
stone witness Beech 8 inch diam  
29° E 24 lbs dist Sugar 5 inch dia  
7 33° W 11 lbs dist then S 6° E 160  
poles 15 links to (B) a stone witness  
Beech 18 inches diam South 8 lbs  
distant Sugar 12 inch diam S 86° E  
3 lbs distant then S 84° E 158 B  
poles 6 1/2 links to (C) a stone witness  
poplar 10 inch diam S 17° W 10 links dist Sugar 5 in diam S 75° E 9 links  
distant then S 5° W 77 poles 20 links to (D) a stone witness Sugar 13  
inches diam S 21 1/4° E 12 lbs distant Logwood 7 inch diam S 9° E 18 1/2 lbs  
dist then S 34° W 77 poles 20 links to (E) a stone witness Tree Beech 10 inch  
diam S 43° W 54 lbs dist W Walnut 12 inch diam S 63° W 16 1/2 lbs dist  
then S 84 1/4° E 80 poles 4 links to (F) a stone witness Beech 14 in diam  
S 67° E 20 1/2 links distant Beech 6 inch diam S 58° W 29 1/2 lbs distant  
then S 6° W 162 poles 15 links to (G) a stone witness Beech 15 inch diam  
S 36° W 36 1/2 lbs dist Beech 4 inch S 65° E 90 lbs dist then S 84 1/2° W  
80 Poles 11 links to small (d) a stone witness Tree Beech 17 S 20° E 35 1/2  
lbs dist Beech 13 inches S 37° W 37 1/2 lbs dist then S 84 1/2° W 158 poles  
6 1/2 lbs to the Beginning From O to A Bears S 84 1/2° E 158 Poles 6 1/2 lbs





From O to D Bears. N 83° W 161. poles 5 links from (F) to G Bears  
 N 44 1/2° E 88 poles 4 links witness at C Hickory 20 in diam N 46° E 6  
 lbs dist Logwood 4 in diam S 145° E 15 lbs dist

David Trellis & Joel Lake

Chain Bearers Sworn

James M. Spencer M & B

A B alteration made dividing Ross & Helms from the Center  
 of said Section ~~is~~ is 80 poles running East  
 witness poplar 48 inch diam S 29° E 18 lbs dist

James M. Spencer M & B

January 15<sup>th</sup> 1839

Layed off by order of the Monroe County Probate Court  
 for the benefit of the Widow and Heirs of John Hood Dec'd the  
 following Tract of land to wit the west half of the S 1/2 quarter  
 of Sec 14 T 9 R 11 West Beginning at the S 1/2 Corner of said Section  
 witness Live Logwood 3 inch diam S 50° W 22 lbs dist Birch 10 in  
 diam N 41° E 18 lbs dist then N 85 1/4° E 53. poles 22 links to a stone  
 witness Birch 12 inch diam S 84° W 34 lbs dist Ironwood 6 in diam  
 N 76 1/2° E 27 lbs dist then N 85 1/2° E 26 poles 23 1/2 links to a stone  
 witness Sugar 7 in diam N 5° W 18 lbs dist Sugar 5 inch S 5° W  
 24 lbs dist then N 6° W 160 poles to a stone witness red Oak  
 18 in diam S 49 1/2° W 31 lbs dist then S 85 1/2° E 26 poles 23 1/2 lbs  
 dist to a stone witness Birch 14 in diam S 9° W 10 lbs distant  
 then S 85 1/2° W 53. poles 22 links to a stone witness Logwood 3 in dia  
 west 26 lbs dist then S 6° E 160. poles to the Beginning conta  
 ining in all 80. 3. 09

Joseph Baugh & David Barrow  
 Chain Bearers Sworn this Jan  
 5<sup>th</sup> 1839

James M. Spencer M & B



January 17<sup>th</sup> 1839

Layed off in compliance with an order of the Monroe County Probate Court the right of Dower to Julian Adams, late widow of Joseph McAlley Dec'd & for the benefit of the said decedent a certain tract or parcel of land situate in the County of Monroe & State of Indiana it being the South End of the East half of the North West quarter & the West  $\frac{1}{2}$  of the N E quarter of Section No 33 Town 8 North of Range one West and Bounded as follows to wit Beginning at a Stone standing at the S E Cor of the E  $\frac{1}{2}$  of Sec 33. Then N  $85^{\circ}$  E 158 Poles to a stake witness Pine Hickory & Corner then N  $5^{\circ}$  E to 60 poles to a Stone witness Sugar 19 in diam N  $20^{\circ}$  E 49  $\frac{1}{2}$  chs dist Black Ash 21 in diam S  $37^{\circ}$  E 48 chs dist then S  $55^{\circ}$  E 158 Poles to a Stone witness Beech 11 inch diam S  $41^{\circ}$  E 15 chs dist Beech 31 in diam N  $18^{\circ}$  E  $33^{\frac{1}{2}}$  chs dist then S  $5^{\circ}$  E 60 Poles to the Beginning containing in said Boundary  $57\frac{3}{4}$  acres

Thomas Carter & John Mathers Chain  
Bearers Given this Jan 17<sup>th</sup> A.D. 1839

James H. Spencer Ab. C. S.

February 15<sup>th</sup> 1839

Lurveyed for John Light John H. Allen Andrew Hille and others in Section No 9 T 8 R 1 West Beginning at the N E corner of said Section witness Beech 8 in diam N  $52^{\circ}$  E 7 chs dist Beech 5 in diam S  $20^{\circ}$  E 21 chs dist running then S  $6^{\circ}$  E 157 poles 22 links to a Stone standing at the E  $\frac{1}{2}$  mile Post witness Beech 8 in diam S  $48^{\circ}$  E 15 chs dist Sugar 16 in diam N  $57^{\circ}$  E  $33^{\frac{1}{2}}$  chs distant then S  $6^{\circ}$  E 77 Poles 21  $\frac{1}{4}$  links to a Stone witness Beech 10 in diam N  $15^{\circ}$  E 99 chs dist Beech 18 in diam N  $9^{\circ}$  E 83 chs dist then S  $6^{\circ}$  E 77 Poles 21  $\frac{1}{2}$  links to a Stone standing at the S E Cor of said Sec No 9 witness Beech 8 in diam N  $60^{\circ}$  E 15 chs dist to 15 in diam N  $57^{\circ}$  E 17 chs dist then S  $44^{\circ}$  E 157 Poles 20 links to a Stone witness to Oak 18 in diam S  $57^{\circ}$  E 7 chs dist Sugar 12 in diam S  $33^{\circ}$  E 26 chs dist then S  $54^{\circ}$  E 77 Poles 22 chs to a Stone witness Sugar 18 in diam N  $14^{\circ}$  E 8 chs dist Sugar 7 in diam N  $66^{\circ}$  E 15  $\frac{1}{2}$  chs dist then S  $44^{\circ}$  E 77 Poles 22 links to a Stone witness decayed & gone then N  $6^{\circ}$  E 77 Poles 21 links to a Stone witness Sugar 24  $\frac{1}{3}$  in diam S  $35^{\circ}$  E 77  $\frac{3}{4}$  chs dist Beech 17 inches N  $26^{\circ}$  E 95  $\frac{3}{4}$  chs dist then N  $6^{\circ}$  E 77 Poles 21 chs to a Stone witness Elm 26 inches N  $45^{\circ}$  E  $\frac{3}{4}$  chs dist Beech 34 in diam S  $66^{\circ}$  E 93  $\frac{1}{2}$  chs dist then N  $6^{\circ}$  E poles 21 links to a Stone witness Sugar 12 in diam S  $47^{\circ}$  E 66 chs dist Sugar 16 in diam (East) 67  $\frac{1}{2}$  chs dist then N  $6^{\circ}$  E 77



Poles 21 links To a stone witness Sugar 30 in diam S 45° E 27 lbs  
 distant Sugar 15 inches diam S 58° E 31 lbs dist then N 84½° E  
 157. Poles 21 links to a stone in open ground to the North ½ mile post  
 then N 84½° E 78 Poles 23 links To a Stone Buck 11 in diam S 67° E  
 7½ lbs dist Sugar 6 in diam N 68° E 21½ lbs dist then N 84½° E  
 78 Poles 23 lbs to the beginning containing

John W. Allen & Michael H. Allen  
Chain Bearers Sworn Feb 15<sup>th</sup> 1839

James F. Spencer M. C. S.

February 21<sup>st</sup> 1839

Surveyed in compliance with an order of the Monroe County  
Probate Court the right of Dower for — Widow of George  
Longherty Deed and for the benefit of the heirs of the said  
decedant a certain tract of land situate in the County of  
Monroe & State of Indiana it being a portion of the N W  
quarter of Section No 20 & the N E quarter of Section 19  
Town 8 North of Range No one met and bounded as follows  
Beginning at the West 1/2 mile post of said Section No 20  
& the East 1/2 mile post of sec No 19 T 8 R 1. West then  
N 85° E 77 poles 41 links to a stake then N 6° W 71. poles  
to a stake then S 84 1/2° W 156. poles & links to a stake then  
S 5 1/2° E 30 poles 12 1/2 links to a stake then S 84 1/2° W 79 poles  
19 links to a stake then S 5 1/2° E 37 poles 13. links to a stake  
then N 85° E 157 poles & links to the Beginning containing in  
said Boundary 87. 1. 17 poles

Samuel Patton & Thomas Smith  
chain bearers sworn this Feb. 21<sup>st</sup> 1839

John Ketchum Thomas Smith  
& Samuel Patton Commissioners

James W. Spencer Nov. 6. 3



Feb 19<sup>th</sup> 1839

Surveyed for James Davis & others the following lines in Section 33 T 9 R 2. west Beginning at the S E corner of the South west 1/4 of the S 1/2 quarter of said Section 33 then N 6° W 81. poles 10 links to the N E corner of the said S 1/2 1/4 then S 85° W 80 poles 4 links to the N W corner of said 1/4 then S 6° E 81. poles 10 links to the S W corner of said Section No 33 then N 35° E 80 poles & 4 links to the Beginning containing in said boundary 40 acres

D. B. Baugh Sept

James W. Spencer M. C. S.

March 12<sup>th</sup> A.D. 1839

Surveyed for James Mathers John Mathers Samuel Mathers & William Campbell (sen) the following lots of land situate in the County of Monroe & State of Indiana in Section No 20 T 8 R 1. west and bounded as follows (cont) Beginning at a stone it being the N E corner of said Section withup Bush 10 in diam N 29° E 40 links dist Sugar 30 in diam N 12° E 62 links dist then S 85° W 53. poles to a stone withup Sugar 30 inch diam S 10° W 7 links dist then S 1/2° E 140 poles to a stone standing in the Bedford State Road then S 5 1/2° E 16. Poles 20 links to a stone intersecting the line running parallel from the East to the West 1/2 mile post of said Section then S 5° E 34. poles 14 links to a stone standing in the Bedford State Road. then N 86° E 67. poles 12 1/2 links to a stone standing in David Hurlays western line then N 6° W 34 Poles 14 links to a stone standing at the Eastern 1/2 mile post of said Section then N 6° W 156 Poles 8 links to the Beginning containing 73. acres & 33 Poles

John Alexander & Thomas Mathers  
Chain Bearers sworn March 12<sup>th</sup> 1839.

James W. Spencer M. C. S.

March 12<sup>th</sup> A.D. 1839

Surveyed for William Campbell the following lot of land in Section No 20 T 8 R 1. west Beginning 20 feet or 30 1/4 links of the chain west of Levi Harts corner then S 1/2° E 37 Poles 18 1/4 links then S 85° W 19 poles & 13 links then N 6° W one pole 12 1/2 links then S 85° W 77 poles 6 1/4 links at which place withup trees was made but misplaced but I think they are Sugar trees then S 6° W 36 poles 6 1/4 links to the Northern 1/2 mile post of said Section then S 6° E 77 poles 6 1/4 links to a stone the Southern corner dividing the two 1/2 quarters between John Alexander & Thomas Carter



Witness Sugar 18 inches diam  $N 25^{\circ} E$  14 links dist then  $N 66^{\circ} E$   
23 poles to the beginning containing 22 1/2 acres

+ Note all the corners in the foregoing survey corner at  
a stone

John Alexander & Thomas Mathers  
Chain bearers sworn March 12<sup>th</sup> 1839

James H. Spencer M 63

March 12<sup>th</sup> A.D. 1839

Now for James Mathers the following lot of land in  
Section 20 T8 R1 West Beginning at a stone it being  
the N.W. corner of Levi Houstons lot running then  $S 86^{\circ} E$   
30 1/4 links to a stone then  $S 1/2^{\circ} E$  37 poles 183 links to a  
stone then  $S 85^{\circ} E$  19 poles 13 links to a stone then  $S 6^{\circ} E$   
119 poles 2 1/4 links to a stone then  $N 86^{\circ} E$  10 poles 16 links  
to a stone in Houstons line then  $N 8^{\circ} E$  16 poles 20 links  
to a stone then  $N 1/2^{\circ} E$  140 poles to the Beginning  
containing 11 acres 1 quarter & 19 poles

John Alexander & Thomas Mathers  
Chain bearers sworn March 12<sup>th</sup> 1839

James H. Spencer M 63

March 12<sup>th</sup> A.D. 1839

Now the following lot of land for John Mathers in Section 20 T8 R1  
West Beginning at a stone at the center of said Section witness  
Sugar 16 in diam  $S 49^{\circ} E$  14 1/2 links dist then  $S 6^{\circ} E$  138 poles 6 1/2 links  
to a stone witness Ash 15 in diam  $N 67^{\circ} E$  10 links dist Sugar 5 in  
diam  $S 63^{\circ} E$  22 links dist then  $N 85^{\circ} E$  154 poles 16 links to a stone witness  
Tree B. Walnut 15 in diam  $S 9^{\circ} E$  6 links dist Sugar 7 in diam  $N 58^{\circ} E$   
11 links dist then  $N 6^{\circ} E$  121 poles 19 links witness Tree in open ground  
then  $S 86^{\circ} E$  67 poles 12 1/2 links to a stone then  $N 5^{\circ} E$  34 poles 14  
links to a stone then  $S 86^{\circ} E$  88 poles 19 links to the Beginning  
containing 15 1/4 acres & 3 poles

Less in the N.E. quarter of Section No

20 8 acres & 25 poles

John Alexander & Thomas Mathers  
Chain Bearers sworn March 12<sup>th</sup> 1839

James H. Spencer M 63



March 12<sup>th</sup> A.D. 1839

ran the following lot of land for James Mathers in the  
N.E. quarter of Section No 20 T 8 R 1 West & Bounded as  
follows Beginning at a stone it being the center of the section  
witness Sugar 16 in diam S 49° E 14 1/4 links dist then N 86° E  
78 poles 3 1/2 links to a stone then N 6° E 120 poles 13 1/4 links  
to a stone then S 86° E 77 poles 6 1/4 links to a stone witness  
made but misplaced then S 6° E 121 poles 2 1/2 links  
to the Beginning containing 58 acres 3 quarters & 6 poles

John Alexander & Thomas Mathers  
Chain Bearers Sworn March 12<sup>th</sup> 1839

James W. Spencer M.C.S.

April 2<sup>d</sup> A.D. 1839

ran the following designated lines in Section No 18  
Township No 7 North of Range No 1 West for Mathers  
Flores & George Anderson Beginning at a post standing  
at the western half mile post of said Section No 18  
running thence S 6° E 78 poles 6 1/4 links to a stone witness  
X Trees Beech 34 inches diameter N 10° E 18 links distant  
then N 85° E 178 poles to a stake witness Trees Walnut  
3 inches diameter N 75° E 7 1/2 links distant to Walnut  
7 inches diameter N 15° E 14 links distant

Daniel Butcher & Bailey King  
Chain Bearers Sworn April 2<sup>d</sup> 1839

James W. Spencer M.C.S.

April 3<sup>d</sup> A.D. 1839

Surveyed for David Butcher 60 acres off the North end  
of the South East quarter of Section No 19 T 7 North of  
Range one West Beginning at the South 1/2 mile post  
+ of said Section then N 6 1/4° E 60 poles to a stake witness  
to oak 24 in diam S 69° E 26 links dist Sugar 8 in diam N 1° E  
119 links distant then N 85° E 157 poles 24 links to a stake  
witness Sugar 7 in diam S 12° E 11 1/2 links dist then S 6 1/4° E 60 poles to the S.E. cor  
Section 19 then S 85° E 157 poles 20 links to the beginning containing  
acres

Mathers Flores & Bailey King  
Chain Bearers Sworn April 3<sup>d</sup> 1839

James W. Spencer M.C.S.







Nestbit it is bounded as follows to wit Beginning at F then  $N 45^{\circ} E$  7 poles & 7 links to (C) then  $S 45^{\circ} E$  5 poles &  $3/4$  links to (H) then  $S 85^{\circ} E$  5 poles 14 links to (I) then  $N 45^{\circ} E$  6 poles 10  $1/2$  links to (K) then  $S 85^{\circ} E$  4 poles to the Beginning containing 33 poles

George Edmondson & James S Sharp  
Chain Bearers Sworn April 17<sup>th</sup> 1839

James H Spencer M. C. S

April 17<sup>th</sup> A.D. 1839

Ran for David B Nestbit & others the following designated lines in Section 10 Town 9 R. 2 West Beginning at the N E corner of said Section then  $S 6^{\circ} E$  160 poles 13  $1/2$  links to the eastern  $1/2$  mile post withup Beech 20 in diam  $S 55^{\circ} E$  34 links dist then  $S 87 1/2^{\circ} E$  323 poles 32 links withup Beech 20 in diam  $N 75^{\circ} E$  30 links distant Beech 24 in diam  $S 42^{\circ} E$  30 links distant

Thomas Nestbit & Wesley Bell  
Chain Bearers Sworn April 17<sup>th</sup> 1839

James H Spencer M. C. S

April 18<sup>th</sup> A.D. 1839

Ran the following line in Section 9 T. 9 R. 2 West for William Edmondson John Sedrick Mrs Sharp & others Beginning at the Eastern & western  $1/2$  mile Posts of said Section No 9 & No 10 witness Trees Beech 24 in diam  $N 73^{\circ} E$  30 links dist Beech 24 in diam  $S 42^{\circ} E$  30 links dist then  $S 85 1/2^{\circ} E$  323 poles 21 links to the western  $1/2$  mile post of Section No 9 witness Beech 9 inch diam  $S 51^{\circ} E$  7 links dist Sugar 12 in diam West 18 links

George Edmondson James S Sharp  
Chain Bearers Sworn April 18<sup>th</sup> 1839

James H Spencer M. C. S



April 18<sup>th</sup> 1839

ran a line for the benefit of Merida Parks & Edward Ellatts  
Hers in the N to quarter of Section 10 T 9 R 2 west Beginning  
at Stake standing in the mouth of said Ellatts Spring Branch  
emptying its self into the west Margin of Jacks defeat then  
S 75° to 136 poles intersecting the North & South line dividing  
Sections 9 & 10 and cornering 52 1/2 poles north of the western  
1/2 mile post of Section No 10 witness Hickory 14 in diam  
S 50° E 19 lbs dist Hickory 24 in diam N 10° to 15 links  
distant

George Edmonson James S Sharp

Chain Bearers sworn April 18<sup>th</sup> 1839

James W Spencer M 68

April 25<sup>th</sup> A 20 1839

ran for Henry Lints the following lot of land in sections  
no 14 & 23 Township No 8 North of Range 2 West and  
Bounded as follows to wit Beginning at the original  
corner of Sections 13, 14, 23, & 24 running thence S 6° E 84  
poles 7 links to a stake witness Sugar 14 in S 10° E 5 links  
distant then S 85° to 59 poles 5 links to a stake witness  
Sugar 12 in diam N 89° to 17 1/2 lbs dist then N 6° to 82 poles  
to a stake witness Tree Sugar 14 in diam N 67 1/2° E 7 1/4 links  
distant Gum 12 in diam S 69° to 28 lbs dist then S 80 1/2° to 22  
poles 3 links to a stake witness Tree Sugar 26 in diam N 8° to  
21 links distant White Walnut 3 inches diam N 74 1/2° E 4 1/2 lbs  
distant then N 6° to 29 poles to a stake in open ground then  
N 85° E 56 poles to a stake witness Sugar 12 in diam N 82 1/2° E  
14 links dist then S 6° E 28 poles to a stake witness Beech 9  
in diam S 21° to 2 1/4 links distant then N 84 1/2° E 25 lbs distant  
poles 11 links to the Beginning containing 40 acres & 3 quarters

Chain carried by Consent of  
Parties

James W Spencer M 68



May 6<sup>th</sup> 1839

Ran the following line for Isaac Campbell in Section No 27 Town 9 R 2 West Beginning at the western 1/2 mile post of said Section then N 85° E 161 poles 7 links to a stake witness trees were made then N 85° E 161 poles 7 links to the eastern 1/2 mile post witness Birch 5 inches diam S 77° W 15 links distant.

Chain Bearers by consent of Parties

James H. Spencer M. C. S.

May 18<sup>th</sup> 1839

Layed off in compliance with an order of the Monroe County Probate Court the right of Power to Elmore widow of Wm Elmore Dec'd and for the benefit of the heirs of the said decedant a certain tract or parcel of land in the S 1/4 of Section No 3 Town 9 R 1 East and Bounded as follows Beginning at the S 1/4 corner of the East 1/2 of the N 1/4 quarter & the N 1/4 corner of the range & bearing 1/2 of the S 1/4 quarter witness plumb bush 8 in diam S 57° W 17 links distant Sycamore 12 in diam S 65° E 132 links distant then S 6° E 32 poles 18 links dist then N 85° E 32 poles then S 6° W 32 poles 18 links then S 87° W 32 poles to the Beginning containing 6 1/2 acres & 7 poles

William Richardson & David  
Witnessed chain Bearers Sworn

James H. Spencer M. C. S.

May 21<sup>st</sup> 1839

Ran the following line for John Hanson in Section No 341 Town 7 R 1 West Beginning at the East 1/2 mile post witness 1/2 Walnut 10 in diam N 70° W 15 lbs dist white Walnut 17 in diam N 42° E 14 links dist then S 1/2 E 157 Poles 11 links to the S E Cor of the Section witness Birch 15 in diam N 82° E 8 lbs dist Birch 7 in diam S 75° W 18 lbs dist

John Fitzpatrick and Isaac Whisman  
Chain Bearers Sworn

James H. Spencer M. C. S.



August 30<sup>th</sup> 1839

ran the following lines in Township N 9 Section 9  
 North of Range No 1 East for Hugh McElung Abraham  
 Young William Richeson Thomas Gardner & others Beginning  
 at the western 1/2 mile post of said Section then N 85° E 310  
 poles 3/4 links to the Eastern 1/2 mile post of said Section 9  
 witness Trees Sugar 6 inches diameter S 85° E 6 links distant  
 Beech 6 inch diam S 16° W 2 1/2 lks dist then began at the  
 Northern 1/2 mile post running then S 6° E 325 poles 17 links  
 to the Southern 1/2 mile post witness Trees at the center of the  
 Section Sugar 15 inches diameter S 42° E 21 lks dist Sugar 8  
 inches diameter N 60° W 17 1/2 links distant witness Trees 78 poles  
 9 links west of the center Beech 30 inches diam S 41° W 17 links  
 dist Beech 8 in diam N 57° E 37 lks dist witness East of the  
 center 76 poles 17 1/4 links Beech 12 in diam S 31° W 87 lks dist  
 Poplar 30 in diam N 41° E 53 links dist witness Trees 81 poles  
 16 links North of the center Beech 18 in diam S 23 1/2° W 9 3/4 lks  
 distant Beech 24 in diam N 27° W 23 1/4 links dist witness North  
 of the S E corner of the West 1/2 of the S W quarter 81 poles 16 links  
 Beech 18 in diam and corner

Hugh McElung & David Whitwood  
 chain bearers Sworn Aug 30<sup>th</sup> 1839

James H. Spencer M C S

August 22<sup>nd</sup> 1839

ran the following described line for Isaac Cost and  
 Isaac Young in Section No 18 Town 9 North of Range No 1  
 East. Began at the North East corner of the Section  
 running thence S 85° W 325 poles 6 1/2 links to the N W cor-  
 X of the Section then began at the N 1/2 mile post then  
 S 6° E 80 poles to a stake witness Poplar 18 inch diam  
 N 42° W 25 lks dist B. Walnut 6 inch diam S 82° E  
 11 lks dist then S 6° E 240 poles to the Southern 1/2  
 mile post


Edward Jackson & Joseph Young  
 chain bearers Sworn

James H. Spencer M C S

Surveyed for  
 the following descri  
 Abner County  
 beginning at A  
 then S 6° E 8 poles  
 (C) then S 5° E 6  
 (D) then S 19° W 6 1/2  
 back of Salt cre  
 S 16° W 9 poles to  
 (F) then S 17° W 4  
 line running East  
 parallel with the  
 East then N 6° W  
 then N 45° E 15  
 The beginning  
 line ended by

ran the fol  
 Wright Jaco  
 and William  
 Range No 2  
 then S 85° W  
 then began  
 Poles 7 links  
 then began  
 Poles 10 links  
 made at  
 distant  
 Trees 77  
 diam 8  
 link



May 22<sup>nd</sup> 1839Surveyed for <sup>Johnston</sup> ~~Thomas~~ Fitzpatrick

The following described mill lot in the Town of Fairport  
 Monroe County Indiana and Bounded as follows to wit  
 Beginning at A the N E cor of lot No 1) in said Town run  
 Then S 6° E 8 poles 22 links to (B) then N 85° E 21 poles 23 links  
 to (C) then S 5° E 6 poles 20 links to (D) then S 74° E 5 poles to  
 (E) then S 59° E 6 poles 4 links to (F) intersecting the North  
 bank of Salt creek then within the Meanderings thereof  
 S 76° E 9 poles to (G) then N 74° E 5 poles 15 links to (H) then  
 N 71° E 9 poles 3 links to (I) then N 42° E 3 poles 12 links to  
 K then N 20° E 4 poles 8 links to (L) intersecting the marked  
 line running East & West through the Section passing  
 parallel with the mill dam then S 85° E 13 poles 6 links  
 to M then N 6° E 7 poles 6 links to N then N 35° E 3 poles to (O)  
 then N 75° E 15 poles 22 links to (P) then N 80° E 4 poles to  
 The Beginning

Chain carried by consent of Parties

James W. Spencer M &amp; S

August 25<sup>th</sup> 1839

Ran the following lines for Samuel Turner James  
 Wright Jacob Meyer Thomas Shipman William May  
 and William Geadway in Section No 2 Town 7 North of  
 Range No 2 West Began at the N E cor of the Section  
 then began at the North 1/2 mile post then S 5 1/2° E 8 1/2  
 poles 7 links to the Southern 1/2 mile post of said Section  
 then began at the Eastern 1/2 mile post then S 85° E 3 1/6  
 poles 10 links to the Western 1/2 mile post witness trees  
 made at the center Beech 12 inches dia S 31° E 7 1/4 links  
 distant Beech 12 in diam S 17° E 7 3/4 lbs distant witness  
 trees 79 poles 10 1/2 links East of the center Beech 5 inch  
 diam S 49° E 23 lbs distant witness trees 78 poles 17 1/2  
 links west of the center Black Ash 12 inch diameter



S 80° W 49 chs distant Sugar 6 inch diam S 62° W 61 1/2 chs dist  
witness Trees 79 poles 18 1/4 links west of the North 1/2 mile post  
and the same distance from the N 1/2 Cor Beech 15 inches diam  
S 30° W 36 links dist. Sugar 20 inches diam S 29° E 74 chs dist  
witness Trees 78 poles 8 1/2 links east of the South 1/2 mile post  
and the same from the S E Cor Beech 12 inch diam S 85° W 15 1/2  
chs dist to oak 15 in diam N 40 1/2° E 47 1/2 chs distant

Abraham Morgan William  
May Chain Bearers Sworn

James W. Spencer M C S

N B a new witness tree made at the S E Cor of the  
above named Section Sugar 15 in diam S 86° W 34  
chs dist

James W. Spencer M C S

April 25<sup>th</sup> 1839

Surveyed for George Geigler the following designated lines  
in Section 33. T 7 R 2 East Beginning at the South 1/2  
mile post then N 6° W 320 poles 15 links to the Northern 1/2 mile  
post witness trees at the center of said Section No 33 Ironwood  
4 inches diameter S 60° E 13 links dist Hickory 3. S 60° W 9 links  
distant length of the line 80 poles 8 1/2 links West of the center  
witness Beech 24 in diam S 4° W 21 1/2 links dist Beech 14 in diam  
S 77° E 21 links dist witness Trees 80 poles 8 1/2 links east of the  
Southern 1/2 mile post Hickory 18 inch diam N 26° W 5 links  
distant Beech 6 inches diam S 10° E 21 links dist Done by  
L B Baugh Deputy

James W. Spencer M C S

also ran on the 29<sup>th</sup> April 1838. the North & South  
line in Section 12 T 7 R 2 East for David Wright Beginning  
at the N 1/2 mile post then S 6° E 320 poles 14 links to the  
South 1/2 mile post Done By L B Baugh Deput

James W. Spencer M C S

Surveyed for John  
S. R. 2 East  
Section then  
the began at the  
pole 15 links witness  
trees 24 in diam  
diam S 65° W 19 chs  
South of the center  
Sugar 18 inch diam  
poles 15 ch North  
link diam S 10°  
21 chs dist  
witness trees & hickory  
chain bearers sworn

Surveyed for John  
S. R. 2 East  
Section then  
the began at the  
pole 15 links witness  
trees 24 in diam  
diam S 65° W 19 chs  
South of the center  
Sugar 18 inch diam  
poles 15 ch North  
link diam S 10°  
21 chs dist  
witness trees & hickory  
chain bearers sworn

June 10. 1839  
Surveyed for John  
S. R. 2 East  
Section then  
the began at the  
pole 15 links witness  
trees 24 in diam  
diam S 65° W 19 chs  
South of the center  
Sugar 18 inch diam  
poles 15 ch North  
link diam S 10°  
21 chs dist  
witness trees & hickory  
chain bearers sworn



Feb 21<sup>st</sup> 1839

Layed off in Section 20 T 7 R 2 west (12) Twelve town lots for Jesse East Beginning at a Birch Tree then N 34° E 2 poles and from the same tree South at right angles to the first line 4 poles to a stake then N 34° E 2 poles to a stake then at right angles to the first & parallel to the 2<sup>nd</sup> 4 poles and each succeeding lot lays parallel to the first the alleys are all 12 feet and the last 4 lots are all in a block

Harry Bangh Sept 16<sup>th</sup> 3

Feb 22<sup>nd</sup> 1839

Surveyed for James Davis the following lines in Section 20 S 3 R 2 west Began at the South 1/2 mile post of said Section then N 6° E 316 poles to the Northern 1/2 mile post then Began at the Eastern 1/2 mile post then S 85° E 314 poles 10 links witness trees at the center of Section No 20 Birch 24 in diam N 58° E 25 lbs dist to Oak 16 inches diam S 63° E 19 lbs dist witness trees 78 poles 15 links North of the center Hickory 20 in diam N 84° E 28 lbs dist Sugar 18 inch diam S 17° E 33 links dist witness trees 78 poles 15 lbs North of the Eastern 1/2 mile post Dogwood 6 inches diam S 14° E 12 lbs dist Sassafras 2 in diam N 42° E 27 lbs dist

Jefferson Scott & William Poarch  
Chain Bearers Sworn

Harry Bangh Sept 16<sup>th</sup> 3

June 10<sup>th</sup> A.D. 1839

June 10, 1839 Surveyed for Andrew Parker John B. Coost Thomas Stephen Lankston Bennett & Co Carter Section No 33 T 7 R 1 East Began at the Eastern 1/2 mile post then S 85° E 320 poles to the West 1/2 mile post then Began at the Southern 1/2 mile post then N 6° E 317 poles 3 links to the Northern 1/2 mile post witness trees at the center of said Section Black Ash 6 in diam S 71° E 23 links dist Birch 30 inch diam S 80° E 15 links dist witness trees poles west of the center Birch 24 inch diam S 25° E 10 links dist Sugar 18 inches diam S 72° E 62 links dist witness trees poles west of the North 1/2 mile to Oak 4 inch diam S 13° E 27 at oak 12 inch diam N 10° E 22 links dist witness trees 78 poles 23 links South of the center Birch 10 inch diam N 85° E 54 links dist ash 12 inch diam S 82° E 37 1/2 links dist witness at the center the 4 to give red Pine 10 inch diam S 29° E 24 links distant

James Ellis & Abraham Alley  
Chain Bearers Sworn

James H. Spencer May 6<sup>th</sup> 3



March 12<sup>th</sup> 1844

Surveyed for William Proseberry and others in Section 29  
S 5 R 2 West Began at the Southern 1/2 mile post of said section  
then N 67° W 318 poles 15 links to the Northern 1/2 mile post then  
Began at the Western 1/2 mile post then N 85° E 316 poles 12 links to  
the Eastern 1/2 mile post witness trees at the center Beech 18 inch  
diam N 85° E 39 1/2 lbs dist Sugar 10 inch diam S 87° W 34 1/2 lbs dist

+ Length of the line A of the center 158 poles 28 links  
Length of the line C of the center 158 poles 17 1/2 links  
West of the " " " Center 157 poles 17 1/2 links  
North of the " " " Center

Witness trees 39 poles 17 1/2 links North of the center to Oak 24 inches  
diam S 46° E 44 1/2 lbs dist Black ash 6 inches diam S 20° W 14  
lbs dist the same course continued 39 poles 17 1/2 links witness  
B. Gum 18 inch diam S 28° W 28 lbs dist Black ash 20 inch diam  
N 35 1/2° E 41 lbs dist witness trees West of the Northern 1/2 mile post  
79 poles 11 links Mulberry 7 inch diam N 6° W 13 1/2 links distant  
 Hickory 10 inch diam S 75° W 23 1/2 lbs dist witness trees 78 poles 25 1/2  
links West of the center Red Oak 18 inch diam N 7° E 16 links  
dist to Oak 20 inch diam S 52° W 31 links dist witness 79 poles 7 1/2  
links East of the center to Walnut 15 inch diam N 82° E 46 lbs  
dist B. Gum 5 inch diam N 88° W 40 lbs dist witness trees 79 poles  
2 links West of the center S E corner of Sec 29 B. Gum 8 inches  
diam N 89° E 10 1/4 lbs dist B. Gum 20 inch diam N 5° E 21 1/2 links  
dist

William Berry Green & Berry  
Chain Bearers Sworn

J. W. Spencer M. C. S.

March 16<sup>th</sup> 1840

ran the following lines in Section 21 S 9 R 1 East for William  
Richeson & William Brunnet Beginning at the N W cor then  
N 85° E 160 poles 6 links to the N 1/2 mile post witness trees 80 poles  
3 links East of the N W cor & West of the N 1/2 mile post  
Beech 15 inch diam S 37° W 117 lbs dist Beech 24 inch diam N  
75° W 79 lbs dist then from said point S 6° E 80 poles to a stake  
witness trees Beech 24 in diam S 54° E 40 1/2 lbs dist Beech 18 in  
diam S 19° W 74 1/2 lbs dist

William Coott & Jacob Brunnet  
Chain Bearers Sworn

J. W. Spencer M. C. S.



Nov 15<sup>th</sup> 1839

Layed off in compliance with an order of the Monroe County Probate Court a mill lot & Dover for the benefit of Sally Williams widow of Zachariah Williams Decd & for the benefit of the heirs of said decedent situate in the S<sup>th</sup> quarter of section no 32 Town 9 R 1 west & Bounded as follows to wit Beginning at the South west corner of section no 32 witness Live Birch 12 inch diam S 67° W 29 ch distant Birch 15 inch diam N 44½° E 93½ links dist then N 6° W 28 poles to a stone witness Live W Oak 18 inch diameter S 50° W 21 chs dist Birch 20 inch diam S 56½° E 46 chs distant then N 85° E 100 poles to a stone witness Birch 20 inch diam S 18° W 82 chs dist Birch 15 in diam S 72° W 67 chs dist then S 6° E 28 poles to a stone witness poplar 14 inch diam N 74½° E 91½ chs dist then S 85½° E W 100 poles to the Beginning containing 17½ acres

Dover lot Beginning at the N<sup>th</sup> E<sup>th</sup> cor of Mill lot witness W Oak 18 inch diam S 50° W 21 chs dist Birch 20 inch diam S 56½° E 46 chs distant then N 85° E 70 poles to a stone witness Birch 14 inch diam N 76° W 28 chs dist then N 6° W 133 poles to a stone standing in George W Gardins line witness Birch 10 inch diam S 82° W 37 chs dist W Oak 15 inches diam S 56° W 72 chs dist then S 85° W 71 poles & 5 links to a stone witness W Oak 20 in diam S 82½° W 30 links dist W Oak 15 inch diam S 39° E 43 chs dist then S 6° E 132 poles 7 links to the Beginning containing 58 acres 2 quarters 3 4. Poles 58 2.04

James W. Spencer & Eli D. Harmer  
Chas. W. Brown

James W. Spencer M 6 B

Oct 3<sup>rd</sup> 1839

ran the following designated line in section 7 T 9 R 1 west for John S. Barnes & James Rawlings Began at the E ½ m Post then S 85° W 317 poles & links to the West ½ mile Post then Began at the S ½ m post then N 6° W 330 poles to the Northern ½ mile post witness at the center Birch 12 in diam N 77½° E 44½ chs dist Birch 30 inches diameter N 57° E 36 chs dist

Length of the line South of the Center 157 poles 4 links  
Length of the line North of the Center 172 poles 21 links  
Length of the line West of the Center 160. poles 18 links  
Length " " East of " Center 158 poles 15 links

names of chain bearers /  
Not blazed

James W. Spencer M 6 B



Oct 7<sup>th</sup> 1839

ran the following lines in Sec 30 T 8 R 1 W for John Smith Joshua Hoover Samuel Bohrer Solomon May & Lewis & Shryver Began at the Eastern  $\frac{1}{2}$  mile post then S 85° W 336 poles 14 links to the western  $\frac{1}{2}$  mile post witness Elm 36 inches S 25° E 26 chs dist Birch 36 inch diam A 8° W 68 links distant then Began at the South  $\frac{1}{2}$  mile post then N 6° W 317 poles 19 links to the Northern  $\frac{1}{2}$  miles post

Length of the line East of the center 156 poles 19  $\frac{1}{2}$  links

Length of the line South of the center 158 poles 7 links

Length of the line West of the center 162 poles 2  $\frac{1}{2}$  links

+ Length of the line from the S E cor to the South  $\frac{1}{2}$  mile post 159 poles 20 links half the distance 79 poles 20  $\frac{1}{2}$  links length of the line from the S W corner to the South  $\frac{1}{2}$  miles post 170 poles 10 links half the distance 81 poles 30 links length of the line from the N  $\frac{1}{2}$  mile post to the N E cor of sec 30 158 poles 7 links witness Trees 79 poles 3  $\frac{1}{2}$  links East of the N  $\frac{1}{2}$  mile post Hickory 12 inches diam S 45° E 47  $\frac{1}{2}$  chs dist Sugar 6 inch diam A 70° W 43 chs dist Oct 8<sup>th</sup> 1839 ran  $\frac{1}{2}$  acre of land for school purposes situated in the E  $\frac{1}{2}$  of the N E  $\frac{1}{4}$  of section 30 T 8 R 1 West and Bounded as follows Beginning at the S W cor of the E  $\frac{1}{2}$  of said section running then N 84  $\frac{1}{2}$ ° E 13  $\frac{1}{2}$  poles to a stone then N 44  $\frac{1}{2}$ ° W 5 poles 23  $\frac{1}{2}$  links to a stone then S 54  $\frac{1}{2}$ ° W 12  $\frac{1}{2}$  poles to a stone then S 4  $\frac{1}{2}$ ° E 5 poles 23  $\frac{1}{2}$  links to the Beginning Contain one half acre

Joshua Hoover and  
William Crossfield  
Chain Bearers Sworn

J. W. Spencer M &amp; S

Oct 18<sup>th</sup> 1839

ran the following lines in section No 22 T 9 R 2 W between Moffitts heirs or in other words divided the N E  $\frac{1}{4}$  by running a line East & West through said quarter from the N  $\frac{1}{2}$  mile 140 poles 12 links length of the line East of the center 161 poles 5 links to the E  $\frac{1}{2}$  mile post witness Trees Birch 8 in diam S 35° E 72 chs dist Red Oak 30 in diam A 48° E 54  $\frac{1}{2}$  chs dist

length of the line from the S E cor to the N E cor 320 poles 18 links witness 80 poles 4  $\frac{1}{2}$  links South of the N E cor Elm 12 in diam N 54° E 10  $\frac{1}{4}$  chs dist Sugar 30 inch diam S 12° W 28  $\frac{3}{4}$  chs distant witness 80 poles 6  $\frac{1}{4}$  links South of the N  $\frac{1}{2}$  mile in open ground length of division line 160 poles 17  $\frac{1}{2}$  links

James Harbison  
Charles Wilson  
Chain Bearers Sworn

ran a line for  
T 9 R 2 West  
then S 45° E 7  
links then A 6°  
poles 22 links to  
quarter & 35  
poles 12  $\frac{1}{2}$  chs  
links distant the  
South of the East  
N E West

surveyed for  
indication No.  
cor of sec 17  
a stake witness  
links dist then  
30 inch diam  
to a stone the  
witness Trees  
then N 85° E  
distance then  
Lycamore 3  
poles to a  
8 poles to a  
25  $\frac{1}{2}$  links  
then A 6°

Henry Burr  
Henry Stine  
Bearers



Samuel Harrison &  
Alexander Wilson  
Chain bearers sworn

J. W. Spencer M. C. S.

Nov 15<sup>th</sup> 1839

Ran a line for Samuel Harrison in Section No 14  
T 9 R 2. west Beginning at the N E cor of Sec 22  
then S 6° E 7 poles 12 1/2 links then N 88° E 189 poles 20  
links then N 6° W 7 poles 12 1/2 links then S 85° W 159  
poles 20 links to the beginning containing 7 acres  
+ 1 quarter & 38 poles witness Beech 12 inch diameter  
N 75° W 12 1/2 links dist Beech 8 inch diam S 86° W 37  
links distant the above witness trees are 7 1/2 poles  
South of the East 1/2 mile post of Section 14 T 9  
R 2 west

J. W. Spencer M. C. S.

April 26<sup>th</sup> 1841

Surveyed for Henry Stone the following lot of land  
in Section No 20 T 10 R 2. west Beginning at the S E  
cor of Sec 17 T 10 R 2. west ran N 6° W 119 1/2 poles to  
a stake witness trees Beech 11 inch diam N 8° E 16 1/4  
links dist then S 85° W 42 poles to a large Sycamore  
30 inch diam & corner then S 45° W 51 poles 16 links  
to a stone then S 6° E 87 poles 10 1/4 links dist to a stone  
witness trees Beech 20 inch diam N 28° E 26 links dist  
then N 85° E 18 poles to a sugar and corner 24 inch  
diameter then S 79° E 21 poles & 21 links to a small  
Sycamore 3 inches diam & corner then S 37 1/2° E 64  
poles to a sugar 15 inches diam & corner then N 85° E  
8 poles to a stone witness Elm 13 inch diam S 70 1/2° E  
25 1/2 links dist Ironwood 7 inch diam 29 1/2 links dist  
then N 6° W 60 poles to the beginning

Henry Berry and  
Henry Stone chain  
Bearers sworn

J. W. Spencer M. C. S.



Sept 21<sup>st</sup> 1841

ran a line & established a corner for Miltown  
Mephetridge in Section No 14. S 8 R 1 west Beginning  
at the N E cor of said Section then S 88° E 79 poles & 6  
links To a stake witness Blue Ash 6 inches diam  
S 70° W 99 1/2 links dist Black walnut 6 inches diameter  
S 25° W 158 1/4 links dist

John Castle and  
John M Berry chain  
Bearers sworn

James Tr Spencer M C S

August 10<sup>th</sup> 1840

ran the following lines for William Shannon  
and others in Section 22 S 9 R 2 west Began at the 1/2  
mile post then S 85° W 320 poles to the western 1/2 m  
post of the same then Began at the S 1/2 mile post then  
N 6° W 320 poles & links witness at the center of the Section  
Mulberry 8 inches diam S 35° W 71 links distant From  
the S 1/2 m to center 157 poles 10 links witness then East  
of the center & at the N E cor of the 30 acre lot. Beech  
24 inch diam S 40° E 7 links dist Sugar 12 in diam S 32° W 27 1/4  
links distant then S 6° E 40 poles to a stake then S 85° W 94  
poles To a stake then S 6° E 124 poles 19 1/4 links to a Sugar  
12 inch diam & corner) then S 8 1/4° W 26 poles to the S 1/2  
mile post then N 6° W 162 poles 17 links to the Beginning  
containing 30 acres

names of chain bearers misplaced

J Tr Spencer M C S

Nov 20<sup>th</sup> A D. 1840

ran the following lines for Able Carters in Section  
No 20. S 8 R 6 west Began at the N 1/2 mile post  
of said Section then S 6° E 327 poles & links to the S 1/2  
mile post

chain bearers names misplaced

Done by Harry Baugh. Deft Surveyor

J Tr Spencer M C S



Aug 31<sup>st</sup> A D 1840

Ran the following lines & made the following Cor in  
Section 23 T 8 R 1. west for John Shields Robert  
Humphill John Cathcart & Thomas Kelsia length  
of the line west of the center 160 poles 10 1/2 links  
length " East of the center 187 poles 2 1/2 links  
length " South of " center 163 poles 4 1/2 links  
length " North of " center 156 poles 2 1/2 links  
Witnessed Lines made at the center Red Oak 30 inch diam  
N 88° E 17 links dist Beech 10 inch diam N 27° W 28 links  
distant Witnessed Lines made 78 poles 13 1/4 links East of center  
Black Oak 36 inch diam N 14° E 19 links dist Witnessed Lines  
80 poles 14 1/2 links East of 1/2 mile W Oak 15 inch diam  
S 81° E 34 links dist Witnessed 80 poles 2 1/2 links west of  
the South 1/2 mile post Beech 10 inch diam N 74° E  
23 links distant Beech 8 inch diam S 76° W 27 1/2 links dist  
Witnessed 80 poles 5 links west of the center Beech 6 inch dia  
N 46° W 48 links dist Poplar 40 inch diam N 69° E 42  
links distant Witnessed west of the North 1/2 mile Sugar  
15 inch S 82° W 34 links dist Sugar 15 inch diam S 35 1/2 W  
47 3/4 links distant length of the line North & South through  
the center 320 poles 2 1/2 links length of the line E & West  
317 poles 12 1/2 links

John Shields

R Humphill

John Cathcart &

Thomas Kelsia chain

Bearers by Consent of Parties

James H. Spencer No 63

April 1<sup>st</sup> A D 1840

Ran the East & West line in Sec No 27 T 9 R 1. west for Proprietors  
Arch Campbell & James Campbell length of the East & West  
line 519 poles 7 links Witnessed Lines made 79 poles 4 1/2 links west  
of the center B. Walnut 5 in diam N 15° W 71 1/2 links dist Black  
Walnut 12 inch diam S 86° W 61 1/2 links dist Witnessed 80 poles 1 1/2  
links east of center W Walnut 6 in diam S 23° W 17 links dist  
Oak 10 in diam N 16° E 23 links dist Witnessed East of N 1/2 mile  
Beech 7 in diam N 16° E 11 1/2 links distant Sugar 24 inch  
diam S 82° W 10 1/2 links distant

Arch Campbell & J. Cyrus

Thompson chain Bearers by

Consent of Parties

J. H. Spencer No 63



March 15<sup>th</sup> 1840

ran a line for Seth Goodwin & Noble Stockwell in  
 Section No 36 T 6 R 2 west Began at the Center of said  
 Section witness Beech 24 in diam S 23° to 20 1/2 links  
 distant the other line down then to the 1/2 mile post  
 X 159 poles 17 1/2 links dist

Seth Goodwin  
 Noble Stockwell Chain  
 Bearers sworn

Jr Spencer M. C. S.

April 11<sup>th</sup> 1841

ran the North and South line for Galat Hatfield  
 & John Gillman in Section No 26 T 7 R 2 west  
 length of line 325 poles 6 links

James Gillman &  
 Henry May Chain  
 Bearers by Consent of parties

Jr Spencer M. C. S.

March 24<sup>th</sup> 1841

ran for Joseph Henderson Inn lot No 39 in the Town of  
 Bloomington Began at the S E cor of said lot then S 85° to  
 40 poles then N 6° to 27 poles 9 links then N 85° E 26 poles  
 9 links then S 6° E 25 links then N 85° E 7 poles 16 links  
 then S 6° E 25 poles 9 links to the Beginning

Also a small lot taken out of said lot Began  
 at its S E corner then N 6° to 9 poles then S 85° to 12 poles  
 then S 6° E 9 poles then N 85° E 12 poles to the Beginning  
 content 2 Woods 28 poles

Jr Spencer M. C. S.

May 1<sup>st</sup> 1840

ran the East & west line through the Center of  
 of Section No 2 T 9 R 2 west for Frederic & Butler  
 Beginning at the west 1/2 mile post witness W Bush  
 3 inches diameter S 56° to 18 links dist Sugar 11 inches  
 diam N 58° E 25 links dist then N 85° E 324 poles to the 1/2  
 mile post witness Beech 16 in diam S 23° to 5 links dist Beech  
 10 inch diam N 15° E 21 links dist. witness made at the Center  
 Sugar 18 inches diam S 55° to 72 links distant

Smith Constable & Joseph James  
 Chain bearers by Consent

Jr Spencer M. C. S.



April 19<sup>th</sup> 1842

ran the following line for James Blair Began at the Eastern 1/2 mile post of Section 33 T<sup>9</sup> R<sup>1</sup> West witness Hickory 10 inch diam S 23° W 22 links dist Sugar 20 inch diam N 18° E 23 links dist then S 85° E 320 poles 17 1/2 links to the western 1/2 mile post of said Section witness Sugar 24 inch diam S 6° E 88 1/2 links dist then S 85° E 320 poles to the western 1/2 mile post of Sec 32 Town 9 R 1 West

John Blair and Thos "Blair"  
Chain Bearers Sworn

James H. Spencer M.C.S.

Notice of Survey

I will on the 19<sup>th</sup> day of ~~April~~ <sup>March</sup> 1842 Together with the County Surveyor proceed to run & establish the East and West line of Section 32 Township No 9 North of Range No 1 West of the 2<sup>d</sup> Principal Meridian and establish all the lines and corners necessary to be done in said Section this 17<sup>th</sup> day of Feb 1842

James Blair

Returned Signed & Served

I certify that I have made known the contents of the above Notice to Asher Labertew John Graham David B Judah James Lockman & Daniel Lunderman by reading the above Notice to each of the above named parties

Signed under my hand this Feb 22<sup>d</sup> 1842

George H. Hardin

March 31<sup>st</sup> 1842

Surveyed for Samuel Strong the following lot of land it being the N E quarter of Section 3 T<sup>9</sup> R<sup>2</sup> West length of the line from the center to the Eastern 1/2 mile post 160 poles 13 links half the distance 80 poles 6 1/2 links witness Sugar Sycamore 30 inches diam S 53° W 92 links dist length of the line from the Northern 1/2 mile to the N E cor of said Section 161 poles 23 links half the distance 80 poles 23 links witness Black Ash 30 inches diam S 65° E 23 1/2 links distant Beech 6 inches diameters S 79° W 47 links distant

David Whisman &

George Whisman

Chain Bearers by Consent

James H. Spencer M.C.S.



April 25<sup>th</sup> 1842.

ran the N & South line of section 26 T 9 R 2 west  
for James Gillman & Caleb Hazell length of the line  
from the 1/2 mile post to the Southern 1/2 mile post  
325 Poles 6 links

James Gillman & William May  
Chain Bearers by Consent  
of Parties

J<sup>r</sup> Spencer M & S

May the 10<sup>th</sup> 1842

ran the following lot for the union reformed associate  
church of Monroe County Indiana situate in the South  
west quarter of Section No 32 Town 9 R 1. West and  
Bounded as follows Began at the S E cor of said lot  
then S 85° E 45 Poles 14 links then N 6° E 17 Poles 10 1/2 links  
+ then N 85° E 45 Poles 14 links then S 6° E 17 Poles 10 1/2  
links to the Beginning containing 5 acres & 30 poles

Robert H Jennings & John C Hook  
Chain Bearers by Consent of Parties  
Fee of 2.50 paid

J<sup>r</sup> Spencer M & S

May 10<sup>th</sup> 1842

ran the following out lot for David B Judah Began at the  
Center of Section No 32 T 9 R 1. West then N 6° E 50 Poles  
2 links To a stone it being the N E cor of the union church  
plot then with said line S 85° E 45 Poles & 14 links To a stone  
then N 6° E 20 Poles 2 links To a stone then N 85° E 18 poles  
17 links to a stone then N 6° E 20 poles To a stone then N 85° E  
8 Poles 8 1/2 links To a stone then N 6° E 16 Poles 7 links to a  
stone then N 85° E 19 Poles 7 links To the Beginning

Elias Abel & Robert Jennings  
Chain Bearers by Consent of Parties

J<sup>r</sup> Spencer M & S



May 31<sup>st</sup> 1842

have the following lot of land for William C. Tarkington  
lying and being situated in section No 32 Township No 8  
R. 2 west & the N  $\frac{1}{4}$  of N  $\frac{1}{2}$  sec of said section  
Began at the N  $\frac{1}{2}$  cor of said section then N  $85^{\circ}$  E  $79$   
Poles 4 links witness Beech 8 inch diam N  $87^{\circ}$  E  $3\frac{3}{4}$  lbs  
dist Sugar 12 inch diam N  $28^{\circ}$  E  $16\frac{1}{4}$  lbs dist then  
S  $6^{\circ}$  E  $80$  poles witness Sugar 10 inch diam N  $3^{\circ}$  E  $36$   
lbs dist Beech 14 inch diam S  $25^{\circ}$  E  $16$  lbs dist then  
S  $85^{\circ}$  W  $80$  poles witness Trees Dogwood 8 inch diam  
N  $56^{\circ}$  E  $16\frac{1}{4}$  lbs dist then N  $6^{\circ}$  W  $80$  poles to the Beginning  
Containing 80 acres

Samuel Graybill & W. C. Tarkington  
Chain Bearers by Consent

J. W. Spencer M. C. S.

April 17<sup>th</sup> 1843

have the following lines for Benjamin Neal & James  
Roberson in section No 35 T. 9 R. 2 west length of  
the line E & W through the center 320 poles 6 links  
Length of the line from the N  $\frac{1}{2}$  cor to the S  $\frac{1}{2}$  cor  
321 poles  $2\frac{1}{2}$  links witness at the western  $\frac{1}{2}$  mile  
cherry 18 inch diam S  $41^{\circ}$  E  $87$  lbs dist S. cherry 12  
inches diameter S  $82^{\circ}$  E  $57$  lbs dist witness 80 poles  
 $1\frac{1}{2}$  links East of the western  $\frac{1}{2}$  mile post Beech 20  
inch diam S  $76^{\circ}$  E  $39\frac{1}{2}$  lbs dist Hickory 3 in diam  
S  $83\frac{1}{2}$  W  $13$  lbs dist then S  $6^{\circ}$  E  $160$  poles  $3\frac{1}{2}$  links  
to a stake standing 80 poles  $5\frac{1}{2}$  lbs east of S  $\frac{1}{2}$  cor

Nicholas S. Mayfield

Amrose C. Mayfield  
Chain Bearers Sworn

J. W. Spencer M. C. S.

April 19<sup>th</sup> 1841

have the following lines in section No 18 T. 9 R. 1. E for Paris C.  
Canning and Sampson Hensley Began at the Center of said sec  
witness Beech 15 inch diam S  $5^{\circ}$  E  $22$  lbs dist Sugar 20  
in diam S  $45^{\circ}$  W  $40$  lbs dist then S  $55^{\circ}$  W  $80$  poles witness  
Beech 8 inch diam S  $67^{\circ}$  E  $27\frac{1}{4}$  lbs dist

James Alexander &amp;

Sampson Hensley chain

consented to

Fee of 2.50

J. W. Spencer M. C. S.



Oct 15<sup>th</sup> 1842

ran the following line for John Orchard in Section  
No 13 T 8 R 1. West Began at the eastern 1/2 mile post  
thence S 85° W 160 poles to a stake standing within 3 links  
of a large pigmy Birch 24 inches diameter then Began  
at the South 1/2 mile post thence N 85° E 80 poles witness  
Oak 6 inches diam S 70° W 19 links distant

James Bean & John McCoy  
chain Bearers by Consent

James H. Spencer M 63

Oct 21<sup>st</sup> 1842

ran for Arthur Lutfire the East & West line of Section 8  
T 7 R 1. West length of said line 319 poles & links then Began  
at the center of said section witness trees Birch 4 inches  
diam N 12° E 18 1/2 links dist Birch 6 inches N 43 1/2° W 27 3/4  
links dist thence N 6° W 80 poles to a stake witness trees  
sugar 14 in diam N 8° W 19 links dist sugar 14 in diam S 10° E 14 links  
distant thence S 85° W 79 poles 20 3/4 links to a stake witness sugar 6 in  
diam S 71° W 18 1/2 links dist sugar 6 inch diam S 42° E 32 links dist  
thence S 6° E 80 poles witness W Walnut 8 inch diam N 86 1/2° E 6 1/2  
links dist Birch 18 inch diam N 35° W 22 links dist & to the Beginning  
names of chain Bearers misplaced

Jm H. Spencer M 63

May 4<sup>th</sup> 1843

ran a line for John Payne & others Began Began at the  
Section corners 26.27.34.35 thence N 6° W 80 poles to a  
stake witness Elm 30 inches diameter N 87° E 139 links  
distant

John Payne & William Luff  
chain Bearers by Consent

Jm Spencer M 63

May 1<sup>st</sup> 1843

Surveyed for James Scarbrough Pily Wilson the following lines in  
Section 25 T 7 R 1. West Began at the S. W. corner of said section  
thence N 85° E 80 poles to the North Margin of Salt creek witness Elm  
12 in diam S 60° W 11 links dist Maple 12 in diam N 66° E 24 1/2 links dist  
thence N 6° W 80 poles to an Elm 30 inch diam & corner thence S 85° W 80 poles  
in open ground thence S 6° E 80 poles to the Beginning  
Sidney Meadows & Daniel Rainey  
chain Bearers by Consent

Jm Spencer M 63



August 25<sup>th</sup> 1842

ran the following line in Section No 10 S 4 R 2 W for Nathan Crane & Abraham May. Began at the N<sup>W</sup> corner of Said Section then N 85° E 158 poles 16 links to the N 1/2 mile post half the distance 79 poles 8 links witness Logwood 8 inch diam N 25° W 6 lbs dist Black Ash 20 inch diam S 85° W 27 lbs dist then S 6° E 79 poles 18 links witness Poplar 7 inch diam S 50° E 16 1/2 links dist Black Ash 18 inch diam N 6° W 7 links dist then S 85° W 79 poles 8 links witness Hickory 6 inch diam N 64 1/2° E 10 1/2 lbs dist W Oak 18 inch diam S 65° W 19 lbs dist then N 6° W 79 poles 18 links to the Beginning containing 39 3/4 acres & 25 poles

Thomas Clift & Ellsbury Tarkington  
Chain Bearers by Consent

J. W. Spencer M. C. S.

March 8<sup>th</sup> 1841

ran the following line in Section No 25 S 9 R 1. W for John Burshirk & Isaac J. Burshirk Began at the East 1/2 mile post of Said Section witness Tree 20 inch diam S 35° E 47 1/2 lbs dist then N 85° W 323 poles to the western 1/2 mile post of Said Section the above survey was made by Harry Baugh Sept & recorded as returned by H. Baugh

James W. Spencer M. C. S.

Sept 9<sup>th</sup> 1843

ran the following line in Section No 30. S 8 R 2 with length of the line from the Southern 1/2 mile post to the Northern 1/2 mile of the same 320 poles 20 links Length of the line from the N<sup>W</sup> corner to the S<sup>W</sup> corner of Said Section 322 poles 20 links half 161 poles 10 links witness made at the western 1/2 mile post Gum 15 inch diam S 1 1/2° W 43 1/2 links distant Gum 15 inch diam S 35° E 91 1/2 lbs dist Length of the line from the western to the Eastern 1/2 mile post 280 poles for the witness See ref to the united States field notes

witness Tree made at the center of Said Sec Black Ash 6 inch diam S 79° E 45 lbs dist B. Ash 10 inch diam N 48 1/2° E 36 1/2 lbs dist

Length of the line west of center	120 poles 7 links
Length East of center	159 poles 18 links
Length South of center	160 poles 00 links
Length North of center	160 poles 20 links

The above survey was made for John Tarkington & others  
length of the line from the S<sup>W</sup> cor of Sec 30 to the western 1/2 mile 159 poles 1 link half 79 1/2 poles witness Tree B. Walnut 6 inch diam S 15° E 98 lbs dist the above witness is equidistant



between the S E cor of Section 30 & the Southern  $\frac{1}{2}$  mile post witness  
made equidistant between the Eastern  $\frac{1}{2}$  mile of 30 & the Center  
of the Sec witness Hickory 2 inch diam S 60° E 3 lbs dist Black  
ash 4 inch diam S 32° E 18  $\frac{1}{2}$  lbs dist

Oct 13<sup>th</sup> 1842

J<sup>r</sup> Spencer M C 5

March 26<sup>th</sup> 1844

ran the following lots in the Town of Bloomington  
for Isaac Owen designated on the Town plat as Nos

+ 1. 2. 3. 4. 5. 6. 7. 8

John C S Chipman &  
John Fredly Chord chain  
Bearers Sworn

James H Spencer M C 5

May 22<sup>nd</sup> 1844

+ ran for Elias Abel sub lot No 14 in the County of Monroe  
and State of Indiana Began at the S E corner of said lot  
then N 5° E 31 poles 5  $\frac{1}{2}$  links then N 85° E 36 poles 22 links  
to the Beginning content 4  $\frac{3}{4}$  acres & 22 poles

J<sup>r</sup>

James H Spencer M C 5

May 27<sup>th</sup> 1844

+ ran for Agnelli Rogers in Section No 33 T 8 R 1 W the following  
lot of land containing 19 acres & Bounded as follows Began at a  
stone at the N W corner of the lower as Layed off in compliance  
with an order of the Monroe County probate Court to Julian Adams  
late widow of Joseph Mcalley Dec<sup>d</sup> as designated on page 50 & 51  
then N 6° E 21 poles witness Sugar 4 in diam N 19° E 8  $\frac{1}{2}$  lbs dist  
then N 85° E 144 poles 20  $\frac{1}{2}$  links witness Beech 20 in diam  
S 77° E 26  $\frac{1}{2}$  links dist then S 6° E 21 poles 15 links witness Red Oak  
6 inch diam S 39° E 13  $\frac{1}{2}$  lbs dist Water Birch 3 inches diam  
N 72° E 21 links distant then S 85° E 144 poles 20  $\frac{1}{2}$  links to the  
Beginning

Names of chain Bearers Misplaced

James H Spencer M C 7



August 18<sup>th</sup> 1844

entered the 17<sup>th</sup> Section of T9 R 2 met for James  
Starnes James Coffee Archibald Coffee John H Allen &  
Jonathan Archer Beginning at the eastern 1/2 mile post  
then S 85° W 323 poles to the western 1/2 mile post then  
Began at the Southern 1/2 mile post then N 6° W 323 poles  
to the North 1/2 mile post  
length of the line South of the Center 161 poles 7 1/2 links  
length of the line North of the Center 161 poles 17 1/2 links  
Length East of Center 161 poles 15 links  
+ Length West of Center 161 poles 10 links

Witness Trees made at the center of said Section 17  
T9 R 2 met Beech 24 inches diameter S 30° W 10 1/4 lbs  
distant B. Walnut 18 inch diam N 72° W 40 1/4 links  
distant

James H Spencer M. C. S.

Oct 16<sup>th</sup> 1844

Ran a line for Robert A Gibens & Robert D Alexander  
for the purpose of dividing the North East quarter of  
Section No 21 T8 R 1. met Distance from the N E corner  
to the Northern 1/2 mile 160 poles 6 1/4 links half 80 poles  
3 links witness Trees Between said corners Beech 6 in  
diam S 45° W 28 1/2 lbs dist Beech 10 in diam S 18° E 46  
links dist Dist from the East 1/2 mile post of Sec 21  
and the center of said Section 159 poles 22 links half  
the distance 79 poles 23 1/2 links dist no witness trees  
made at said point

Robert Gibens & Robert D Alexander  
chain Bearers sworn

Jr Spencer M. C. S.

Dec 27<sup>th</sup> 1844

ran the North & S line in Sec 24 T8 R 1 met for William Harrison &  
Jacob Westbrook Began at the South 1/2 mile post then N 6° E 320 poles  
to the North 1/2 mile post Length of the line South of the Center 162  
poles 12 links Length of the line North of the Center 157 poles 13  
links Witness Trees at the Center Beech 8 inch diam N 28° E  
5 links dist Maple 15 inch diam S 3° E 22 lbs dist

Jr Spencer, M. C. S.



August 18<sup>th</sup> 1844

ran the following line in Sec 16 T9 R2. for James Starnes  
James Coffee James Snook & Martin L Cardon Began at the  
Western 1/2 mile post of said Section then N 85° E 321 poles  
11. links to the Eastern 1/2 mile post then Began at the N 1/2  
mile post then S 6° E 321 poles 16 links to the S 1/2 M. post

+	Length of the line west of Center	160 poles	18 1/2 chs
	Length East of Center	160	17 1/2 "
	Length North of Center	160	16 "
	Length South of Center	161.	01 "

James H. Spencer M C S

Nov 6<sup>th</sup> 1844

ran the following lots of land in Section 26 & 27 for  
Thomas J Woodall & Thomas J Brader T10 R1. East  
the S E 1/4 of the N 1/2 qtr Sec 26 T10 R1. E for Woodall  
Began at the center of said Section then N 6° W 80  
poles then S 85° W 80 poles then N 6° E 80 poles then  
N 85° E 80 poles to the Beginning

ran at the same time for said Brader  
the N 1/4 of N 1/2 qtr of said Sec Beginning at the  
N 1/2 cor of said Section then S 6° E 80 poles then N 85° E  
80 poles then N 6° W 80 poles then S 85° W 80 poles  
to the Beginning

Thomas J Brader James Woodall  
Chain Bearers by Consent

J H Spencer M C S

January 24<sup>th</sup> 1845

ran for William Carter the following line in Section  
30 T9 R2 West Began at the S 1/2 cor of said Sec  
then N 85° E 160 poles 17 links then N 6° W 320 poles  
witness trees North of the S 1/2 mile Post Poplar 10 inch diam  
S 63° W 73 1/2 chs dirt sugar 10 in diam N 9° W 23 chs dirt  
names of Chain Bearers Misplaced  
but sworn

J H Spencer M C S

ran the follow  
in Section 26  
the S 1/2 cor of  
links half 16  
pole Hickory  
it in diam 8  
through said  
Black Oak 6  
1/2 in diam 1  
East of Center  
to Oak 22 in  
Center Hick  
diameter 11  
found within c

ran the fol  
in Section 26  
from the E  
links half 16  
Equidistant  
179 1/2 links  
dist then 1  
Joseph Bary  
Chain Bear

will together  
day of May  
all the lines  
14 Townsh  
May 12<sup>th</sup>  
signed S



April 3<sup>rd</sup> 1845

Run the following line for Stephen Welch & others  
in Section No 31 T 7 R 1 E length of the line from  
the S<sup>th</sup> cor of said Sec To the N<sup>th</sup> cor 326 poles 7  
links half 162 poles 4 1/2 links witness at the 1/2 mile  
post Hickory 10 in diam N 18° E 23 1/2 chs dist Hickory  
24 in diam S 76° W 18 chs dist length of the line E & W  
through said Sec 326 poles witness at the 1/2 mile post  
Black Oak 6 in diam N 78° E 22 chs dist B. Gurne  
+ 24 in diam S 26° E 45 chs dist witness Trees 80 poles  
East of Center B Gurne 10 inch diam S 40° W 27 chs dist  
Tr Oak 20 in diam S 6° E 38 chs dist witness at the  
Center Hickory 8 in diam N 48° E 62 chs dist  
Andrew Whittemand &  
James Smith chain Bearers

James W Spencer M C S

May 26<sup>th</sup> 1845

Run the following line for Joseph Baugh & others  
in Section No 14 T 7 R 1 West length of the line  
from the 1/2 mile post to the N E cor 158 poles 24  
links half the dist. 77 poles 12 links witness Trees  
Equidistant Between said corners Maple 16 in diam  
+ S 59° E 18 links dist Beech 6 in diam S 6° E 17 links  
dist then S 85° W 161 poles To a Stone  
Joseph Baugh & Anderson Phillips  
Chain Bearers Sworn

J W Spencer M C S

Notice

I will together with the County Surveyor on the 26<sup>th</sup>  
day of May 1845 proceed to run relocate & Establish  
+ all the lines & corners necessary to be done in Section  
14 Township No 7 Range 1. West

May 12<sup>th</sup> 1845

Signed Surveyed & returned to me this 26<sup>th</sup> May 1845

J W Spencer M C S



January 28<sup>th</sup> 1846

ran the following lines for John Shields & others  
length of the line from the S<sup>th</sup> corner of Sec 15 & 8  
R 1. W to the N<sup>th</sup> cor of same 320 poles 22 links  
witness Lines made at the Western 1/2 mile post  
Buck 20 in diam N 85° W 42 chs dist length of the  
line from the Western 1/2 mile to the Eastern 320 poles  
13 links witness 44 or 80 poles 3 1/4 links from the west  
1/2 mile Buck 20 in diam N 54 1/2° E 25 chs dist length  
of the line from the N<sup>th</sup> cor of said Sec to the N  
1/2 mile post 159 poles 19 1/4 links half dist 79 poles  
22 links witness Buck 15 in diam S 17° W 11 1/2 chs  
dist witness made at the center of said section  
W Oak 30 in diam S 86° W 31 chs dist

Owen Crocker & Mr Beane chain  
Bearers by Consent

J W Spencer M L S

Feb 3<sup>rd</sup> 1846

ran the following lines for John Ketchum in Sec  
1 T 7 R 2 west Began at the Eastern 1/2 mile post  
of said section then S 85° W 318 poles & 9 links to  
the Western 1/2 mile post of the same

Samuel Ketchum & P L D Mitchell  
Chain Bearers by Consent of parties

J W Spencer M L S

Feb 3<sup>rd</sup> 1846

ran the following lot of land in Sec 6 T 7 R 1. W for John  
Ketchum Began at a Stake 56 poles South of the N E cor of  
said Sec 6 witness Elm 8 in diam S 77° W 79 chs dist then  
S 84 1/2° W 94 poles to a stake in open ground then S 8 1/2° E 267 poles  
& 7 links to a stone witness Lynn 8 inch diam N 33° W 24 links  
dist to a Dogwood 5 inch diam N 40° E 30 1/2 chs dist then N 84 1/2° E  
94 poles to the S E cor of said section then N 5 1/2° W 269 poles  
& 7 links to the Beginning content 158 acres & 32 poles

James Snowden & Samuel Ketchum  
Chain Bearers by Consent

J W Spencer M L S



March 31<sup>st</sup> 1846

ran the following lot of land for John Allen & David Harris in Sec 10 T 8 R 1. west Began at the N<sup>th</sup> cor then East 59 poles 4 links to a poplar 4 inch diam & corner then S 6° E 160 poles to a stake withup Beech 24 in diam N 37° E 47 lks dist Birch 6 inch diam N 47° W 47 lks dist then west 59 poles 4 links to a stone at the western pt of Sec 10 then N 6° W 160 poles to the Beginning John Allen & David Harris chain Bearers by Consent

J<sup>m</sup> Spencer M & B

March 31<sup>st</sup> 1846

ran in the Town of Bloomington lots 207, 210, 212 the two first for David Baker 211 & 212 for Tom Shepard Began at the S<sup>th</sup> cor of lot 207 then East 8 poles to the S<sup>th</sup> E corner of No 210 then North 8 poles to the N<sup>th</sup> E cor of said lots then west 8 poles then South 8 poles to the Beginning Tom Shepard & David Baker chain bearers by Consent

J<sup>m</sup> Spencer M & B

April 1<sup>st</sup> 1846

ran the North & South line of Sec 14 T 9 R 1. west for Andrew Croucher & Richard Snyder Began at the S 1/2 mile post then N 6° W 160 poles to a stake withup Sassafras 6 inch diam N 80° W 14 1/2 links dist Elm 24 inch diam N 72° E 6 lks dist David Junkins & Abraham Everett Chain Bearers by Consent

James H. Spencer M & B

April 15 & 16, 1846

ran the following lines & made the following corners in Sec 17 T 7 R 2 west for Sertow Long John Carter Jacob Carpenter Charles Lamb & John Crane Length of the line N & South through the center 318 poles 11 links Length of the line E & west through the center 320 poles 3 links

length of the line north of the center	159 poles 7 links
length do South of center	159 " 14 links
length do East	161 " 13 links
length do West	158 " 14 links

withup trees 79 poles 7 1/2 links west of center Beech 10 inch diam N 7 1/2° W 71 1/2 lks dist Hickory 8 inch diam N 40 1/2° W 12 1/2 links distant



Witness East of center To Oak 30 inch diam  $S 26^{\circ} W$  6 1/4 lks  
 distant Maple 12 inch diam  $N 40^{\circ} E$  17 lks dist  
 + chain Bearers Sinton Long  
 Jacob Carpenter Sinton

For Spencer M C S

June 16<sup>th</sup> 1846

ran a lot of land containing one acre for the purpose  
 of erecting a meeting house known & designated as  
 Methodist Church situate in the East 1/2 of the South East  
 quarter of Section No 18 T 9 R 1. West Beginning at a  
 stone 110 poles North of the corner standing equidistant  
 between the N E cor of said Section 18 & the Southern  
 1/2 mile post of the same running thence  $N 88^{\circ} E$  12  
 poles 16 1/2 links to a stone thence  $N 6^{\circ} W$  12 poles 16 1/2 lks  
 to a stone thence  $S 88^{\circ} W$  12 poles 16 1/2 links to a stone  
 thence  $S 6^{\circ} E$  12 poles 16 1/2 links to the Beginning content  
 one acre

Jacob L Payne & Richard Snyder  
 chain bearers by consent

For Spencer M C S

June 16 1846

ran the following line in Section 18 T 9 R 1. West for  
 James Matlock & Bradley Walker length of the line  
 from the N W cor to the North 1/2 mile post 162 poles  
 + 3 links half 87 poles 2 1/2 links witness equidistant between  
 said corners Beech 30 inch diam  $S 7^{\circ} W$  32 lks dist  
 thence  $S 6^{\circ} E$  162 poles to a stake standing 79 poles east of  
 the Western 1/2 mile post witness Beech 18 inch diam  
 $S 7^{\circ} W$  22 1/3 links dist

Jacob L Payne & James Matlock  
 chain Bearers

For Spencer M C S

August 27<sup>th</sup> 1846

ran three several lots in the Town of Bloomington and  
 + designated as lots Nos 174, 175 & 177 for Archibald  
 McGinnis

For Spencer M C S



August 31<sup>st</sup> 1846

Ran for Charles Irwin & Robert Marshall the following  
 lot of land in Section No 22 T 8 R 1. West Began at the  
 North  $\frac{1}{2}$  mile post then S  $6^{\circ}$  E 59 poles 20 links witness  
 Birch 20 inch diam S  $27^{\circ}$  W 33 links dist then N  $85^{\circ}$  E 160  
 poles 22  $\frac{1}{2}$  links to a stake witness Birch 12 inch diam  
 N  $64^{\circ}$  W 36  $\frac{1}{2}$  lks dist then N  $6^{\circ}$  W 59 poles 20 links to a stake  
 Stone the N E cor of said section then S  $85^{\circ}$  W 160 poles  
 to the Beginning  
 David Cathcart & Thomas Marshall  
 chain Bearers by agreement

Jm Spencer M &amp; S

Oct 7<sup>th</sup> A.D. 1846

Ran a line in Sec 31 T 7 R 2 west for John Philips  
 Began at the Northern  $\frac{1}{2}$  mile post of said section  
 then S  $3^{\circ}$  E 321 poles 2 links to the Southern  $\frac{1}{2}$  mile post  
 John Wesley & Joshua Murphy  
 chain Bearers Sworn

Jm Spencer M &amp; S

Sept 18<sup>th</sup> 1846

Ran the following lot of land for William Gray and  
 William Coons situated in the N E quarter of Section  
 34 T 8 R 2 west Began at the S W cor of said quarter  
 and lot it being the center of said section No 34  
 then S  $85^{\circ}$  E 20 poles to a stone then N  $5^{\circ}$  E 16 poles  
 & 6 links to a stone then E  $\frac{1}{2}$  poles in a westerly direc<sup>tion</sup>  
 to the mouth of a cave spring included in said lot  
 then S  $78^{\circ}$  W 20 poles 23 links to a stone then S  $6^{\circ}$  E  
 13 poles & 5 links to the Beginning containing 2 acres  
 William May & James W Spencer  
 chain Bearers Sworn

James W Spencer M &amp; S



Oct 9<sup>th</sup> 1846

ran the following line in Section 31 T 4 R 2 west for  
 + William Pagan. William Hardin Peter Carmichael and Abel  
 Edwards length of the line from the N  $\frac{1}{2}$  mile post of Section 31  
 to the N E cor of the same 189 poles 15 links to a stone set equal  
 distance between said corners then S  $3^{\circ}$  E 160 poles to a stone witness  
 Laid Birch 6 inch diam S  $53^{\circ}$  E 15 lbs dist Birch 6 inch diam  
 N  $8\frac{1}{2}$  E 16  $\frac{1}{2}$  lbs dist then S  $3^{\circ}$  E 80 poles to a stone

Richard Vance & Joseph Pennington  
 Chain Bearers Sworn

Jr Spencer M &amp; S

Nov 8<sup>th</sup> 1846

ran the following line for John Messier in Section 15  
 T 7 R 1. West Began at the  $\frac{1}{2}$  mile stake South and ran  
 to the  $\frac{1}{2}$  mile North length of the line 319 poles & 18 links  
 + Then ran from the S W cor to the S E cor of said Section  
 length of the line 319 poles 23 links planted a stone at the  
 S E cor witness red Elm 10 inch diam S  $11^{\circ}$  E 25  $\frac{1}{2}$  links  
 dist W Walnut 7 inch diam N  $68^{\circ}$  E 24 links distant

George Thrasher & Robert Galloway  
 Chain Bearers Sworn

Henry Tanner M &amp; S

Oct 25<sup>th</sup> 1847

ran the following line in Sec T 9 R 1 East for John  
 Peterson Began at the center of said Section witness  
 Sugar 18 in diam S  $42^{\circ}$  E 21 lbs dist Sugar 8 inch diam  
 + N  $60^{\circ}$  E 17  $\frac{1}{2}$  lbs dist then S  $6^{\circ}$  E 81 poles 5 links to a Lyman  
 10 inch diam cor of N E  $\frac{1}{4}$  of S T 9 R 1 of said Section  
 then S  $85^{\circ}$  E 77  $\frac{1}{2}$  poles witness Dogwood 5 inch diam S  $43^{\circ}$  E  
 8 links distant

Probertson & Probertson chain  
 Bearers Sworn

H Tanner M &amp; S



Oct 26<sup>th</sup> 1847

ran the following line for Charlotte Shell in Section 28  
 T10 R 2 west Began at the  $\frac{1}{2}$  mile North of said Section  
 then S 65° E 322 poles 12 links to  $\frac{1}{2}$  mile South witness  
 standing then N 85° E 161 poles 21 links to S E Cor then  
 + N 6° W 319 poles & links to the N E Cor then N 85° W 162  
 poles & links to the Beginning  
 James L Shell James M Cowan &  
 George J Howell chain Bearers Sworn

Henry Tanner M C S

Oct 27<sup>th</sup> 1847

ran the following lines for Gideon Walker in Sec 21 & 22  
 T10 R 2 west Began at a stone at the center of Sec 22  
 then S 85° W 162 poles & links to  $\frac{1}{2}$  mile stake west of 22  
 + then S 85° W 162 poles to center of Sec 21 then N 6° W to  $\frac{1}{2}$   
 mile North of Sec 21  
 John Swafford James L Shell  
 chain Bearers Sworn

Henry Tanner M C S

Oct 28<sup>th</sup> 1847

ran the following lines in Sec 16. T10 R 2 west for John  
 Swafford & others Began at the  $\frac{1}{2}$  mile post then S 86° W  
 325 poles 23 links to west  $\frac{1}{2}$  mile post then Began at  
 + South  $\frac{1}{2}$  mile stake N 6° W to center of Section witness  
 trees at  $\frac{5}{8}$  mile not standing  
 John Swafford & Doc Walker  
 chain Bearers Sworn

Henry Tanner M C S

Nov 10<sup>th</sup> 1847

ran the following line in Sec 20 T9 R 2 west for Lem  
 Sexton John Sanford Began at the West  $\frac{1}{2}$  mile post  
 + then N 85° E 327 poles 15 links from S  $\frac{1}{2}$  mile post to  
 North  $\frac{1}{2}$  mile post N 6° W 326 poles 27 links  
 Samuel Sexton & Mr Greenwood  
 chain Bearers Sworn

Henry Tanner M C S



Jan 1848

Established for Joseph Houstow the N<sup>th</sup> cor of S<sup>th</sup> 1/4  
 of N<sup>th</sup> q<sup>u</sup> of Sec 21 T10 R2 west witness Birch 12  
 inch diam S 75° E 20 links dist Hickory 18 in diam  
 S 5° E 17 lks dist

Henry Tanner M &amp; S

Jan 1848

Established for Philip Burger the N<sup>th</sup> cor of Sec 2  
 T8 R2 west witness Iron red Oak 30 in diam S 3° E  
 122 lks dist

Henry Tanner M &amp; S

Sept 25<sup>th</sup> 1849

Established for Schileas Burch a corner in the center  
 of Sec 8 T7 R2 west witness Tr Walnut 16 inch diam  
 west 13 1/2 links Sugar 5 in diam S 35° E 36 lks dist

x

also for Schileas Burch & John Burch the S<sup>th</sup> cor  
 of N<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> section 8 T7 R2 west witness  
 Black oak 5 inch diam N 15° E 30 1/2 lks distant  
 Hickory 14 inch diam S 15 1/2° E 46 links dist

also for Schileas Burch the N<sup>th</sup> cor of N<sup>th</sup> q<sup>u</sup>  
 of S<sup>th</sup> q<sup>u</sup> of section 8 T7 R2 west witness Spruce 15  
 inch diam S 10° E 18 lks dist Birch 8 inch N 42° E  
 46 lks dist

also for Schileas Burch & George Adams the N<sup>th</sup> cor  
 of S<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> of Sec 8 T7 R2 west  
 witness Ironwood 6 inch diam S 21° E 18 lks dist Birch  
 18 inch diam S 17° E 57 lks dist

James Woodburn M &amp; S

Sept 26<sup>th</sup> 1849

Established for John Burch & George Adams the S<sup>th</sup> cor  
 of N<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> of Sec 8 T7 R2 west witness  
 Ironwood 10 in diam N 65° E 4 lks dist Dogwood 8 in  
 diam N 32° E 10 1/2 lks dist Variation 6° S 77° E 17"

James Woodburn M &amp; S

laid off 2 acres  
 small Thomas  
 and in section 21  
 the N<sup>th</sup> cor has  
 diameter 27° E  
 dist to 1 chain &  
 dist to 2 poles the  
 then to the starting  
 variation 6°

laid off for Jan  
 section 15 T8 R2  
 beginning at (A)  
 106 poles to (B)  
 106 poles to (C)  
 established cor

N 36° E 11 1/2 lks  
 23 lks dist

21 lks distant

found small  
 chain Bearer


laid off as  
 found length  
 of the S<sup>th</sup> cor  
 established  
 cor Burch  
 S 25° E 22  
 9 links dist  
 said Bearer  
 Peter Baria  
 John James  
 Joseph Do



Oct 2<sup>d</sup> A D 1849

Layed off 2 acres for a mill lot for Nicholas Fierro  
 & Daniel Thomas at Bear Blossom Bridge on the Morgantown  
 road in Section 35 T<sup>4</sup> R 1. East Fixed for a starting point  
 the N E cor having for witness trees a Sycamore 8 inches  
 diameter S 27° E 2 chain & 38 links dist Elm 16 inch diam  
 S 22° W 1 chain & 46 links distant ran from said corner  
 S 41° W 20 poles then N 41° W 16 poles then N 41° E 20 poles  
 then to the starting point  
 variation 6° degrees

James Woodburn M. C. S.

Feb 16<sup>th</sup> 1850

Surveyed for James Small the following tract of land in  
 Section 15 T<sup>4</sup> R 2 west in the N<sup>th</sup> q<sup>r</sup> of said section  
 Beginning at (A) the S E cor of said q<sup>r</sup> running north  
 106 poles to (B) From (D) the S<sup>th</sup> cor of said quarter  
 N 106 poles to (C) then from C to B across said q<sup>r</sup>  
 Established corners at C & B

X witness trees at C Sugar 15 inch diam  
 N 36° W 10 1/2 links distant Birch 18 inch diam N 42° E  
 43 links dist

at B Black Oak 3 inch diam S 25° W  
 23 links distant Hickory 18 inch diam N 38° W 60 1/2 links dist

James Small & Hugh Sample  
 chain Bearers

James Woodburn, M. C. S.

March 2<sup>d</sup> 1850

Surveyed as Dower to Mary W. Hughes & her husband  
 James Hughes thirteen & 5/6 acres in the N<sup>th</sup> corner of  
 of the S<sup>th</sup> q<sup>r</sup> of N<sup>th</sup> q<sup>r</sup> of Section 9 T<sup>4</sup> R 1. west  
 Established the N<sup>th</sup> & N E cor with as trees of the N<sup>th</sup>  
 cor Birch 12 inch diam N 18° W 5 links dist " 16 inch diam  
 S 25° E 32 links dist N E cor Birch 12 inch diam S 47 1/2° E  
 9 links dist Poplar 8 inch diam N 87° W 20 links dist  
 Said Dower was layed off in a Square each side being 47.04  
 Poles Variation 5°

John James D. Robertson &  
 Joseph Bangh chain Bearers Sworn

James Woodburn M. C. S.



March 15<sup>th</sup> 1850

Surveyed for John Shirley Joshua Hoover Section 24 T8 R2 W  
 centered the Section & planted a stone in the center Layed off  
 x 45 acres in the N E corner of the N W qn for Hoover Beginning  
 at the N W corner of said Section running East along the Sec  
 line 40 poles wanting a few feet to a Lynn Stump Near a large  
 Poplar then S E 60 poles to a stone then from the N E cor  
 of said qn South 60 poles to a stone

Philip Murphy &  
 Tom Senard chain Bearers

James Woodburn M C S

March 23<sup>rd</sup> 1850

Surveyed for John Anderson & James Wright in Sec 1 T9 R  
 2 met the line from the 1/2 mile stake on the South to the  
 1/2 mile on the North distance 307 poles 6 lks  
 distance to the center 160 poles 6 links distance  
 between the N E & N W corners 320 poles 8 links  
 R L D Mitchell & George Carter  
 Chain Bearers Sworn

James Woodburn M C S

Sept 16<sup>th</sup> 1850

Surveyed for William Legg the following Tract of land  
 in the East half of the N E qn of Section 31 T9 R1 W  
 Beginning at A the N E cor of said half ran South 40  
 poles to (a) from B the S E cor of said 1/2 ran North 40  
 poles to (b) from (C) the S W cor of said half ran North  
 40 poles to (c) & from D the N W cor of said 1/2 ran S 40  
 poles to (d) Set a stone at each of the corners a to c  
 corner (a) Nitrop Tree Tr Oak 2 ft dia South 20 links dirt  
 corner b Plum 8 in dia N 89 1/4 30 " "  
 corner c Hickory 12 " " N 19 1/2 54 " "  
 corner d Red Oak 24 " " S 78 1/2 20 " "  
 Red Oak 10 S 40 E 38 " "  
 Red Oak 10 S 86 E 20 lks dirt

Area 5+

James Woodburn M C S

April 26<sup>th</sup> 1850

Johnson in the  
 following loc  
 in Sec 12  
 diam 8 1/2 ft  
 Sec 5 Nitrop  
 Sec 12 in  
 of N E qn of  
 S 1/2 E 1/2  
 dist a to b  
 b to c  
 c to d  
 d to e  
 e to f  
 f to g  
 g to h  
 h to i  
 i to j  
 j to k  
 k to l  
 l to m  
 m to n  
 n to o  
 o to p  
 p to q  
 q to r  
 r to s  
 s to t  
 t to u  
 u to v  
 v to w  
 w to x  
 x to y  
 y to z  
 z to A  
 A to B  
 B to C  
 C to D  
 D to E  
 E to F  
 F to G  
 G to H  
 H to I  
 I to J  
 J to K  
 K to L  
 L to M  
 M to N  
 N to O  
 O to P  
 P to Q  
 Q to R  
 R to S  
 S to T  
 T to U  
 U to V  
 V to W  
 W to X  
 X to Y  
 Y to Z  
 Z to A

May 1<sup>st</sup> 1851

Thomas Lear

2 met and

6 in D 1/2 M

8 inch dia

Maple 12

hard N E

diam 8 ft

6 in B S

indian 8 1/2

6 in S 1/2

g the dist the

lines

a to b over

over

a to L 1/2

B to C 3/4

C to H 1/2



April 26<sup>th</sup> 1851

Surveyed for John Bridgeway William Johnson in Section 8 T9 R1 West and established the following cor corner B in the center of S E of Sec 8 witness Tree Birch 12 in diam N 61° W 81 links dist Birch 20 inch diam S 8° E 88 lbs dist corner A S E cor of S 1/2 gn of Sec 5 witness Birch 36 inch diam N 43 1/2° E 19 lbs dist Birch 12 in diam West 12 3/4 lbs dist Cor C the S E cor of A E gn of A E gn of Sec 17 witness Tree Ash 2 in dia S 46 1/2° E 19 1/2 lbs dist Cherry 3 in diam N 36° E 57 1/2 links dist a to b 324 poles

X

Sec 8

Sec 17

M to L 323 poles 4 links  
M to D 161 poles 14 1/2 links  
Volney Wyatt Peter Johnston  
Chain Bearers

James Woodburn M. C. S

May 1<sup>st</sup> 1851

Surveyed for John May Ira J Sullivan Thomas Sears Solomon May & John East in Sec 21 T9 R2 West and established the following lines & corners

A

B

L

X

Cor D 1/2 mile on the East of said Section witness Birch 8 inch diam N 36 1/2° E 19 lbs dist Birch 10 in diam S 73 1/2° W 57 1/2 lbs dist Maple 12 in diam S 15 1/2° E 24 lbs dist Cor A N E cor of West 1/2 of S E gn witness Sugar 8 in diam S 58 1/2° E 92 lbs dist Oak 16 in S 67° W 106 1/2 lbs dist Cor B S E cor of A 1/2 gn of S E gn witness Walnut 10 in diam S 58 1/2° E 29 1/2 lbs dist Oak 9 in N 72° E 32 lbs distant Cor C S W cor of A 1/2 gn of S 1/2 gn witness Sugar 7 in dia N 67 1/2° E 9 lbs dist Birch 14 in diam S 2° E 11 lbs dist

Lines  
a to b over 1 mile 43 links D to E  
over 1 mile 19 feet  
A to L 1/2 mile 18 1/2 feet  
B to C 3/4 mile 4 feet  
C to H 1/2 mile 26 links


Solomon May  
Ira Sullivan chain  
Bearers sworn

James Woodburn M. C. S



May 16<sup>th</sup> 1857

Surveyed for James Gillman & Sears  
William Stevenson for Bowen & Mc League in Section 26  
T<sub>4</sub> R<sub>2</sub> 24 & established the following corners



corner O at center of the section to Oak 20 inch diam  
N 67 1/2° W 21 1/4 lks dist Logwood 6 in diam S 5° W 17 1/2  
lks dist corner B N to corner of C 1/2 of A to go to Hickory  
20 in diam S 85° W 22 lks dist Hickory 12 in S 82° E  
38 lks dist corner A S to corner of C 1/2 of A to go to Sugar  
15 in dia S 5° E 14 1/2 lks dist B corner 20 in diam

J. Gillman & J. League  
chain Bearers sworn

James Woodburn M &amp; S


May 1857

Established for William Hie & Robert Gouley the corners  
in the center of Section 29 T<sub>4</sub> R<sub>2</sub> 1. West by running cross lines  
from the half mile stakes at each side with 7 inch  
9 in diam S 75° W 24 1/2 links

James Woodburn M &amp; S

August 30<sup>th</sup> 1857

Established for Peter William Turner  
the N E corner of lot No 13 in the N to go corner of lot No 24  
the S to corner of lot No 21 the S E corner of lot A 14. in sec  
20 5. S to go T<sub>4</sub> R<sub>2</sub> 1. W



Distance A.B 77.86

A.D 41.12

D.C 77.86

B.C 41.89

placed a stone at each of the above said corners

James Jernison { chain  
Joseph Sumner { Bearers

James Woodburn M &amp; S



April 7<sup>th</sup> 1851

Surveyed for John Blair, Thomas Blair and George W. Hardin Section 32 T<sup>9</sup> R<sup>11</sup> West established the corners of the N E & N W quarters of said Section Began at the N E cor and ran around the Section the length of the East & Side is 324 poles & links the South 320, 17 the West 323 poles 21 1/2 chs the North 323 poles 13 1/2 chs then divided the Section into 4 equal parts by running across from the 1/2 mile stake corner midpoint Trees at N E cor of N E q<sup>u</sup>er Sugar 12 inch diam S 46 1/2 E 43 chs dist Sugar 16 inch diam N 41 W 54 chs dist B Walnut 2 inch diam S 55 W 35

S E cor of N E q<sup>u</sup>er Sugar 24 inch diam S 1° W 43 chs dist  
S W cor of N E q<sup>u</sup>er Oak 36 in dia S 75° E 5 chs dist  
N W cor of N E q<sup>u</sup>er B Walnut S 43 E 30 chs dist

Buck 7 in diam S 61 W 58 chs dist  
N W cor of N W q<sup>u</sup>er Dogwood 8 in diam S 53 1/2 E 44 chs dist  
Poplar 16 " " S 15° E 57 1/2 " "  
Sassafras 6 " " S 72 E 72 chs dist

S W cor N W q<sup>u</sup>er Oak 30 in diam S 71 W 21 chs dist  
N E cor " " S 38 E 58 chs dist

The Section contains 652 acres 1 Road & 7 poles each q<sup>u</sup>er 163 acres & 12 poles

William Lee (Sen)

Robert Gourley Chain Bearers Sworn

James Woodburn M.C. & S

Previous to the foregoing Survey the following notice was Published three successive ~~times~~ times in the Bloomington Reporter a weekly Paper Published in the Town of Bloomington Monroe County Indiana

Notice is hereby given to all whom it may concern that we undersigned will proceed with the Monroe County Surveyors to Survey Section 32 in T<sup>9</sup> R<sup>11</sup> W & establish the corners of the N E quarters of said Section which belongs to the estate of James Blair deceased of whom we are heirs Signed


March 14<sup>th</sup> 1851

John Blair  
Thomas Blair



April 8<sup>th</sup> 1857

laid off in the S<sup>th</sup> corner of the N E q<sup>rs</sup> of Section 32 T 9 R 1 W for the McQuistman fire a cross beginning at the S<sup>th</sup> Cor and running East  $47\frac{1}{3}$  poles then South  $16\frac{1}{3}$  poles then West  $47\frac{1}{3}$  poles then South to the Beginning  $16\frac{1}{3}$  poles Set a stake at the N E & N<sup>th</sup> corners of said lot N E Cor mixing Live Birch 10 inches diameter with 43 lbs poplar 14 inch diam  $50\frac{1}{2}$  lbs 50 lbs dist





April 8<sup>th</sup> 1852

Surveyed for 6 Tralls John Sullivan  
 & John Martin in Section No 25 T10 R1 Tr 4 established  
 the following corners bar A is N E cor of  $\frac{1}{2}$  of A E gr  
 witness Hickory 20 in diam S  $24^{\circ}$  E 42 lbs dist oak 30 in  
 diam N  $68^{\circ}$  E 22 lbs dist



bar B S E cor of  $\frac{1}{2}$  of A E gr witness Buck 18 in  
 diam N  $77\frac{1}{2}^{\circ}$  E 26 links dist Buck 8 in diam N  $33^{\circ}$  E 33  
 lbs dist


bar C S E cor of  $\frac{1}{2}$  of A E gr of S E gr witness Buck 12 in  
 diam N  $45^{\circ}$  E 23 lbs dist Buck 10 in diam N  $72^{\circ}$  E 42 lbs  
 dist

Cor D center of the section witness Burr Oak 24 in dia  
 S  $23^{\circ}$  E 41 lbs dist Hickory 8 in diam S  $72^{\circ}$  E 22 links distant  
 Noah Payne & Jo Payne chain bearers  
 Countrod Malls & John Sullivan sworn

James Goodborn N. C. S.

April 17 & 18

Surveyed for Samuel Latimore & others  
 in Section 36 T9 R1 met & established the following  
 corners bar A the N E cor of South half of S E gr  
 witness Blue Ash 24 in diam N  $12^{\circ}$  E  $25\frac{1}{2}$  lbs dist Buck



20 in diam S  $40^{\circ}$  E 39 lbs dist  
 bar B N E cor of  $\frac{1}{2}$  of S E gr witness 13 Walnut 16  
 in diam N  $75^{\circ}$  E 36 lbs dist Buck 20 in diam S  $35^{\circ}$  E  
 76 lbs dist

bar C S E cor of  $\frac{1}{2}$  of A E gr  
 witness 7 in diam S  $22\frac{1}{2}^{\circ}$  E 10 lbs dist  
 Poplar 8 in diam N  $14^{\circ}$  E 33 lbs dist

bar D N E cor of S E gr of A E gr witness 16  
 Elm 16 in diam N  $81^{\circ}$  E 5 lbs dist Elm 7 in diam

N  $12^{\circ}$  E  $3\frac{1}{2}$  lbs dist Cor E S E cor of A E gr of A E gr  
 witness 14 in diam west 52 lbs dist Buck 10 in dia

Cor F N E cor of A E gr of A E gr witness 10 in dia  
 S  $82\frac{1}{2}^{\circ}$  E  $6\frac{1}{2}$  lbs dist 7 in diam N  $19^{\circ}$  E  $18\frac{1}{2}$  lbs dist

North  $\frac{1}{2}$  mile witness Sycamore 6 in diam S  $34^{\circ}$  E 55 lbs dist  
 Buck 18 in diam S  $51\frac{1}{2}^{\circ}$  E 181 lbs dist

length from a to b  $3\frac{22}{100}$  poles over mile b to c 10 feet under mile  
 North half mile 32 ft over H H 18 ft under a m 9 over  $\frac{1}{2}$   
 mile

James Allen & John Rock  
 Chain Bearers sworn

James Goodborn N. C. S.



April 13<sup>th</sup> 1852

Surveyed for M<sup>rs</sup> M. Campbell in  
Section 26 T<sup>9</sup> R<sup>1</sup> West & established all the corners of the  
S E q<sup>u</sup> of said Section planted a stone at each N E cor  
with a Birch 15 in diam S 21<sup>st</sup> T<sup>16</sup> E 16<sup>th</sup> dist Black Ash 8  
in diam S 50<sup>th</sup> E 4 1/2 E 16<sup>th</sup> dist Birch

S<sup>th</sup> cor Sugar 20 in diam S 61<sup>st</sup> T<sup>22</sup>

S E cor Walnut 10 in diam S 61 1/2 T<sup>3</sup>

X Elm 12 " " S 6 1/2 E 39

William Riley chain

Beaver Sworn

James Woodburn M<sup>rs</sup> C S

N <sup>th</sup> T <sup>16</sup>	N E
q <sup>u</sup>	q <sup>u</sup>
S <sup>th</sup> T <sup>16</sup>	16 <sup>th</sup> dist
q <sup>u</sup>	Campbell
	S E q <sup>u</sup>

Also established for the same M<sup>rs</sup> M. Campbell planted  
stones marked C at each of the corners of lots No 2 in  
the S E q<sup>u</sup> Sec 14. 17 at the N E & S E corners of No 3  
X N<sup>th</sup> & S E corners of No 5<sup>th</sup> & S E corners of No 7 in  
the S<sup>th</sup> T<sup>16</sup> q<sup>u</sup> of Sec 25 Stone planted at each of the  
corners of No 40 in the S E q<sup>u</sup> of Sec 5

April 1<sup>st</sup> 1852

James Woodburn M<sup>rs</sup> C S

Platt Book containing the plots of M<sup>rs</sup> M. C.

is large Book vol 2

The Records for west of Meridian is

vol 1 & 2 At west

East of Meridian is vol 12 At E



The following pages was transcribed from the old books of James W Spencer by N W Buskirk Monroe County Surveyor in 1875 by order of the county commissioners at their March term 1875



Feb 26 & 27<sup>th</sup> 1852

Surveyed for Thomas Carter & others in Section 17 T 8 R 1 W and established the following corners viz  
 cor A N E corner of Section witness poplar 12 in diam S 83 $\frac{1}{2}$ ° W 64 lks  
 Walnut 14.00 N 21° E 16 "

Line A. B = 326.11 corner I the center in the Southside  
 " D. C = 326.10 witness N. W. corner of schoolhouse S 75° E 54 lks  
 " C. B = 312. center of large poplar stump N 71° W 142  
 " E. L = 309

corner D N W corner of section  
 Bur oak 32 N 16 $\frac{1}{2}$ ° E 66 lks  
 cor E S 38° W 27 lks  
 N 88° E 31

corner C S W corner of section  
 witness Walnut 10 N 65° E 9 lks  
 Sugar 20 N 65° W 75 Walnut 26 N 41° W 72

Also at the same time divided for Thomas Carter and Samuel Patton the S W 1/4 of Section 20 T 8 R 1 W and established the following corners viz the N E cor of the east 1/2 of said quarter witness locust S 28° W 23 1/2 locust N 19° W 33 lks  
 S.W. cor of said half Apple trees S 20° E 41 Apple tree S 36° E 74 lks  
 Said quarter on the north end is 155 poles 3 1/2 ft wide  
 " " " South " " 155 "  
 Through the center N & S 160 "  
 containing about 155 each half 77 1/2 Acres  
 James Woodburn M. C. S.

March the 6<sup>th</sup> 1852

Divided the S E quarter of section 36 T 8 R 1 W for N Stockwell established N W corner of the east half witness mulberry 16 N 35° E 55 ft 8 in  
 Also S W corner of east half of said quarter witness trees Buck 12 N 11° E 39 lks  
 Buck 30 N 76° W 37 lks

James Woodburn  
 M. C. S.



March 19<sup>th</sup> 1852

Sec 18 T 8 R 1 W



Surveyed in Section 18 T 8 R 1 W  
for Thomas Barker and others  
Established the following corners  
corner C center of Section Buck 18 in  
indiameter S 27° E 20 lks Sugar 12 in  
indiameter S 5° W 54 lks

corner D center on north end of S W gr  
White Oak 24 S 62° E 48 lks  
Hickory 30 S 18° W 60

Corner B middle of line on west side  
(variation 5°)

Line C. B.	171	$\frac{72}{100}$	White oak 20 S 2° W 20 lks distant
" H. K.	172	$\frac{76}{100}$	White oak 18 S 32° E 82 "
" D. E.	161		(another line measured)
A. K.	322	$\frac{9}{100}$	

Corner E Walnut 42 N 45° W 44 lks Sugar 14 N 40° E 65

" H The original witness tree standing Stone planted

" A N W corner of Section Buck 8 S 32° W 32 poplar 16 N 30° E 57 lks

" L N ½ m p Sugar 15 S 10° W 35 lks

Stone set at all the corners

Edward Borland / Chain bearers

James Borland / Sworn

James Woodburn  
M. C. S.

Sec 25 T 10 R 1 W



April 8 1852

Surveyed for C Matlock  
John Sullivan & John Martin  
in Section 25 T 10 R 1 W and  
established the following corners  
corner A N E corner of west half N W gr  
wit tree Hickory 20 S 24° E 42 lks

W oak 30 N 68° E 22 lks distant

Cor B S E corner west half of the N W gr

wit tree Buck 18 N 77° E 26 lks

Buck 5 N 33° E 33 lks

Cor O S E cor N W ¼ of S W gr of Section

Wit tree Buck 12 N 45° E 23 lks Buck 10 N 72° W 42 lks

Cor C center of Section Wit tree Bur oak 24 S 23° E 41 lks

Hickory 5 S 72° W 22 lks

W oak Payne & Jno Payne

Robert Walls & John Sullivan

Chain bearers

Sworn

James Woodburn  
M. C. S.











April 18<sup>th</sup> & 19<sup>th</sup> 1853

Surveyed for George Smith & others  
in Section 27 T 10 R 1 W and established the  
following corners

- (1) The Southern  $\frac{1}{2}$  m post wit trees Birch 10 S 25° W 19 lks  
Maple — N 80° W 15 "
- (2) Corner in center of Section wit trees White oak & 30 corner tree
- (3) Corner in center of N W qr wit trees Hickory 30 S 76° W 12 lks  
Birch 5 S 27° W 13 "
- (4) N W corner of  $\frac{1}{2}$  of S W qr wit trees Birch 14 corner tree
- (5) N W corner of  $\frac{1}{2}$  of N W qr wit trees Sawin tree 2 S 22° E 4 "
- (6) Corner on the old boundary line between the East  
and West halves of the South west qr  
Wit trees Birch 14 S 71° E 29 "
- (7) N E cor of S E qr of N W qr wit trees Birch 10 S 72° E 9 fms 14 lks  
Poplar Stump 30 S 72° E 72 "

E. Smith } ch bearers  
Nick Smith } sworn

James Woodburn  
M.C.S.

April 20<sup>th</sup> 1853

Surveyed for Wm Anderson and others  
in Section 35 T 10 R 1 W and established the  
following corners The N E corner of the west half of N E  
qr wit trees Sugar 10 N 31° W 33 lks Elm oak & N 52° E 35 lks  
Also N W corner of west half of N E qr

- Wit trees Mulberry 3 in S 6° W 74 lks
- The east  $\frac{1}{2}$  m corner witness Birch 8 S 16° W 33 lks  
Birch 20 N 72° W 56 "
- The S E cor of N half of N E qr wit trees Birch 15 S 87° E 21 lks  
Ash 4 N 76° W 4 "
- Corner at center of Section wit trees Dogwood 4 N 34° E 12 "
- The S E cor of W half of N W qr wit trees Birch 15 S 72° E 28 "
- " 14 N 19° W 28 "

Fred Smith } chain bearers  
Robt. Smith } sworn

James Woodburn M.C.S.

Established for S Wier & Eli P Harmer the S E of Section  
34 T 9 R 2 W witness trees Hick 18 S 56° W 52 lks  
Hick 20 N 60° W 102 "

James Woodburn  
M.C.S.



Aug 16<sup>th</sup> 1853

Surveyed for Solomon Languwell and John Beale in Section 24 T 10 R 2 W and established the following corners viz:

- (1) NE corner of S E qr of N E qr wit trees Birch 8 S 73 $\frac{1}{2}$ ° 20 14  
" " " " " " 10 N 43° E 13 $\frac{1}{2}$  14
- 2 SW corner of S E qr of N W qr wit trees Maple 6 S 43° E 18 14  
" " " " " " 10 N 75° E 12 "
- 3 NW corner of S E qr of N W qr wit trees Ash 20 N 38 $\frac{1}{2}$ ° E 40 $\frac{1}{2}$   
" " " " " " Hickory 18 S 32° E 39
- 4 NW corner of N E qr of N W qr wit trees White oak 36 E 66 $\frac{1}{2}$  14

August 17<sup>th</sup> 1853 Established for John Adams a corner in the center of Section 19 T 10 R 1 W


+ Wit trees Red Elm 14 S 37° E 31 14  
Maple 16 S 79° W 4 $\frac{1}{2}$  "

S Languwell } chain bearer  
E J Languwell } sworn

James Woodburn  
Deft S. M. C.

August 21<sup>st</sup> 1853

Surveyed for R. Graham M. Cathcart & Co. in Section 36 T 9 R 2 W and established the following corners viz according to the following plat



- |          |           |  |
|----------|-----------|--|
| Corner A | wit trees | Mulberry 14 in N 2° W 43 14            |
| " B      | "         | White oak 16 N 10 $\frac{1}{2}$ ° E 93 |
| " C      | "         | White oak 20 S 20° W 16 14             |
| " D      | "         | Hickory 36 S 15 $\frac{1}{2}$ ° E 69   |
| " E      | "         | Hickory 8 N 87° E 19 "                 |
| " F      | "         | Ash 12 S 31 $\frac{1}{2}$ ° E 20 "     |
| " G      | "         | White oak 20 S 20° E 64 "              |
| " H      | "         | Hickory 20 N 74° W 30 "                |
| " I      | "         | Poplar 6 S 32° W 98 "                  |
| " J      | "         | Red oak 12 N 76° E 28 $\frac{1}{2}$ "  |
| " K      | "         | B. Gum 10 S 72° W 32 "                 |
| " L      | "         | Hickory 6 N 34° W 28 "                 |
| " M      | "         | Hickory 6 N 10° E 25 "                 |
| " N      | "         | B. Oak 20 S 34° E 51 "                 |

Established also at the same time for Isaac Whisenand the NW corner of Section 31 T 9 Range 1 W

+ Wit trees Hickory 32 N 46° E 51 "  
" " " " 8 S 19° E 62 "



Also the S W cor of the N W gr of said section

Walrus trees	White oak 20 S 39 E 89 lbs
Length of section line west of "	White oak 30 S 39 E 84 "
" " " " East "	323 poles 4 lbs
" " " " " "	320 " 19 "
Difference	2 Poles 10 lbs

Charles Swearingen } Chain bearers  
Isaac Wiseman } Sworn

James Woodburn  
Supt Sur. M C

Dec 26<sup>th</sup> 1853 - Surveyed for John Jones in Section 22 T 8 R 2 W and established the following corners viz the S E corner of S W gr.

Wit trees White oak 30 S 82 W 33 lbs

" " " " 30 N 39 E 44 "

N E corner of S W gr Elm 12 N 30 E 30 "

Pfaff 30 S 8 E 39 "

N W corner of S W gr wit trees B Walnut 6 N 10 E 35 1/2 "

" " 2 N 18 E 14 1/2 "

Andry Smith & Howard Campbell ch br

Dec 28<sup>th</sup> 1853 - Surveyed for Geo Ellen & Wm Samples & others in Sec 16 T 8 R 2 W and established the following corners viz S W cor of S E gr wit trees Hickory 8 N 40 E 44 lbs

" " Hickory 8 N 89 E 50 lbs

The S W cor of S E gr Walnut 12 N 65 W 65 lbs Sum 24 N 88 E 91 "

" S W " E 1/2 of N W gr Maple 18 N 53 W 14 lbs Buck 14 S 82 W 18 1/2 "

Layed off 60 acres in the N E cor of S E gr as follows—beginning at the N E corner of said gr running thence South 100 poles to a stone wit trees Buck 4 N 10 W 18 lbs Hick 14 N 75 W 20 lbs Thence West 96 poles to a stone, Thence North 100 poles to a stone wit trees Hick 6 N 75 W 22 lbs Hick 8 N 85 W 28 lbs. Thence East 96 poles to the beginning—John Jones & ch brs

Wm Samples

Dec 29<sup>th</sup> & 30<sup>th</sup> Surveyed for Samuel Holmes John Hombaker & c in Sec 9 T 7 R 1 W and established the following corners

N W cor of E 1/2 of N E gr mulberry 100 N 65 W 80 lbs Buck 8 S 30 E 93 "

S W " " " " " " Buck 14 S 68 W 101 lbs Buck 20 S 44 E 93 "

S W " " " " " " Sugar 12 S 21 W 2 lbs Sugar 6 N 24 W 27 "

N W " " " " " " Sugar 10 S 12 W 30 Ash 12 S 30 E 53 "

S W cor of N E gr of S W gr W Walnut 8 N 37 1/2 W 28 lbs Sugar 10 S 85 E 36 "

S E " " " " " " Sugar 30 S 92 W 104 lbs Elm 12 N 75 W 109 "

S W cor of E 1/2 of S W gr Sugar 10 N 47 1/2 W 21 lbs Sugar 15 S 70 W 6 "

Samuel Holmes } chain  
D Wagerman } bearers

James Woodburn



May 26<sup>th</sup> A D. 1853

Ran the following lot of land in Section No thirty six (36) Township No nine north of Range one West, being a part of the East half of the north east quarter of said Section and bounded as follows to wit: Commencing at the Northern  $\frac{1}{2}$  mile post of said section  
 X Thence S  $84\frac{1}{2}^{\circ}$  W 82 Poles  $6\frac{1}{2}$  links to a stake then S  $3^{\circ}$  E 40 Poles  $20\frac{1}{2}$  lks to a stake Thence N  $84\frac{1}{2}^{\circ}$  E 82 Poles  $6\frac{1}{2}$  links to a stake Thence N  $3^{\circ}$  W 40 Poles  $20\frac{1}{2}$  lks to the beginning containing 20 Acres 3 R and 37 Poles

James W. Spencer  
 Monroe County Surveyor

The above was done for Joseph Dearmin & Philip Rogers

August the 15<sup>th</sup> 1863

Ran the following lines in Section No 22 Township No (9) nine north of Range No one West for Johnathan Hinks, James Campbell, Achilald Mc Campbell, Robert Ewing James S Foster and Wm Parker Beginning at the western  $\frac{1}{2}$  mile post of said section Thence N  $85^{\circ}$  E 221 Poles & 19 links to the eastern  $\frac{1}{2}$  mile post of same. Then began at the Southern  $\frac{1}{2}$  m p Thence N  $6^{\circ}$  W 320 Poles 17 links to the Northern  $\frac{1}{2}$  mile post. Witness trees made at the center of said Section No 22 Sugar 10 inches in diameter S  $62^{\circ}$  W 44 links distant; Beech 20 inches in diameter N  $70^{\circ}$  E 10 links dist  
 Length of line East of center 162 Pole 3 lks  
 " " West " 159 " 16 "  
 " " South " 161 " 4  $\frac{1}{2}$  "  
 " " North " 159 " 12  $\frac{1}{2}$  "

Witness trees 79 Poles 18  $\frac{1}{2}$  links north of center Beech 24 in diameter S  $41^{\circ}$  E  $3\frac{1}{2}$  links distant  
 Then ran the following lot of land Beginning 61 Poles  $4\frac{1}{2}$  links north of the Southern  $\frac{1}{2}$  mile post witness trees Sugar 15 inches in diameter N  $31^{\circ}$  E 5 links distant Thence N  $85^{\circ}$  E 81 Poles to a stone in open ground Thence S  $6^{\circ}$  E 61 Poles  $4\frac{1}{2}$  lks to a stone witness Beech 7 inches in diameter N  $16^{\circ}$  E  $11\frac{1}{2}$  lks distant Sugar 24 inches in diameter S  $82^{\circ}$  W 10  $\frac{1}{2}$  links distant Thence S  $85^{\circ}$  W 81 Poles to the beginning  
 Also ran at the same time the following lot of land Beginning 8 Poles and 7 lks west of the North E corner of the South West one fourth of the S W qr of Section No 22 S  $9^{\circ}$  R 1 W and running thence from the place of beginning S  $85^{\circ}$  W 58 Poles 7 lks to a stake then up the meanderings of little Bear blossom S  $63^{\circ}$  E 10 Poles 17 lks Thence S  $72^{\circ}$  E 42 Poles 12 links Thence N  $32\frac{1}{2}^{\circ}$  E



11 Poles Thence N  $10^{\circ}$  E 10 Poles 14 links To the beginning containing in said boundary (4) four Acres & 89 Poles James Green & John Juvenall chain beavers by consent of parties

James W Spencer  
Monroe County Surveyor

Oct 30<sup>th</sup> A D 1853

Run the following lines in section No 4 Township No 4 north of Range No one eas of 2<sup>nd</sup> principal meridian length of the line north and south through the center of said Section 340 Poles 16 links Length of line South of center 160 Poles 5 lks Length of line north of center 180 Poles 11 links Length of line East of center 163 Poles Length of line west of center 164 Poles 17 links Witness trees made at Northern  $\frac{1}{2}$  mile post Beech 5 inches in diameter N  $81^{\circ}$  E 16 links distant Beech 6 inches in diameter S  $62^{\circ}$  W 31 links distant - Witness trees made at the center of the section No 6 Sycamore 24 inches in diameter N  $42^{\circ}$  W 22 lks distant Maple 20 inches in diameter N  $19^{\circ}$  E 15 links distant - Witness trees made 81 Poles  $3\frac{1}{2}$  lks East of Northern  $\frac{1}{2}$  on p. of section No 6 S  $4^{\circ}$  W Beech 15 inches in diameter S  $84^{\circ}$  W 24 links distant - Witness trees made Beech 15 inches in diameter S  $10^{\circ}$  E 30 links distant - Witness trees east of center 81  $\frac{1}{2}$  Poles white walnut 5 inches in diameter S  $32^{\circ}$  E 29 links distant White Beech 5 inches in diameter N  $13^{\circ}$  E 23 links distant,

Rebecca Jane Allen	lot No (2) at R. P. 36-1-07 Margaret Caldwell Dower
Johnathan Allen	lot No (1) at R. P. 19-2-23 Margaret Caldwell Dower

Dec 6<sup>th</sup> A D 1853

Run the following lots of land as dower for the benefit of Margaret Caldwell widow of Samuel Caldwell dec'd Situated in Monroe Twp and in the N W qtr of Section No (17) Seventeen Township No (9) nine north of Range No (2) two west of the Second principal meridian and bounded as follows to wit lot No (1) beginning at a stone standing at the center of said Section No (17) Seventeen witness

Tree Beech 24 inches in diameter S  $3^{\circ}$  W 10  $\frac{1}{2}$  links distant Black walnut 18 inches in diameter N  $72^{\circ}$  W 40  $\frac{1}{2}$  links distant



running thence  $S 85^{\circ} W 53\frac{32}{100}$  poles to a stake witness white hickory 24 inches in diameter  $N 59^{\circ} E 67$  links distant then  $N 6^{\circ} W 57$  poles to a stake thence  $N 85^{\circ} E 53\frac{32}{100}$  poles to a stake thence South  $6^{\circ} E 57$  poles to the beginning containing (19) nineteen acres (2) two quarters and (33) thirty three poles

The above lot No (1) one was taken out of the lands of belonging to Jonathan Allen one of the heirs at law of John Allen dec'd late of Monroe county Ind

Lot No (2) two taken out of the land belonging to Rebecca Jane Allen heir at law of John Allen dec'd late of Monroe county Ind also situated in Monroe county Ind and in the north west quarter of Section No (17) seventeen Township No (19) nine north of Range No. (2) two west of the (2<sup>nd</sup>) second principal Meridian and bounded as follows (to wit) beginning at a beech tree (3) five inches in diameter and corner it being the northern  $\frac{1}{2}$  mile east of said Section No (17) seventeen as made and marked by the United States Surveyors running thence  $S 6^{\circ} E 105\frac{32}{100}$  poles to a stake thence  $S 85^{\circ} W 53\frac{32}{100}$  poles to a stake thence  $N 6^{\circ} W 105\frac{32}{100}$  poles to a stake witness trees Sugar 24 inches in diameter  $S 74^{\circ} E 23$  links distant thence  $N 55^{\circ} E 53\frac{32}{100}$  poles to the beginning containing (36) thirty six acres (1) one quarter and (7) seven perches

Aggregat of lots No 1 & 2 fifty six acres

Johnston McCollough & David W Shields chain bearers & Nathaniel C Browning marker all Sworn

James W Spencer  
Monroe County Surveyor

December the 15<sup>th</sup> A D 1853

Ran the following line for Jacob Summit in Section No 4 Township No 9 north of Range No 2 west of the second principal Meridian Beginning at a stone standing at the NW corner of said Section thence  $N 85^{\circ} E 82\frac{32}{100}$  poles 13 links to the NW east corner of said Section No 4

Chain bearers Wm Brady and William Turpin Sworn this the 15<sup>th</sup> day of December A D 1853

James W Spencer  
Monroe County Surveyor



December 24<sup>th</sup> 1833

Layed off for Joshua Hoover & Samuel Gordon a portion of land on the N E gr of Section 20 T 8 R 1 W beginning in the center of the railroad on the section line 30 poles and 18 links west of the N E corner of said gr, running thence southward, with the center of the rail road 108 $\frac{1}{2}$  poles thence west 9 $\frac{3}{4}$  poles to a stake with the following witnesses trees Walnut 12 in diameter N 30 E 57 lks dist walnut 18 inches diameter S 80 W 37 $\frac{1}{2}$  lks dist walnut 12 S 19 E 87 8 lks dist Thence N 4 E 107 $\frac{1}{2}$  poles to section line Thence East 22 $\frac{1}{2}$  poles to the beginning containing 10 acres more or less

James Borland & chain bearers  
Wm Alexander } sworn

James Woodburn  
M C S

Sept 3<sup>rd</sup> 1833

Surveyed for Samuel Peterson & others in section (9) one T 10 R 1 W and established the following corners viz

N E corner of S W gr wit trees white walnut 8 S 30 W 30 lks	Sugar 8 N 30° W 13 $\frac{1}{2}$ "
S E corner of N E gr of S W gr	Hickory 6 S 6° W 8 "
S W " " " " "	Sugar 2 N 87° E 40 "
N W " " " " "	Sugar 12 N 22° W 3 "
N W cor of S W gr of N W gr	Dogwood 4 N 68° W 16 "
N E cor of S W gr of N W gr	Apple tree 6 N 78° E 70 "
S E cor of S W gr of S E gr	Hickory 18 N 66 E 66 "
	Hickory 18 S 3° W 33 $\frac{1}{2}$ "
	Ash 8 N 20° W 19 "
	Hick 20 S 81 E 21 "
	Beech 8 N 6 E 29 "
	Beech 12 N 17 W 23 "

J Hacker & chain bearers  
Wm Hacker } sworn

James Woodburn M C S  
Depty

Established a corner in section 12 T 7 R 2 W for Wm Taylor on the line 70 poles East of S W corner of N W gr of said section witness trees Beech 12 N 9° E 24 $\frac{1}{2}$  Beech 6 S 38° W 37

John Tarnham & ch  
George Carlson } be

James Woodburn

February 6<sup>th</sup> 1834

Ran the followin lines and made the following corners in section No one T 9 R 1 W for Edward Jackson George Jackson Jack Lenty Beginning at the N E corner of said section then S 85° W 31 8 poles 2 lks



To the N W corner of said section Then commenced at the northern  $\frac{1}{2}$  mile post and ran  $3\frac{1}{2}^{\circ}$  E 324 Poles & 4 links to the southern  $\frac{1}{2}$  mile post of said section (1) Corner established corner and made witness cut the S W corner of  $\frac{1}{4}$  of South east quarter of section No 9 Black Ash 7 inches in diameter N  $18^{\circ}$  E  $28\frac{1}{2}$  links distant witness trees made on said north and south line where it crosses the boundary line Beech 18 inches in diameter S  $64^{\circ}$  E 34 links distant Then began at the center of said section (1) ran N  $85^{\circ}$  E 160 Poles to the meridian line

Benjamin Polley & chain bearers  
Alexander Jackson } sworn

James W Spencer  
Monroe County Surveyor

February 7th A D 1854

Ran the following lines and made the following corners in section No 30 of 10 R 1 E of second principal meridian Beginning at S W corner of said section Thence N  $85^{\circ}$  E 157 Poles to the S E corner of the same Witness trees made at the  $\frac{1}{2}$  mile post of said section No 30 Hickory 2 inches in diameter N  $42\frac{1}{2}^{\circ}$  E  $2\frac{1}{2}$  links distant Black Ash 3 inches in diameter S  $33\frac{1}{2}^{\circ}$  W 9  $\frac{1}{2}$  links distant Thence N  $6^{\circ}$  W 162 poles and 8 links to a stone standing in open ground and consequently no witness trees made Thence S  $85^{\circ}$  W 79 Poles and  $14\frac{1}{2}$  links to the western  $\frac{1}{2}$  mile post of said section 30 witness trees made Sycamore 6 inches in diameter N  $80^{\circ}$  E  $8\frac{1}{2}$  links distant Sycamore 4 inches in diameter N  $39\frac{1}{2}^{\circ}$  W 7 links distant — Witness made 81 Poles and 4 links north of the southern  $\frac{1}{2}$  mile post of said section No 30 of 10 R 1 E Sugar 10 inches in diameter S  $37^{\circ}$  W 12 links distant Sugar 15 inches in diameter N  $12^{\circ}$  E  $24\frac{1}{2}$  links distant

John Brantburn & chain bearers  
Benjamin Polley } by consent of parties

James W Spencer  
Monroe County Surveyor

The above survey was done for Edward Jackson and Benjamin Polley

February 8th A D 1854

Ran the following lines and made the following corners in section No 25 of 10 R 1 W for Edward Jackson and John Martin — Length of line from Eastern half mile post of said section 25



Witness trees at Eastern half mile post Sycamore 6 inches in diameter  $N 80^{\circ} E$   $8\frac{1}{2}$  links distant Sycamore 4 inches in diameter  $N 39\frac{1}{2}^{\circ} W$  7 links distant Thence 15.8 Poles to the center of said Section - Witness trees made 49 Poles East of center Maple 8 inches in diameter  $N 61^{\circ} W$  8 links distant

February 23 A D 1854

Ran the following lines and made the following corners in Section No 18 T 8 R 7 E for Henderson Ellis and William Harrison. Beginning at the northern  $\frac{1}{2}$  mile post of said Section the ran  $S 5\frac{1}{2}^{\circ} E$  80 poles to a stone witness tree poplar 6 in diameter  $N 32^{\circ} W$  4 lks dist Dogwood 2 inches in diameter  $S 1\frac{1}{2}^{\circ} E$  16 lks dist then  $N 83^{\circ} E$  80 poles to a stone witness tree Birch 30 inches in diameter  $S 57\frac{1}{2}^{\circ} E$  15 $\frac{1}{2}$  lks distant, Dogwood 5 inches in diameter  $N 6\frac{1}{2}^{\circ} E$  32 $\frac{1}{2}$  lks distant

Chain bearers Calloway Mefford and John Bollinghouse by consent of parties

James W. Spencer  
Monroe County Surveyor

February 23 A D 1854

Ran the following lines and made the following corners in Section No 7 T 8 R 1 E for Calloway & Mefford. Beginning at the center of said Section ran thence  $S 5\frac{1}{2}^{\circ} E$  80 poles to a stone witness tree Birch 20 inches in diameter  $S 64\frac{1}{2}^{\circ} E$  14 links distant Birch 10 inches in diameter  $S 66^{\circ} W$  20 $\frac{1}{2}$  links distant. Henderson Ellis and John Bollinghouse chain bearers by consent of parties

James W. Spencer  
Monroe Co Surveyor



Feb 24<sup>th</sup> A D 1854

Ran the following lines lot of land as deliver for Mary Adams widow of Adams deceased late of Monroe County Indiana Situated in the South East quarter of Section No 27 Township No 8 North of Range No 1 West and bounded as follows to wit Beginning



20 Poles west of the Eastern  $\frac{1}{2}$  mile post of said section  
 Thence  $S 84^{\circ} 16' W$  60 Poles to a Stake Thence  $S 6^{\circ} E$  156 Poles  
 and 18 links Thence  $N 84^{\circ} E$  60 Poles to a Stake Thence  $S 50^{\circ} 45'$   
 $156$  Poles and 18 links to the beginning containing (38)  
 fifty eight acres (22 quarters and 174) Seventeen Poles

X Commissioners Samuel Patton, Solomon Batchelor,  
 and James W. Spencer

Chainbearers Samuel Patton and  
 Solomon Batchelor Sworn

James W. Spencer  
 Monroe County Surveyor

(Lot No 1)

January 4<sup>th</sup> 1854

Ran the following tracts of land  
 for James R. Buckhake & James W. Alexander beginning  
 at the Southern  $\frac{1}{2}$  mile post of section No 33 Township  
 No 11 Range No 2 West of the second principal meridian  
 Running thence  $S 85^{\circ} W$  157 Poles & 8 links to the south  
 west corner of said section, thence  $N 2\frac{1}{2}^{\circ} E$  38 Poles to a  
 Stake  $N 44^{\circ} W$  14 Poles  $6\frac{1}{2}$  links to a beech 20 inches  
 in diameter & corner thence  $N 88^{\circ} W$  17 Poles & 22 links  
 to a stone thence  $S 85^{\circ} W$  27 Poles  $11\frac{1}{2}$  links to a  
 Stake witness tree black walnut 6 inches in diameter  
 $N 85^{\circ} E$  31 links distant thence  $N 6^{\circ} W$  68 Poles to a stone  
 Landing on the Southern bank of white river (old stream)  
 witness trees cottonwood 10 inches in diameter  $S 76^{\circ} 94'$   
 links distant black walnut 5 inches in diameter  $N 77^{\circ} W$   
 8 Poles  $1\frac{1}{2}$  links distant thence  $S 87\frac{1}{2}^{\circ} E$  17 Poles & 22 links  
 to a buckeye, then  $N 62^{\circ} E$   $4\frac{1}{2}$  Poles  $9\frac{1}{2}$  links to a stake  
 thence  $N 29\frac{1}{2}^{\circ} E$  28 Poles 22 links to a stake thence  $N 85^{\circ}$   
 $E$  144 Poles & 7 links to the center of section No 33 Town  
 No 11 R 2 West thence  $S 5^{\circ} E$  156 Poles & 18 links to the  
 beginning

The above lot No 1 contains 167 3 4 $\frac{1}{2}$

(Lot No 2)

Beginning at the western  $\frac{1}{2}$  mile post of section No (33)  
 Township No 11 R 2 west running thence  $N 6^{\circ} W$  150 Poles  
 & 14 links to the southern margin of white river to a stake  
 X thence  $S 87\frac{1}{2}^{\circ} W$  32 Poles  $14\frac{1}{2}$  links to a stake thence  $S 14\frac{1}{2}^{\circ}$   
 $E$  42 Poles 17 links to a stake thence  $S 22^{\circ} E$  52 Poles to a stake  
 thence  $S 5\frac{1}{2}^{\circ} W$  35 Poles to a stake thence  $N 85^{\circ} E$  15 Poles  
 13 links to the beginning  
 containing 14 0 11



## (Lot No 3)

Beginning at Station No 6 of Lot No 1 a stone standing on the south margin of old bed of white river witness 1 tree cottonwood 10 inches in diameter S  $76^{\circ}$  E 4 lks dist Black walnut 5 inches in diameter N  $77^{\circ}$  W 8 Poles 1 1/2 links distant Thence N  $64^{\circ}$  W 12 Poles & 3 links to a stake Thence N  $89^{\circ}$  E 16 Poles & 14 links do

"	N $28^{\circ}$ W	21	"	5 1/2	"	"
"	N $15^{\circ}$ W	64	"	12	"	"
"	N $5 1/2^{\circ}$ W	80	"	16 1/2	"	"
"	N $85^{\circ}$ W	36	"		"	"
"	S $22^{\circ}$ W	32	"	22	"	"
"	S $1/2^{\circ}$ W	69	"		"	"
"	S $8^{\circ}$ W	33	"		"	"
"	S $14^{\circ}$ E	46	"	18	"	"
"	N $76 1/2^{\circ}$ E	102	"	18	"	To the Beginning
Contents		78 A	2 R	32 P		

## (Lot No 4)

Beginning at the South west corner of Section no 33 T41 R 12 west Thence N  $2 1/2^{\circ}$  E 33 Poles to a stake Thence N  $4 1/2^{\circ}$  W 14 Poles 6 1/2 links to a buck 20 inches in diameter and corner Thence N  $38^{\circ}$  W 17 Poles 22 links to a stone witness tree Black walnut 5 inches in diameter N  $85^{\circ}$  west 31 links distant Thence N  $6^{\circ}$  W 68 Poles to a stone standing on the South margin of white river (old bed) or stream witness cottonwood 10 inches in diameter S  $76^{\circ}$  E 94 links distant Black walnut 5 inches in diameter N  $77 1/2^{\circ}$  W 8 Poles and 1 1/2 links distant Thence S  $76 1/2^{\circ}$  W 102 Poles 11 1/2 lks distant to a stake Thence S  $10 1/2^{\circ}$  E 30 Poles to a stake Thence S  $33 1/2^{\circ}$  E 77 Poles & 14 links to a stake Thence N  $85^{\circ}$  E 94 Poles & 17 links to the beginning containing

A	R	P
72	0	23 1/2

## (Lot No 5)

Situate in Section No 5 Township No 10 north of Range 2 west Beginning at the north east corner of the same Thence S  $5 1/2^{\circ}$  E 63 Poles to a sugar and corner Thence S  $85^{\circ}$  W 88 Poles & 12 links to a stake witness tree mad Black walnut 6 inches in diameter N  $8^{\circ}$  E 76 links distant Thence N  $1^{\circ}$  E 63 Poles to a stake Thence N  $85^{\circ}$  W 80 Poles & 16 links to the beginning containing

A	R	P
33	0	00

Names of chain bearers misplaced but never sworn

James M. Spencer &  
Morton County Surveyor



Aggregated Contents			at	R	P
Lot No	1		167	8	04½
"	2		16	0	11
"	3		78	2	32
"	4		72	0	23½
"	5		33	0	00
Total			367	2	31
+ Contents of Lot No 1 & 2			183	3	15½

Content of lots Nos 3, 4 & 5 belonging to James W Alexander					
Lot No	3	contains	78	2	32
"	4	"	72	0	23½
"	5	"	33	0	00
Total			183	3	15½

James W Spencer  
Mc C S

March 16<sup>th</sup> A D 1854

Ran the following lines and made the following corners in Section No 2 in Township No 10 north of No 1 east

Length of line east and west through the center of said Section 2. 322 Poles & 18 links  
Length of line South of center 160 Poles & 23 links Length of line North of center 181 Poles & 15 links Length of line east of center 145 Poles 12 links Length of line west of center 177 Poles & 6 links  
Length of line from the N W corner of said Section no 2 to the N E corner of the same is 321 Poles & 15 links witness tree made at the N ½ mile post of said Section Sycamore 40 inches in diameter S 70° E 82  
Witness tree made at the center of said Section No 2 Birch 30 inches in diameter N 23° W 22 links distant Birch 30 inches in diameter N 82° W 31 links distant  
Witness Trees made 80 Poles 11½ links north of the N ½ mile post of said Section Hickory 10 inches in diameter N 42½° W 38½ links distant Hickory 8 inches in diameter S 1° E 40 links distant

Length of line from N E corner to northern ½ mile post of said Section 142  
Length of line from the Southern ½ mile post of Section 2 to the Northern ½ mile post of the same is 342 Poles & 18 links New witness tree made at the N W corner of Section 2 Birch 8 inches in diameter S



48½° E 36 lbs distant Buck 6 inches in diameter N 34° E 32 lbs  
New witnesses made at the ½ mile post of Section 2 T  
10 R 1 E W Oak 24 inches in diameter S 37° E 26 lbs dist  
Chain bearers John Moore and Jacob Adkins sworn  
This march 16<sup>th</sup> A D 1834

Trust 800  
Rec. 700  
Dm 100

James W Spencer  
Deane County Surveyor

March 17 & 18<sup>th</sup> A D 1834

Surveyed Section 14 T 8 R 2 W  
+ established the following corners Viz The N W corner of the  
Section wit trees W Buck 3 N 46½° E 8 lbs Sugar 8 N 81° W 7 lbs  
N.E. corner of N W gr of N W gr Sugar 8 S 12 E 21 W Walnut 16 W 18  
The S.W. cor of N W gr of N W gr Hickory 12 S 29 W 48 Buck 16 N 16 W 10  
The S.E. cor of N W gr of N W gr Sugar 20 S 12 E 14 Buck 14 S 20 W 18  
The S.W. cor of S E gr of S E gr gum 12 N 45 W 17 W Oak 12 N 47 E 18  
The S.E. cor of S E gr of S E gr Elm 20 N 18 W 21 W Oak 8 S 37 E 33  
The S.E. cor of S E gr of S E gr W Oak 12 N 50 W 25 W Oak 16 N 58 E 16  
The S.W. cor of S E gr of S E gr Hickory 10 N 25 W 15 Maple 10 S 81 W 29  
Center of Section Hickory 10 S 46 W 11 gum 20 S 9 W 80  
The S.W. cor of N W gr of S E gr W Oak 20 S 11 W 23 Hickory 12 West 21  
The S.E. cor of N W gr of S E gr Hickory 10 N 25 E 25 Hickory 12 S 63 W 14  
The S.E. cor of S E gr of S E gr W Oak 20 N 80 E 16 Dogwood 8 S 26 W 18  
The S.W. cor of S E gr of S E gr W Oak 20 corner tree  
The S.E. cor of S W gr Buck 18 S 42 E 13 Dogwood 3 S 79 E 20  
The S.W. corner of Section W Walnut 4 N 73 E 35  
The S.E. cor of S W gr of S E gr Hickory 12 N 60 W 28 Dogwood 8 N 82 E 40  
George Eller }  
Riley Adkins } ch br

James Woodburn  
Deft Surveyor

April 11<sup>th</sup> 1834

Established a corner in the center of Section 21 T 10  
R 2 W for Eli Abernathy + there wit trees Buck 8 S 19 W 7 lbs dist  
Dogwood 4 S 34 E 6  
James Woodburn  
Deft

April 1834

Surveyed in Section 20 T 10 R 2 W for Bowman  
Stine + others and established the following corners  
Viz The N E cor of E ½ of S W gr wit trees Buck 20 N 59 W 8 lbs  
Buck 6 S 45 E 25 ½ "  
The S.W. cor of E ½ of S W gr " Buck 10 S 78 E 37 "  
Buck 8 S 64 E 71 "  
The N W cor " " " " B Walnut 10 S 82 E 113 "  
Cherry 2 S 40 E 14







April 14<sup>th</sup> 1854

Ran the following tract of land for Henry  
Hodderill and Jesse W East in Section No 20 Town 4  
R 2 W Beginning at the center of said section  
Thence S 6° E 40 Poles to a stone witness tree Beech 15  
inches in diameter S 77° W 34 links dist Beech 24 inches  
in diameter S 1° W 39½ links dist Thence S 83° W 80 Poles  
to a stone Sugar 18 in diameter S 32 E 139 link  
dist Thence N 6° W 40 Poles to a stone witness Sugar  
30 inches in diameter N 82° E 30½ links dist Thence  
N 85° E 80 Poles to the beginning

Each

Chain bearers Sworn this April 14<sup>th</sup> 1854

James W Spencer

M C S

April 13<sup>th</sup> A D 1854

Ran the east and west line in  
Section No 18 T 7 R 2 west for Thomas Carter John Carter  
and others Length of said line 280 Poles & 7 links Length  
of line from the north west corner of said section  
to the south west corner of the same 320 Poles  
Witness tree made at the ½ mile post of said  
section Lignin 20 inches in diameter N 71° W 78 Poles  
Witness tree made 80 Poles west of the eastern ½ mile  
post of said section No 18 Sugar 20 inches in diameter  
N 75° E 23 links distant Beech N 23 W 16 links dist  
Richard A Garquishaal and William F Treadway  
Chain bearers Sworn this April the 13<sup>th</sup> 1854

James W Spencer

M C Surveyor

Fee \$3.00 paid in full

April 15<sup>th</sup> A D 1854

Surveyed for George Walker the  
following lot of land in Section No 7 T 7 R 2 W  
Beginning at the south east corner of the same Thence N  
W 67 Poles & 3 links to a stone witness tree Hickory 13  
inches in diameter S 22° W 30½ link distant Dogwood 3 inches  
in diameter N 76° W 28 links dist Thence S 85° W 220 Poles 19½ links  
to a stone witness tree Sugar 6 inches in diameter N 75° E 30 links  
dist Sugar 18 inches in diameter S 77° E 51½ links distant  
Thence S 6° E 70 Poles 18 links to a stone witness Sugar 10 S 19° E 37  
gum 30 S 51° W 40½ Thence N 85° E to the place of beginning  
containing 95 acres & 16 perches George Crane and Thomas East  
Chain bearers by consent of parties

Fee \$3.00 paid in full

James W Spencer

M C Surveyor



April 20<sup>th</sup> A D 1864

Surveyed the following lines and made the following corners in Section No 22 Town 10 Range one east Length of line from the north east corner of said Section No 22 to the north west corner of the same 320 Poles & 6 links. New witness made at the  $\frac{1}{2}$  mile part of said Section No 22. Black oak 3 inches in diameter S 27° W 12 1/2 links distant Chestnut oak 18 inches in diameter N 36° W 2 1/2 links. Then began 80 Poles & 8 links west of the north east corner. Witness tree white walnut 2 inches in diameter S 25° W 47 links distant Birch 15 inches in diameter S 52° E 6 1/4 links. Thence 6° E 160 Poles to a stone Thence S 85° W 80 Poles to a stone Then S 34° E 162 Poles to a stone at the southern  $\frac{1}{2}$  mile part of said Section No 22. William Jackson and James Hendrickson chain bearers. Sworn this April 20<sup>th</sup> 1864.

James W. Spencer Ch & Sur  
The above was done for Thomas J. Hendrickson Executor  
Hendrickson & Elmore Hendrickson also George Kiddle  
J. W. Spencer, Ch & Sur

April 21<sup>st</sup> A D 1864

Ran the following line in Section No 14 in Township No 10 north of Range one east for Elias Ferdin & — Henderson Beginning at the western  $\frac{1}{2}$  mile part of said section witness tree white oak 10 inches in diameter S 80° E 44 links distant white oak 5 inches in diameter N 85° E 16 links distant Then S 89° E 222 Poles to the eastern  $\frac{1}{2}$  mile part of the same. William Jackson and James Hendrickson chain bearers. Sworn this April 21<sup>st</sup> 1864.

James W. Spencer  
Monroe County Sur

April 22<sup>nd</sup> A D 1864

Ran the following lines and made the following corners for William Jackson and William The lung in Section No 26 Township No 10 north of Range No one east. Began at the north west corner of said Section. Thence South with said Section line 162 Poles & 16 links to the western  $\frac{1}{2}$  mile part of the same. Thomas J. Hendrickson and Elias Ferdin chain bearers. By consent of parties.

James W. Spencer  
Monroe Co Sur



April 22<sup>nd</sup> A D 1834

Ran the following lot of land for the use of free Schools & church purposes situated in the north east one fourth of the South west quadrant of Section No 9 Township No 10 north of Range No one East beginning at the north east corner of said lot witness tree 12 inches in diameter N 6° E 81 links distant Thence west 8 Poles & 20 links to a Stake Thence South 12 Poles to a Stake Thence east 8 Poles & 20 links to a Stake white oak 30 inches in diameter and corner Thence north 12 Poles to the beginning containing 105 Poles and 90 hundredths of a pole Chain bears Reuben Steff and Abraham Godsey by consent

James W Spencer

Monroe County Surveyor

The above done for the inhabitants of Marion Township  
J W Spencer M.C.S.

April 22<sup>nd</sup> A D 1834

Surveyed the following lot for School purposes situated in the west half of the S & E quarter of Section No 22 Township No 10 north of Range No one east and beginning at the north east corner of said lot witness tree white oak 5 inches in diameter N 3° W 36 links distant Thence N 79° W 6 Poles to a Stake Thence S 11° W 6 Poles to a Stake Thence S 79° E 6 Poles to a Stone Thence N 11° E 6 Poles to the beginning containing 36 Poles

George Davis and Thomas J Hendrickson chain bearers by consent

Done for the inhabitants of Marion Township Monroe County Louisiana

James W Spencer

M C Spivey

May 4<sup>th</sup> A D 1834

Ran the following lot of land in Section No 19 in Township No 7 north of Range No one east for William B Jennings David Chambers (Sen) and David Chambers (Jun)

Beginning at the western 1/2 mile post of said Section No 19 witness tree Hickory 12 inches in diameter N 2° E 87 1/2 links distant Thence N 83° E 80 Poles to a Stone witness tree white oak 13 inches in diameter S 29° W 41 links distant Thence S 3° E 82 Poles 9 links to a Stone witness tree Red oak 18 inches in diameter S 28° E 29 links distant Thence S 83° W 80 Poles to a Stone in open ground Then N 3° W



82 Poles & 9 links to the beginning containing four  
acres - Length of the line from the north East  
corner of Section No Twenty four T 7 Range 1 and  
to the Eastern  $\frac{1}{2}$  mile of the same 163 Poles half distance  
81 Poles 12 $\frac{1}{2}$  links

May 4<sup>th</sup> A D 1834

Ran the following lot of land  
in Section No Twenty (24) T 7 R 1 West for William &  
Gemmings & others Beginning at the eastern  $\frac{1}{2}$  mile  
part of said Section 24 Witness trees Birch 16 inches  
in diameter N 4 $^{\circ}$  W 20 links distant Hickory 16 inches  
in diameter South 21 links distant Thence N 3 $^{\circ}$  E  
81 Poles 12 $\frac{1}{2}$  links to a Stone standing in open  
ground Thence S 85 $^{\circ}$  W 80 Poles to a Stone witness  
trees Birch 24 inches in diameter S 86 $^{\circ}$  W 6 $\frac{1}{2}$  links  
distant Birch 6 inches in diameter N 47 $^{\circ}$  E 15 $\frac{1}{2}$  links  
distant Thence S 6 $^{\circ}$  E 81 Poles & 12 $\frac{1}{2}$  links to a Stone  
in open ground Thence N 85 $^{\circ}$  E 80 Poles to the  
beginning Jacob Chambers & William Pope chain  
bearers by consent of parties

James W. Spencer

Monroe County Surveyor

The following is the number of Poles run  
in Sections Nos 19 & 24.

11 corners at 50 cts each  
30 miles travel at 5 cts per mile

810

\$ 2,30

5 30

1 50

\$ 9 30

2 50

11 00

Received

Balance due (paid)

J W Spencer

May 17<sup>th</sup> A D 1834

Ran the following line and  
made the following corners in Section No 22 T 7 R 1  
East for William Kinser and John Lockard

Length of line from the South east corner of said  
Section No 22 to the South west corner of the same 519 P

Witness at the Southern  $\frac{1}{2}$  mile part of same dynamore 8  
inches in diameter N 88 $^{\circ}$  E 92 links distant a Stone planted

Then began at  $\frac{1}{2}$  mile part ran N 6 $^{\circ}$  W 80 Poles to a Stone witness  
black oak 6 inches in diameter N 22 $^{\circ}$  E 29 links distant Red

oak 24 inches in diameter S 22 $^{\circ}$  W 47 link distant New witness  
made at the South east corner of said Section 22 Red oak

8 inches in diameter N 12 $^{\circ}$  W 6 links distant Chain bearers  
Peter Lockard and John Powder sworn this

May 17<sup>th</sup> A D 1834

James W. Spencer

M C Surveyor



May 25<sup>th</sup> A D 1854

Ran the following lot of land for school purposes in Section No Twenty five in township No nine north of Range No one west beginning 20 Poles east of 1<sup>st</sup> South west corner of said Section Thence  $N 6^{\circ} W$  14 Poles Then  $N 85^{\circ} E$  6 Poles Thence  $S 6^{\circ} E$  7 Poles Thence  $S 85^{\circ} W$  6 Poles to the beginning containing forty two (42) Poles. The above land situated on the lands of James W Spencer Michael Gilbert & Alfred Houston chain bearers

James W Spencer  
M C Surveyor

May 25<sup>th</sup> A D 1854

Ran the following lot of land for school purposes in the South east one fourth of Section No 24 T 9 R 1 West lying at a stone at the north west corner of said lot (or South east one fourth) witness such 24 inches in diameter  $S 23^{\circ} E$  23 links distant Thence  $S 6^{\circ} E$  10 Poles to a stake Thence  $N 85^{\circ} W$  4 Poles to a stake Thence  $N 6^{\circ} W$  10 Poles to a stake Thence  $S 85^{\circ} W$  4 Poles to the beginning containing one fourth of an acre said lot on the lands of David Gray Michael Gilbert and Alfred Houston chain bearers

James W Spencer  
M C Surveyor

May 25<sup>th</sup> A D 1854

Ran the following lot of land for school purposes on the lands of Jonathan Brannum situated in the South east one fourth of the South west quarter of Section No 2 T 9 R 1 west beginning at the north west corner of said lot Thence  $N 85^{\circ} E$  8 Poles and 2 links to a stake Thence  $S 6^{\circ} E$  5 Poles and 20 links to a stake Thence  $S 85^{\circ} W$  8 Poles and 2 links to a stake Thence  $N 6^{\circ} W$  5 Poles and 20 links to the beginning containing 46 Poles and  $\frac{80}{100}$  Poles Michael Gilbert and Alfred W Houston chain bearers The above on the lands of Jonathan Brannum

James W Spencer  
M C Surveyor



May 26<sup>th</sup> A D 1834

Ran the following lot of land on the lands of Thomas Payne for school purposes situated in the East half of the north east quarter of Section No 16. T 9 N R 1 West, beginning 12 poles South of the north east corner of said Section No sixteen. Thence S 88° W 12 poles & 16 1/4 links to a stake, then S 6° 12 poles & 16 1/4 links to a stake then N 88° E 12 poles & 16 1/4 links intersecting the section line then N 6° W 12 poles & 16 1/4 links to the beginning containing one acre. Michael Gabbert and Alfred W Houston Chain bearers

James W Spencer  
M C S

May 26<sup>th</sup> A D 1834

Ran the following lot of land for school purposes on the lands of Jonathan Whisenand situated in the north east quarter of Section No (7) seven T 9 N R 1 West, beginning at the North east corner of said Section No 7 then S 6° E 40 poles to a stake then S 79° W 24 poles to a stake at the North east corner of said described lot then S 85° W 8 poles to a stake then N 6° W 10 poles to the beginning containing one half acre Michael Gabbert and Alfred Houston Chain bearers

James W Spencer  
M C Surveyor

(There is evidently a mistake in the above but I transcribe it as I find it not knowing where the mistake is. M C S)

June 2<sup>nd</sup> A D 1834

Ran the following lot of land for school purposes in the South west quarter of Section No twenty seven (27) Township No nine (9) north of Range No one (1) west on the lands of Francis McKinley, beginning at the north west corner of said South west quarter then S 50° E 27 links to the North west corner of said school lot then S 6° 7 poles to a stake then N 88° E 6 poles to a stake then N 6° W 7 poles to a stake then S 85° W 6 poles to the beginning containing forty two (42) poles Michael Gabbert and Alfred W Houston Chain bearers

James W Spencer  
Monroe County Surveyor



June 2<sup>nd</sup> A D 1834

Ran the following lot of land for school purposes in Section No 17. Township nine north of Range No one west beginning 21 Poles north of the South west corner of said Section No 17 Then S 85° E 6 Poles to a stake Then N 6° W 7 Poles to a stake Then S 85° W 6 Poles Then S 6° E 7 Poles to the beginning containing forty two Poles. Said lot on the lands of Wm Parkie Michael Gabbert and Alfred W Houston chain bearers

James W Spencer  
M C Surveyor

June 2<sup>nd</sup> A D 1834

Ran the following lot of land for school purposes on the lands of John R Whisenand situated in Section No thirty one (31) Township nine north of Range one west beginning 16 Poles east of the South west corner of a 20 acre lot purchased of Henry Suter see deed from Suter to Whisenand Recorded on book

Then N 6° W 10 Poles & 19 links to a stake Then S 86° E 17 Poles to a stake Then S 83° W 12 Poles & 23 links to the beginning containing 69 Poles and  $\frac{83}{100}$  of a pole Michael Gabbert and Alfred W Houston chain bearers

James W Spencer  
Monroe County Surveyor

June 14<sup>th</sup> A D 1834

Ran the following lines and made the following corners in Section No 10 T 7 N 2 West for Berntsen Morgan, Elijah Morgan, John Hoon Hiram Morgan, Samuel Savin Samuel Abadie, Wesley Kirk & Mr Miller

Length of line north & south through the center	317 Poles 6 lks
Length of line east & west	316 " 8 "
Length east of the center	157 " 15 "
West " " "	157 " 15 "

Witness trees made 79 Poles and 9 links East of center Black oak 6 inches in diameter S 1 1/2° W 10 1/2 links distant Birch 10 inches in diameter S 86° E 14 1/2 links distant Length of the line from the South east corner to the S 1/2 mile post of said Section 10 137 Poles New witness trees made at the South east corner



of Said Section 10 white oak 30 inches in diameter  
 S 46° W 31 links distant also new witness made at  
 the S ½ mile post Sugar 6 inches in diameter N 88° E 21  
 links distant

Witness trees made at the center of section  
 No 10 Black Oak 12 inches in diameter S 79° W 31 links  
 distant Sugar 10 inches in diameter S 88° E 16 links distant

Length of the line north of center of Sec 10 158.8 P 18.16  
 " " " South " " " " 158 " 15 "

Witness trees made 79 poles & 7 ½ links South of the center  
 of Section 10 Beech 20 inches in diameter S 72° W 24 links  
 distant Hickory 12 inches in diameter N 24° W 18 ½ links distant  
 Length of line East and West through the center of the South  
 east quarter of Said Section No 10 158.8 P. 18

Witness trees made 79 poles and one half north of the  
 South east corner of Said Section Beech 6 inches in  
 diameter N 48° W 39 ½ links distant Sugar 18 inches in  
 diameter N 17° E 43 links distant

Length of the line north and South through the center  
 of the South east quarter 158.8 P. 14.16

Length of line north of center of S E qr 79 P. 5.16

" " " South " " " " 79 P. 9 "

" " " East " " " " 80 " 0 "

" " " West " " " " 78 " 18 "

Witness trees made 78 poles 12 links east of the S ½ mile  
 post of Said Section No 10 Poplar 24 inches in  
 diameter S 83° E 16 links distant Beech 18 inches in  
 diameter N 25° E 28 links distant

Witness made at the center of the South east  
 quarter of Said Section No 10 White oak 30 inches  
 in diameter S 44° E 13 links distant Beech 6 inches  
 in diameter S 26° W 26 ½ links distant  
 June 15<sup>th</sup> A D 1834

Centered the N E quarter of section  
 No 10 S 7 P. 2 West begins at the corner made 79 poles  
 east of the center of Section No 10 Black oak 6 inches  
 in diameter S 61 ½ W 11 ¼ links distant Beech 10 inches  
 in diameter S 88° E 14 ½ links distant Then N 6° W  
 139 poles and 4 links to a Stone Standing 80 poles 102 links  
 west of the N E corner of Said Section No 10

Witness tree Beech 30 inches in diameter N 21° W 24 links  
 distant Sugar 15 inches in diameter N 84° E 38 links distant

Length of the line from the N E corner of Said Section 10  
 to the northern ½ mile post 160 poles 21 links

Witness trees made at the center of the N E quarter  
 of Sec 10 White oak 18 inches in diameter N 46° E 15 ½  
 links distant Hickory 15 inches in diameter S 12° E 30 links distant



Length of line north of the center of N 8. gr 79 P. 14 1/2 links  
 " " " South " " " " " " " " 79 " 14 1/2 "  
 " " " West " " " " " " " " 79 " 13 1/2 "  
 These witness trees made South of the northern 1/2 mile  
 post of section No 10 79 Poles and 9 links is the  
 distance South  
 Poplar 6 inches in diameter S 76° W 48 links distant  
 Poplar 10 inches in diameter N 6° E 38 1/2 links distant  
 James W Spencer  
 M. C. Surveyor

June 16<sup>th</sup> 1854

Ran the following lot of land for  
 George Chapman in Section No 11 T 7 R 2 west  
 Beginning at the western 1/2 mile post of said section  
 thence N 85° E 78 Poles 4 1/2 links to a stone witness tree  
 Sugar 15 inches in diameter N 30° E 18 links distant  
 Then S 6° E 83 Poles to a stone witness tree  
 & walnut 4 inches in diameter S 23° W 8 links distant  
 Hickory 15 inches in diameter N 46° W 24 1/2 links distant  
 Then S 85° W 79 Poles 13 links to a stone witness tree Buck 4  
 inches in diameter N 43° W 39 1/2 links Sugar 18 inches in diameter  
 N 17° E 43 links distant Then N 6° W 79 1/2 Poles to the  
 beginning Samuel Adair and George Morgan  
 chain bearers by consent of parties

James W Spencer  
 M. C. Surveyor

July 26<sup>th</sup> A D 1854

Ran the following lots of land as  
 dower for the benefit of Elizabeth Wampler widow of  
 Michael Wampler deceased Situated in the State of Ind  
 Monroe County and in Sections No 26 & 31 Township  
 No 8 north of Range No one west and No 8  
 of Township No 8 Range No one East and bounded  
 as follows - to wit - Lot No one beginning at the  
 center of section No 31 Township No 8 Range No one  
 East Witness trees Buck 20 inches in diameter N 20° W 20  
 links distant thence N 6° W 30 Poles to a stake witness  
 tree Buck 20 inches in diameter W 36° W 18 1/2 links distant  
 Then S 85° W 160 Poles to a stake Then S 6° E 30  
 Poles to the western 1/2 mile post of said section No 31  
 Witness — 20 inches in diameter N 1° W 33 1/2 links  
 distant Sugar 4 inches in diameter N 80° W 13 1/2 links distant  
 Then N 85° E 160 Poles to the beginning containing  
 30 acres



Also lot No (2) beginning at the eastern  $\frac{1}{2}$  mile  
 part of Section No 136 Township No 8 Range No one  
 west running thence  $N 6^{\circ} W 53'$  Poles to a stake thence  
 $S 85^{\circ} W 80'$  Poles to a stake witness trees Buck 18 inches in  
 diameter  $S 11\frac{1}{2}^{\circ} W 45'$  links distant Then  $S 6^{\circ} E 53'$  Poles to a  
 stake witness trees White oak 36 inches in diameter west  
 14 the dist B oak 16 inches in diameter  $S 44^{\circ} E 12$  rods  
 Then  $N 85^{\circ} E 80'$  Poles to the beginning containing twenty  
 Seven and one half acres

The aggregate amount of lots 201  
 and 2 is Seventy Seven and one half acres  
 Chain bearers George Smith and William F. Davis sworn  
 This July 26<sup>th</sup> A D 1834

James W. Spencer  
 Monroe County Surveyor

Fees of Survey	
360 Poles at \$1.00 per mile	\$1.12
3 corners at \$1.00 each	3 00
18 miles travel at sets per mile	90
2 days attending court	2 30
	<u>\$7.32</u>

Received payment on the above in full this Nov 4<sup>th</sup> 1834  
 James W. Spencer

Sept 28<sup>th</sup> A D 1834

Ran the following lot of land for  
 John Schneidmiller (or Snider Miller pronounced) in Section  
 No 29 Township No 7 Range one east beginning at the  
 eastern  $\frac{1}{2}$  mile part of said Section thence  $S 85^{\circ} W 160$  Poles  
 thence  $N 6^{\circ} W 160$  Poles to the Northern  $\frac{1}{2}$  mile part of same  
 containing 160 acres

Trayline Myff and William Temple chain  
 bearers by consent of parties

James W. Spencer  
 Monroe County Surveyor

Oct 2<sup>nd</sup> A D 1834

Ran the following lines for John S. Thompson  
 in Section No 19 in Township No 9 north Range No 1  
 East beginning at the  $N \frac{1}{2}$  mile part of said Section  
 thence  $S 16^{\circ} E 93'$  Poles  $3\frac{1}{2}$  links to a stake  
 Chain bearers Clifton Thompson and Salmon  
 B. Thompson by consent

James W. Spencer  
 Monroe County Surveyor



Oct 16<sup>th</sup> A. D 1834

Ran the following lot of land in section No 2 T 9 R 1 E for George P. Wyle at being the N & E corner of said 1/4 of said section No 2. Beginning at the S.W. corner of said one fourth witness tree Beech 15 inches in diameter N 61° E 11 links distant Then N 6° W 80 Poles to a Stake witness Beech 10 inches in diameter S 42° E 32 links distant Then N 85° E 80 Poles to a Stake witness 6 gum 10 inches in diameter N 85° E 3 links distant S 86° E 80 Poles to a Stake witness Black oak 15 inches in diameter N 88° W 20 links distant Then S 82° W 80 Poles to the beginning

James W. Spencer  
Monroe County Surveyor

N.B. Chain bearers Michael Gabbert and Jacob Davisher

J. W. S.

M. C. S.

Mr Wyle resides at Lawrenceburg Ind

Oct 17<sup>th</sup> A. D 1834

Ran for Michael Hener and David West the following line beginning at the S.W. corner of Section No 2 T 9 R 1 E to the Southern 1/2 mile post of the same length of said line 162 Poles witness trees made 81 Poles west of the Southern 1/2 mile post of said section Black oak 8 inches in diameter South 10° E 11 links distant Chain bearers Michael Gabbert and Jacob B Davisher by consent of parties

James W. Spencer  
Monroe County Surveyor

Oct 18<sup>th</sup> A. D 1834

Ran the following lines and made the following corners in Section No 36 T 9 R 1 East for Frederic P. Triester of Lawrenceburg Ind Length of the line from the N.E. corner of said section to the N.W. corner of the same 813 Poles & 6 links New witness made at the northern 1/2 mile post of section 36 white oak 8 inches in diameter N 10° E 25 links distant Chestnut oak 20 inches in diameter N 30° E 12 links distant Witness trees made 78 Poles 20 1/2 links west of the northern 1/2 mile post Beech 18 inches in diameter N 89° E 16 1/2 links distant Witness trees made East 78 Poles & 15 1/2 links of N 1/2 mile post of section No 36 Chestnut oak 20 inches



in diameter  $N 31^{\circ} E$  6 links distant  
 Witness trees made 78 Poles  $15\frac{1}{2}$  links east of the center  
 of Section No 36 Poplar 30 inches in diameter  $S 30^{\circ} W$   
 29 links distant

Witness trees made at the center of section No 36  
 White oak 20 inches in diameter  $N 26^{\circ} W$  21 links distant  
 White oak 18 inches in diameter  $N 6^{\circ} E$  19 links distant  
 Witness trees made at the Southern  $\frac{1}{2}$  mile post of Section  
 No 36 White oak 22 inches in diameter  $S 48^{\circ} W$  15 links distant  
 + White oak 12 inches in diameter  $S 20^{\circ} E$  12 links distant  
 Witness made west of center of section 36 99 Poles  
 White oak 18 inches in diameter  $S 44^{\circ} E$  10 links distant  
 Michael Galber and William Alexander chain bearers  
 by consent of parties

James W Spencer  
 Monroe county sur

Oct 19th A D 1854

Ran the following lot for John  
 Bakenholt of Lawrenceburg Ind in Section No  
 one T 8 N R 1 E beginning at the Northern  $\frac{1}{2}$  mile  
 post of said Section No 1 running thence  $S 85^{\circ} W$   
 80 Poles to a Stake witness trees Sugar 15 inches  
 in diameter  $N 30^{\circ} E$  10 links distant Then  $S 6^{\circ} E$   
 229 Poles to a Stake witness tree White oak 18 inches in  
 + diameter  $S 50^{\circ} W$  32 links distant Then  $N 85^{\circ} E$  160 Poles  
 to a Stake witness Sugar 12 inches in diameter  $S 44^{\circ} E$   
 20 links distant Thence  $N 6^{\circ} W$  229 Poles to a Stake  
 Hickory 10 inches in diameter  $N 64^{\circ} E$  18 links distant Then  
 $S 35^{\circ} W$  80 Poles to the beginning containing 229 acres  
 chain bearers Isaac S Baskirk and William Alexander  
 by consent of parties

James W Spencer  
 M C Surveyor

Oct 19th A D 1854

Ran the following lot of land in Section  
 No 36 Township No nine north of Range No one East  
 + for Jacob Lorde beginning at the Southern  $\frac{1}{2}$  mile post of  
 said Section No 36 White oak 22 inches in diameter  
 $S 48^{\circ} W$  15 links distant White oak 12 inches in diameter  
 $S 20^{\circ} E$  12 links distant Then  $N 6^{\circ} W$  160 Poles to the  
 center of said Section 36 Witness trees White oak  
 20 inches in diameter  $N 26^{\circ} W$  21 links distant  
 White oak 18 inches in diameter  $N 6^{\circ} E$  19 links distant



Thence  $S 83^{\circ} W$  160 Poles to the western  $\frac{1}{2}$  mile post of  
 said section 26 Then with the section line  $S 6^{\circ} E$  160 Poles  
 to the South west corner of said section 26 Then with the  
 section line  $N 85^{\circ} E$  160 Poles to the beginning  
 chainbearers Michael Gabbert and William Alexander by  
 consent of parties

James W Spencer  
 M C Surveyor

Oct 20<sup>th</sup> A D 1834

Ran the following line and made the  
 following corners in section No 26 T 9 R 1 East for Henry  
 Galy beginning at the South east corner of said  
 section Thence with the section line  $N 6^{\circ} W$  80 Poles to  
 a stake witness tree  $W$  oak 30 inches in diameter  $S 63^{\circ}$   
 $E$  52 links distant Then  $S 85^{\circ} W$  80 Poles to a stake  
 witness tree Sugar 8 inches in diameter  $S 37^{\circ} W$  6 links distant

James W Spencer  
 Monroe County Surveyor

Oct 20<sup>th</sup> A D 1834

Established the following corner  
 at the  $NW$  corner of South west  $\frac{1}{4}$  of  $S E$  quarter  
 of section No 26 T 9 R 1 E witness tree Beech 12  
 inches in diameter  $N 33^{\circ} W$  29 links distant

James W Spencer  
 Monroe County Surveyor

Nov 1<sup>st</sup> A D 1834

Ran the following lot of land for  
 John Peterstoff beginning at the southern  $\frac{1}{2}$  mile post of  
 section No 19 T 8 R 1 East Thence  $N 45^{\circ} W$  80 Poles to a  
 stake witness tree  $W$  oak 20 inches in diameter  $S 46^{\circ}$   
 $E$  5 links distant Thence  $N 85^{\circ} W$  80 Poles to a stake  
 witness  $B$  oak 8 inches in diameter  $S 39^{\circ} E$  29 links  
 distant Thence  $N 6^{\circ} W$  80 Poles to a stake witness  
 tree white oak 24 inches in diameter  $S 35^{\circ} W$  31 links  
 distant  $J$ asagras 4 inches in diameter  $S 65^{\circ} E$  12 links  
 distant Then  $S 88^{\circ} W$  166 Poles to a stake witness trees  
 white oak 30 inches in diameter  $N 81^{\circ} W$  61 links distant Thence  
 $S 5^{\circ} E$  160 Poles to a stake witness tree  $B$  gum 18 inches in  
 diameter  $N 34^{\circ} W$  12 links distant Thence  $N 88^{\circ} E$  85 Poles to the place  
 of beginning, chainbearers John B Maroney and Peter  
 Adix by consent

James W Spencer  
 M C S



Nov 2<sup>nd</sup> A D 1854

Ran the following lot of land for Peter Alix in Section No 19 T 8 R 1 East beginning at the eastern  $\frac{1}{2}$  mile post of said Section Thence S 85° E 160 Poles to a stake witness Oak 20 inches in diameter N 55° E  $4\frac{1}{2}$  links distant. Then N 85° W 80 Poles to a stake witness Black walnut 5 inches in diameter S 56° E 74 links distant. Then N 85° E 80 Poles witness white oak 24 inches in diameter N 11° W 13 $\frac{1}{2}$  links distant Thence N 85° W 80 Poles to a stake witness poplar 36 inches in diameter N 13° W 24 links distant. Then N 85° E 80 Poles to the north east corner of said Section No 19. Then S 5° E 160 Poles to the beginning John B Marshy and John Peter stoof chain bearers by consent

James W Spencer  
M C S

Nov 3<sup>d</sup> A D 1854

Ran the east and West line through the center of Section No 20 T 8 R 1 E for the benefit of John B Marshy and Charles Petit Pierre or Petitpierre Beginning at the western  $\frac{1}{2}$  mile post of said Section No 20 Thence N 85° E 320 Poles to the eastern  $\frac{1}{2}$  mile post of the same 325 Poles & 10 links. John Peter stoof and Peter Alix chain bearers by consent

James W Spencer  
M C Surveyor

Nov 7<sup>th</sup> 1854

Ran for William McBoys, Jesse Williams John Lenty and others in Section No (24) Twenty four in Township No Ten (10) north of Range No one (1) West The following lines and made the following corners

Length of line east and west through the center of Section No 24 T 10 R 1 W	319 Poles & 19 links
Length of line north and south through the center of Sec 24 T 10 R 1 W	322 Poles & 22 links
Length of line north of center	166 Poles. 9 lks
" " " South " "	156 " 18 "
" " " East " "	154 " 20 "
" " " West " "	161 " 23 "

Witness trees made at the center of said Section No 24 white oak 13 inches in diameter N 14° E 18 links distant Poplar 6 inches in diameter N 70° E 16 links distant New corner and witness trees made at the Southern  $\frac{1}{2}$



mile post of Section No 24 T 10 R 1 West Beech 12 inches in diameter N 80° W 3 1/2 links distant Beech 20 inches in diameter N 27 1/2° W 30 links distant

Original corner and witness trees found at the Northern 1/2 mile post of said Section No 24 White oak 24 inches in diameter N 68° W 25 links distant Beech 16 inches in diameter S 63° E 25 1/2 links distant

New witness trees made at the eastern 1/2 mile post of Section No (24) Twenty four, Beech 18 inches in diameter N 63° W 24 links distant, Beech 20 inches in diameter S 3° E 37 1/2 links distant

New witness made at the South west corner of Section No 24 White oak 18 inches in diameter S 78° E 38 1/2 links distant White oak 20 inches in diameter S 12° W 31 1/2 links distant

Length of the line from the South west corner of Section No 24 to the north west corner of the same 324 Poles & 18 link.

New witness made at the western 1/2 mile post of Section No 24 Black ash 15 inches in diameter N 33° E 15 links distant

Corner and witness trees made equidistant on Section line or 78 Poles & 5 links from North east corner of Section No 24 Beech 20 inches in diameter N 81 1/2° E 10 1/2 links distant

Witness trees and corner made 83 Poles & 4 1/2 links north of the center Witch Hazel 10 inches in diameter S 25° W 5 1/2 links distant Beech 4 inches in diameter N 29° E 22 links distant

Corner and witness trees made 78 Poles 23 1/2 links east of the center of Section 24 and west of eastern 1/2 mile post of same Dogwood 4 inches in diameter S 5° W 7 1/2 links distant Beech 15 inches in diameter N 75° E 23 links distant

Length of the line from South west corner of the E 1/2 of the N E qr of Section 24 T 10 R 1 W to the N W corner of the same 176 Poles

Corner and witness trees made at the N E corner of the S W 1/4 of the N E qr of Section 24 T 10 R 1 W Ironwood 3 inches in diameter S 12° W 25 links distant Ironwood 4 inches in diameter N 15 1/2° W 23 1/2 links distant Jacob Fadden and Elisha Brannan chain bearers selected by the parties and by me sworn

James W Spencer  
Monroe County Surveyor



Nov 8<sup>th</sup> A D 1834

Ran the following lot of land for Jacob Hadden and Robert Campbell in Section No 18 T10 R 1 W Beginning at the S-E corner of said Section Thence S85°W 78 Poles and 8 links witness Beech 20 inches in diameter S8½° E 108 links distant Thence N8°W 81 Poles & ½ link to a Stake witness tree poplar 10 inches in diameter + N37°W 48 links distant Thence S83°E 78 Poles and 8 links to the intersection of the meridian line and no corner made Then with said meridian line South to the beginning Jacob Hadden and Robert Campbell Chain bearers Sworn

James W. Spencer  
Monroe County Surveyor

Nov 10<sup>th</sup> A D 1834

Ran the following lot of land for Joseph Campbell and Buckner Buckner in Section No 18 T10 R 1 E Beginning at the South west corner of said Section Thence north to the meridian line 124 Poles and ½ link to a Stake witness + white oak 20 inches in diameter S64°E 47 links distant Beech 20 inches in diameter N23°E 31 links distant Then S84½°E 160 Poles to a Stake witness beech 20 inches in diameter N30°E 32 links distant Elm 40 inches in diameter N66°W 45½ links distant Daniel B. Hendricks and Jesse Williams Chain bearers Sworn

James W. Spencer  
M C S

N B Then South with the Section line 124 Poles and ½ link to the South east corner of said Section No 18 Thence west with the Section line 160 Poles to the beginning

James W. Spencer  
M C S



Nov<sup>r</sup> the 11<sup>th</sup> A D 1834

Ran the following lines and made the following corners in Section No 14 Township No 10 North, of Range No 1 west for Daniel B Hendricks, Charles Carr and Mark R Smith Length of the line from the South east corner to the Eastern  $\frac{1}{2}$  mile post of said section 162 Poles & 19 links Length of line from the western  $\frac{1}{2}$  mile post to the S.W. corner 163 Poles & 14 links length east and west 228 Poles & 8 links

Witness tree made at the Eastern  $\frac{1}{2}$  mile post of Section 14 Beech 20 inches in diameter S 60° W 18 links distant

Witness tree made at the NW corner of the S.E. qr of the S.E. qr of Sec No 14 Beech 20 inches in diameter S 60° W 7 $\frac{1}{2}$  links distant Buck 8 inches in diameter N 30° E 48 links distant

Jesse Williams and John Lents Chain bearers by consent of parties

James W Spencer  
Monroe County Surveyor

gm 8 17



The first survey of J. L. Payson Dec

Dec 5<sup>th</sup> A D 1834 T. 9 R. 2 W

Ran the following lines and made the following corners for Mesdag and Houston — Chainman flagman and axman sworn

commencing at the S.W. corner of Section 12 Thence east 1 mile Thence west  $\frac{1}{4}$  mile established corner "a" Beech 8 inches in diameter N 89° E 2 links distant Sugar 18 inches in diameter N 88° W 19 links distant

"b" half mile corner on South line white oak 30 inches in diameter S 89° E 37 16 dist white oak 24 inches in diameter S 89° E 48 links distant

"c" Hickory 15 inches in diameter S 44° W 34 $\frac{1}{2}$  links distant Hickory 24 inches in diameter S 41° E 33 $\frac{1}{2}$  links distant

"d" Hickory 11 inches in diameter S 87° E 111 links distant

Gum 50 inches S 45° E 76 links distant

"e" Ironwood 5 inches in diameter S 84° E 32 links distant

white oak 24 inches in diameter S 35° E 40 links distant

"f" white oak 14 inches in diameter N 41 $\frac{1}{2}$  W 78 links distant




- 29<sup>th</sup> white oak 18 inches in diameter N 31 $\frac{1}{2}$ ° W 91 $\frac{1}{2}$  lbs dist  
 white oak 24 inches in diameter S 23° W 33 lbs dist  
 white oak 20 inches in diameter N 86° E 2 $\frac{1}{2}$  lbs dist  
 36<sup>th</sup> Gum 12 inches in diameter N 41° E 27 links distant  
 white oak 50 inches in diameter S 77° W 36 links distant

Dec 7<sup>th</sup> 1834

T 3 N R 2 W

Ran the following lines and established the following corners for Philip Bunger commencing on the S.E. Sec corner of Section 2 running N to the section line on the state road corner on N.E. Sec line in the state road white oak 30 inches in diameter S 31° W 84 links distant  
 X Hickory 20 inches in diameter S 59° W 110 links distant  
 The half mile stake South Hickory 24 inches in diameter S 69° W 70 links distant Hickory 18 inches in diameter N 72 $\frac{1}{2}$ ° W 3 $\frac{1}{2}$  links distant  
 S.E. Section corner section 10 2 White oak 20 inches in diameter N 42 $\frac{1}{2}$ ° E 91 links distant  
 Beech 20 inches in diameter N 2° W 13 $\frac{1}{4}$  links distant  
 John C. Paynter Surveyor

Land of Watts and Biddle T 10 Sec 14 R 2 W  
 N.W. corner of the Stone quarry the half mile stake of the middle of Section 14 West



Ran the following lines and established the following corners commencing at 'A' running South 89 rods to D next running from the same corner running East 73 rods Thence S 30 rods Thence S W 77 rods and some links to Beech 24 inches in diameter N 86° E 33 lbs  
 Beech 24 inches in diameter N 34° E 33 lbs

- |                |           |    |        |    |          |         |                  |       |         |  |
|----------------|-----------|----|--------|----|----------|---------|------------------|-------|---------|--|
| D <sup>1</sup> | Beech     | 12 | inches | in | diameter | N 47° E | 5 $\frac{1}{2}$  | links | distant |  |
| "              | Beech     | 7  | "      | "  | "        | N 69° W | 13 $\frac{3}{4}$ | "     | "       |  |
| "              | Beech     | 2  | "      | "  | "        | S 60° W | 13               | "     | "       |  |
| "              | White oak | 15 | "      | "  | "        | N 51° E | 18 $\frac{3}{4}$ | "     | "       |  |
| "              | Beech     | 15 | "      | "  | "        | S 84° W | 7 $\frac{1}{2}$  | "     | "       |  |
| "              | Gum       | 24 | "      | "  | "        | W 12° W | 103              | "     | "       |  |

Dec 18<sup>th</sup> Land Walker and Hall Sec 7 T 7 R 2 W  
 Ran the following lines and established the following corners commenced at the interior ran N 30 P - Black oak 15 inches in diameter N 21° E 23 links distant W Walnut 12 inches in diameter S 36° E 22 links distant Thence west 141 P & 11 lbs  
 Sycamore 30 inches in diameter S 41° E 50 links distant  
 Chain bearers Adams and Sparks

John C. Paynter Surveyor A.C.




December 25<sup>th</sup> 1854.

Land W McCoy Sec 24 T10 N R 1  
W Chain bearers G Madaris and K Henriksen  
commencing at the N E corner of Sec 24 running  
W 135° P 21 links. In the middle of this line established  
a corner witness tree Buck 18 inches in diameter  
N 78° E 7 links distant Beech 12 inches in  
diameter S 33° W 25 links distant

John I Paynter S. M. C.

Dec 26<sup>th</sup> A D 1854

Land of P Buckner and M  
Graham in T10 R 1 E Sec 7 made the following  
Survey commencing at the S W corner and run  
the following lines and made the following corners  
Chainman Thomas Mcginis and L Panley



corner 'C' distant from corner 'A' 1/2  
mile + 16 1/2 P maple 30 inches in diam  
N 76° W 15 links distant Beech 2 inches in  
diameter S 80 1/2° W 2 1/2 links distant  
corner 'B' Beech 15 inches in diameter  
S 70° W 31 1/4 links distant Beech 20 inches  
in diameter N 71° W 30 links distant  
corner 'D' of last 80 P 12 the poplar 34 inches  
in diameter S 68° E 24 links distant  
corner 'A' of last 5 links poplar 34 inches in diameter S 80 1/2° E  
23 1/2 links distant

Dec 27<sup>th</sup> A D 1854

Land of Mrs Moberly and  
Graham Sec 7 T10 N R 1 E corner east of the last 40  
rods. "G" Beech 24 inches in diameter S 45° E 8 lks dist  
Beech 25 inches in diameter North 30 "

Thence N 80° P 3 lks "H" Beech 6 inches in diameter N 85°  
W 57 lks distant Beech 20 inches in diameter N 70° E  
36 lks distant


John I Paynter S. M. C.

January 1st 1855

T10 R 1 W Sec 36 Land of Mr  
Bramm and Edward Jackson ran the following lines  
and made the following corners commencing at the  
half mile stake on the heart line of Sec 36 Thence W 1/2  
mile 14 links = Boxelder 10 inches in diameter S 81° E 5 1/2 lks dist  
Walnut 12 S 71° W 44 lks dist Thence S 1/4 of a mile 2 P here a corner  
Buck 12 inches N 64° W 38 lks dist Beech 12 inches N 79° W 59 lks

John I Paynter  
S. M. C.





Ran the following  
lines and made  
the following corners

January the 9th 1853

Sec 28 T 4 N R 2 W Land of  
John W. Ewins Chairman R. Moore and J. Peaves  
Corner at  $\frac{1}{2}$  mile west of S E corner Sec 28  
Maple 20 inches in diameter N 20° E 29 links distant

"B"	Hogwood	4	"	"	"	N 45° E	31	"	"
+ "C"	Sugar	18	"	"	"	N 43° E	160	"	"
"D"	Gum	15	"	"	"	N 72° E	163	"	"
"E"	Beech	15	"	"	"	S 73° E	48	"	"
"F"	Sugar	8	"	"	"	N 86° E	66	"	"
"G"	W Walnut	6	"	"	"	N 63½° E	16	"	"
"H"	Hogwood	3	"	"	"	S 20° E	10½	"	"
"I"	B Walnut	20	"	"	"	S 64° E	126	"	"
"J"	Mulberry	12	"	"	"	S 83° E	223	"	"
"K"	Hogwood	6	"	"	"	S 82° E	13½	"	"
"L"	Sugar	15	"	"	"	S 64° E	27	"	"
"M"	Sugar	14	"	"	"	N 41° E	37	"	"
"N"	Sugar	15	"	"	"	N 70° E	41	"	"
"O"	Beech	15	"	"	"	S 80° E	34	"	"
"P"	Beech	15	"	"	"	N 80° E	42	"	"
"Q"	Beech	12	"	"	"	N 59° W	109½	"	"
"R"	Beech	20	"	"	"	S 88½° W	41	"	"
"S"	Beech	20	"	"	"	N 86° E	28½	"	"
"T"	Beech	13	"	"	"	S 79° E	32½	"	"
"U"	Beech	3	"	"	"	S 76° W	13	"	"
"V"	Beech	18	"	"	"	S 83° W	16	"	"

John J. Gayster Sur on 10



Jan 11th 1853  
Ran the following lines and  
made the following corners  
Land of J. Alexander, Bates  
Marshall and Barrow  
Chairman John Polley  
and John A. Polley



D	B oak	7 inches in diameter	S 20° E 38'	links dist.
E	Lassfras	" " "	N 14° W 15'	" "
F	Alder	24 " "	S 33½° W 26½'	" "
G	Beech	20 " "	N 4° E 39½'	" "
H	Sycamore	12 " "	S 75° W 20¼'	" "
I	Edm	24 " "	S 22½° E 22¾'	" "
J	R oak	4 " "	N 74° W 18'	" "
K	Black Ash	8 " "	S 21½° E 30'	" "
L	Beech	22 " "	S 29° W 17'	" "
M	Beech	20 " "	N 78° W 54'	" "
+ F +	Beech	8 " "	N 44° W 171'	" "
N	S Walnut	4 " "	S 80° E 115'	" "
O	W oak	20 " "	N 14° W 25'	" "
P	W oak	20 " "	S 37° W 21'	" "
Q	Poplar	12 " "	S 30° W 38'	" "
R	Poplar	7 " "	S 41° E 18'	" "
S	Hickory	4 " "	N 61° W 34'	" "
T	B oak	10 " "	N 8° W 28'	" "

A hand-drawn map of a plantation, likely a coffee plantation, showing a grid of land parcels. The map is oriented with North at the top. The grid is defined by vertical and horizontal lines. The parcels are labeled with handwritten text:

- Top-left parcel: "coffee"
- Top-middle parcel: "coffee"
- Top-right parcel: "No"
- Middle-left parcel: "coffee"
- Middle-middle parcel: "coffee"
- Middle-right parcel: "No"
- Bottom-left parcel: "coffee"
- Bottom-middle parcel: "coffee"
- Bottom-right parcel: "No"

The map also includes several handwritten numbers and letters:

- Top-left corner: "16"
- Top-middle corner: "17"
- Top-right corner: "18"
- Middle-left corner: "19"
- Middle-middle corner: "20"
- Middle-right corner: "21"
- Bottom-left corner: "22"
- Bottom-middle corner: "23"
- Bottom-right corner: "24"

The map is drawn on a piece of paper with a grid of lines. The handwriting is in cursive and appears to be from the 18th or 19th century.

Jan 25<sup>th</sup> 1855 See 7  
Land of Lewis Caffery  
deceased chainman  
A W P Lives H Byers  
J. W. Saunders T 9 N  
E of R 2 W Section for  
S 6, 7, cor A White oak  
S 6° W 47 links distant  
Beech 20 inches in diameter  
S 78° E 35 links distant  
cor B Beech 18 inches in diameter  
N 30° W 74 links distant  
Poplar 48 inches in diameter  
N 26° E 52 links distant

cor	Tree	Size	Dir	Dist	Link distant
C	Beech	24 inches in diameter	N 26° E	26	link distant
"	Beech	14 "	S 26° W	12	" "
D	Sugar	24 "	S 26° W	199	" "
"	Sugar	18 "	S 15° W	231	" "
E	W. Oak	28 "	N 31° E	683	" "
"	Beech	14 "	S 1/2		" "
curd	Beech	14 "	S 1 1/2		" "
F	R oak	30 "	N 14° E	83	" "
"	R oak	30 "	N 41° E	109	" "
G	R oak	13 "	S 22° W	22	" "
"	Hickory	20 "	N 58° E	43	" "
H	Beech	24 "	S 75° W	120	" "



cor R	Red oak	48	inches	in	diameter	S 84° W	48	lks	di
cor L	W oak	24	"	"	"	N 74° E	38	"	"
+ "	Beech	13	"	"	"	S 25° W	38½	"	"
cor 16	Beech	12	"	"	"	S 17° W	21	"	"
"	Beech	15	"	"	"	S 75° W	36	"	"

Aug 6<sup>th</sup> 1833

Surveyed for Charles Moberley  
The S W qr of S W qr of Section 10 T 8 R 1 East and  
established the N E corner of said piece

Witness trees apple tree 6 in S 7° W 48 lks  
White walnut 4 in S 8° W 76 "

Also for the same the N W qr of N W qr of Section  
15 T 8 R 1 E and established the S E and S W cor  
S W corner witness trees Sugar 24 in S 29° E 18 lks  
Beech 16 in N 10° W 39 "

S. E corner witness trees B oak 6 in N 74° W 18 "  
B oak 4 in N 33° W 26 "

Granville Whisenand  
& James Woods } Chain bearers  
Sworn

James Woodburn  
Sgt Surveyor

Oct 18<sup>th</sup> A D. 1833

Ran the following lines  
and made the following corners in Section  
No 33 Township No 7 Range one East for William  
Acker Beginning at the Southern half small post  
of said Section witness trees chestnut 36 inches  
in diameter N 30½° W 6 links distant Hickory 15  
inches in diameter S 8° W 79 links distant Thence N 3½°  
W 240 Poles to a Stake witness tree chestnut oak 20  
inches in diameter N 70½° E 6 links distant  
Thence S 85° E 80 Poles to a Stake witness tree  
Black Oak 10 inches in diameter N 29° E 17½  
lks distant Black oak 18 inches in diameter N 34°  
W 22½ links distant Thence N 3½° W 79 Poles 28 links  
to a Stake witness tree White oak 20 inches in diameter  
N 44½° E 68 links distant Poplar 15 inches in diameter  
S 44½° W 69 links distant Thence S 85° W with the  
Section line 81 Poles to a Stake witness W oak 20 in diameter  
S 89½° E 27 lks distant it being the northern ½ mile part of sec 33  
Chain bearers Peter Sheppard and other name misplured  
by consent of parties

James W Spencer  
Surveyor of Monroe County



Oct 19<sup>th</sup> A D 1853

Ran the following lines and made the following corners in Section No 28 T 7 R 1 E for John Frederic Ackar. Beginning at the Southern half mile post of said Section witness tree White oak 20 inches in diameter S  $39\frac{3}{4}^{\circ}$  E 27 links distant Then N  $5\frac{1}{2}^{\circ}$  W 320 Poles to a Stake at the northern half mile post of said Section 28 witness tree Black oak 18 inches in diameter S  $83^{\circ}$  W 19 links distant Chain bearers Peter Deekard and the name of the other not recollected by consent

James W Spencer  
Monroe County Surveyor

Sept 20 A D 1853

Surveyed for David B. Judah in the Town of Bloomington or adjoining said town, Lot No 7 Begun at the north east corner of said lot Thence South 20 Poles 24 links to a Stake Thence west 38 Poles & 16 links to a Stake Thence north 20 Poles & 21 links to the place of beginning containing 5 Acres & 8 Poles Chain bearers James Atkins and Mr Hobson by consent

Dec 22, 1853

James W Spencer

Nov 30<sup>th</sup> A D 1853

Surveyed the following lot of land for Alexander Sutherland in Section No 28 T 7 R 1 E west beginning at the S. W. corner of said Section No 28 Then N  $83^{\circ}$  E 24 Poles and 18 links to the center of the New Albany and Salem rail road Then with the meanderings of said road N  $24^{\circ}$  W 6 P. 18  $\frac{1}{4}$  links Then N  $14^{\circ}$  W 5 Poles 19  $\frac{1}{4}$  links Then N  $18^{\circ}$  W 7 Poles 14  $\frac{1}{4}$  links

11	N	$7\frac{1}{2}^{\circ}$	W	9	"	2 $\frac{3}{4}$	"
11	N	$1\frac{1}{2}^{\circ}$	E	9	"	17 $\frac{1}{2}$	"
11	N	$6^{\circ}$	E	6	"	15	"
11	N	$16^{\circ}$	E	8	"	17	"
11	S	$83^{\circ}$	W	20	"	22 $\frac{1}{2}$	"
11	S	$83^{\circ}$	W	37	"	10	"
11	S	$51^{\circ}$	E	39	"	8	"
11	N	$83^{\circ}$	E	50	"		

To the beginning containing 19 A 1 Perch Road & 20 Poles Alexander Sutherland & Robert Taylor chain bearers by consent of parties

James W Spencer M & S



March 18<sup>th</sup> 1856

Ran the following line and made the following corners in Section No 16 T 9 R 1 E for David Young Pleasant Robertson, Andrew Richeson, Jonathan Richeson, George Richeson, Nancy McBlung, & Adam Stephens.

Length of the line north and South through the center of said Section 338 Poles & 21 links

Length of the line east and west through the center of Sec (16) 320 Poles & 17 links

Length of the line from the north west corner to the South west corner of the same 328 Poles & 5 links  
Witness tree made at the western 1/4 mile post of Sec 16 Black oak 20 inches in diameter S 20° E 22 links dist

Beech 12 " " " N 24° W 40 " "

Witness tree made at the center of section 16

White oak 15 inches in diameter N 81 1/2° W 19 links dist

White oak 10 " " " N 33° E 5 " "

Witness trees made at - (here the record books square off N 16 E)

Length of the line north of the center of Section No 16 T 9 R 1 East 168 Poles & 2 links

Length of line South of center 170 " 19 "

" " " East " " 161 " 22 "

" " " West " " 158 " 21 "

Chainbearers Joshua Richeson and Hiram McBoys, Pleasant Richeson, and Daniel McBoys sworn

James W. Spencer  
M. R. Surveyor

March the 21<sup>st</sup> A D 1856

Ran the following lot of land situated in the NW 1/4 of the NW 1/4 of Section No 6 T 10 R 1 E for the benefit of the heirs of Valentine Backer Beginning at the north east corner of said NW 1/4 of NW 1/4 running thence S 6° E 63 Poles & 8 links to a stake thence N 86° W 46 Poles 1 1/2 links to a stake thence N 32° E 67 Poles thence N 85° E 2 Poles 14 links to the beginning containing 90 & 18 Poles

Also ran at the same time lot No 2



for the benefit of said heirs, beginning at  
 the S W corner of the N E 1/4 of the N W 1/4  
 of said Section 13 & T10 R 1 E thence N 83° E 60  
 Then S 20° W 80 Poles to the northern margin of  
 little Indian creek Then N 42° W 16 Poles Then N 83° W 8  
 Poles & 20 links Then N 6° W 63 Poles & 3 links to the  
 beginning containing 184 2 R 21 2. 15  
 contents of both lots

William Hacker and Jonathan Halford chain  
 bearers sworn by the undersigned

James W Spencer  
 M C Surveyor

March 26<sup>th</sup> A D 1856

Ran the following lines and  
 made the following corners in Section No 15  
 Township No 9 N Range No 1 East for Adam  
 Stephens Joshua Richardson Sen & Hiram  
 McRoy

Length of the line East & West through the  
 center of said Section No 15 320 Poles  
 Length of the line North & South 330 "  
 Witness trees made at the center of Section  
 Sugar 15 inches in diameter N 23° E 62 links distant  
 Sugar 12 " " " S 74° W 44 " "  
 Length of the line North of center 168 Poles  
 " " " " South " " 162 "  
 " " " " East " " 159 "  
 " " " " West " " 161 "

Witness trees made at the S W corner of Section 15  
 White oak 13 inches in diameter N 24° W 73 links distant  
 Beech 10 " " " N 76° E 98 " "  
 Length of the line from the N W corner to the  
 South west corner of the same 49 Poles 18 links  
 chainbearers Pleasant Robertson and  
 David Gung by consent of parties

James W Spencer  
 Monroe County Sur



March 27<sup>th</sup> A D 1836

Ran the following lot of land in Section No 15 Township No 9 North of Range No one East for Hiram Mebay and Joshua Richardson bounded as follows to wit beginning 40 poles South of the northern  $\frac{1}{2}$  mile post of said Section Thence N  $89\frac{1}{2}^{\circ}$  W 40 Poles to a stake Thence N  $74^{\circ}$  W 43 Poles and 15 links to a stake Thence South 38 Poles and 7 links Thence East  $80\frac{1}{2}$  Poles Thence North 44 Poles to the beginning David Going and Pleasant Robertson chainbearers by consent of parties.

James W. Spencer  
M C Surveyor

March 28<sup>th</sup> A D 1836

Ran for David Barrow John Peterson & others the east and west line of Section No 5 Township No 9 North of Range one East Length of said line 320 Poles  $9\frac{1}{2}$  links witness trees made on said line 80 Poles  $3\frac{1}{2}$  links East of the Western half mile post White oak 6 inches in diameter N  $73^{\circ}$  E 15 links distant Poplar 3 " " " " N  $53^{\circ}$  W 6 " "

Gammal Peterson and the name of the other misplaced chainbearers by consent of parties

James W. Spencer  
M C Surveyor

April 2<sup>nd</sup> A D 1836

Ran the following lines and made the following corners in Section No 31 T 7 R 2 East for William Hunter, Samuel Fowler, Benjamin Browning, Charles Ross and James Clark Length of the line from the N E corner of Section No 31 T 7 R 2 East to the S E corner of the same 336 Poles and 9 links New witness trees made at the eastern



half mile post of said Section  
 White oak 15 inches in diameter S  $80\frac{1}{2}^{\circ}$  W 23 links dist  
 White oak 20 " " " N  $79\frac{1}{2}^{\circ}$  E 12 " "  
 Length of line east and west through the  
 center of said Section 237 Poles & 9 links  
 Length of line from the S W corner of said  
 Section to the N W cor. 167  $\frac{1}{2}$  links  
 320 Poles & 8 links

Upright trees made at the western  
 half mile post of said Section  
 Beech 20 inches in diameter N  $68^{\circ}$  E 21 links dist  
 Dogwood 3 " " " N  $57\frac{1}{2}^{\circ}$  W 12 " "

Corner made 40 Poles & 146 links East of the  
 western half mile post  
 Dogwood 6 inches in diameter N  $62\frac{1}{2}^{\circ}$  W 4 links dist  
 Dogwood 3 " " " S  $71^{\circ}$  E 27 " "

New upright tree made at the S E corner  
 of Section No 31 T & R 2 East  
 White oak 15 inches in diameter N  $16^{\circ}$  E 25 links dist

Chainbearers John Menna and Richard  
 Kitchel sworn this April 2<sup>nd</sup> 1856  
 James W. Spencer  
 Ch. & Surveyor



April 3<sup>d</sup> A D 1856  
 Ran the following  
 lines and made the  
 following corners in  
 Section No 29 T & R 2 E  
 for John Menna and  
 William Seipes

Length of the line from  
 the South west corner  
 to the Southern  $\frac{1}{2}$  mile post 160<sup>th</sup> 22

Length of the line from the Southern half  
 mile post of Sec 29 to the northern half mile  
 post of the same 325 Poles 18 links

Length of the line from the N W to  
 the S E corner 324 Poles 11 links

Length of line from the center of Section to the  
 eastern  $\frac{1}{2}$  mile post 160 Poles 22 links



Witness trees made at the NW cor sec 29  
 White oak 24 inches in diameter S 46° E 16 lks dist  
 Maple 10 " " " S 36° W 7 " "

New witness trees made at the N.E. corner  
 Poplar 148 inches in diameter N 82½° E 22½ lks dist

New witness trees made at the southern ½ mile post  
 Poplar 24 inches in diameter S 83° E 21 links distant  
 Chestnut oak 10 " " " N 30½° E 31½ " "

Witness trees made at the northern ½ mile post  
 Beech 36 inches in diameter N 13° E 34 lks dist  
 W. Walnut 4 " " " S 66° E 30 " "

7 New witness trees made at the S.E. corner  
 Hickory 4 inches in diameter S 30° W 19 lks dist  
 Hickory 3 " " " N 72° E 29 " "

New witness trees made at the E ½ mile post  
 Chestnut oak 6 inches in diameter N 85° E 27 lks dist  
 Chestnut oak 4 " " " N 80° W 11 " "

Witness trees made 80 poles & 3 links west  
 of the eastern half mile post  
 Sycamore 36 inches in diameter N 77° E 7 lks distant  
 W. Walnut 20 " " " N 34° W 40½ " "

Backon Hunter and Benjamin  
 Murphy chain bearers for  
 Section 29 Township No 7  
 Range No 2 East

James W. Spencer  
 Monroe County Surveyor



April 4th  
A.D. 1836  
Ran the  
following  
lines and made  
the following  
corners in  
Section No  
35 T 7 R  
1 E for  
Rosannah



Christianburg  
Michael Warner  
Peter Varman James Mathes and  
James Clark Beginning at (A) it being  
the northern  $\frac{1}{2}$  mile post of said section  
Then west with the section line 80 Poles to  
(B) witness trees

Sugar 8 inches in diameter S  $25^{\circ}$  W 11 lks distant  
Dogwood 8 " " " " N  $61^{\circ}$  E 14 " "

Then S  $6^{\circ}$  E 280 Poles and 21 links to (C) wit trees  
White oak 24 inches in diameter N  $14^{\circ}$  E 32 lks dist.  
S Walnut 10 " " " " S  $64^{\circ}$  W 29 " "

Then S  $6^{\circ}$  E 80 Poles and 7 links to (D) wit trees  
Black gum 20 inches in diameter S  $45^{\circ}$  W 63 lks dist  
Black oak 4 " " " " S  $22^{\circ}$  E 26 " "

Then west 83 Poles to (E) witness trees  
Spanish oak 13 inches in diameter N  $33^{\circ}$  W 33 lks dist  
Maple 12 " " " " S  $34^{\circ}$  W 6  $\frac{1}{2}$  " "

Witness trees made at (F) center of section 35  
Black Ash 6 inches in diameter N  $62^{\circ}$  W 19  $\frac{1}{2}$  lks dist  
Hickory 6 " " " " S  $28^{\circ}$  E 22  $\frac{1}{2}$  " "

Witness trees west of center 80 Poles at (B)  
Hickory 15 inches in diameter S  $33^{\circ}$  E 18 lks dist  
" 8 " " " " N  $74^{\circ}$  W 12 " "

Length of the line from S.E. corner to  
the S.W. corner 332 Poles

Benjamin Murphy and  
Isaac Hatfield Chain bearers  
Sworn This April 4th A.D. 1836

James W. Spencer  
M. C. Surveyor  
(It appears there is a contradiction  
in all this record, I think however  
the lettering is correct and description  
of line reads backwards all the  
time M. H. B.)



April 10th AD 1856

Ran the following lines and made the following corners in Section No 27 T 19 R 1 E for Jonathan Richeson, William Alexander (sen) Lewis Moser, Russel Asher, & John Cox. Length of the line from the S. E. corner of Section No 27 to the N. E. corner of the same 324 Poles 16 1/2 links half distances 162 Poles & 8 1/4 links

+ Length of line east and west through the center 326 Poles 16 links Sep 18 links

New witness made at the S. E. corner of said section Sugar 20 inches in diameter S 80° W 30 links dist  
White oak 24 " " " N 48° W 32 " "

Corner made 81 Poles 4 links north of E 1/2 mile post  
White Birch 20 inches in diameter S 70° E 21 links dist  
Birch forked at ground 15 " " " N 34° W 16 " "

William McCoy and David L Griffin chain bearers. Sworn and Subscribed to this April 10th AD 1856.

James W Spencer  
M C Surveyor

April 11th AD 1856

Ran the following lot of land in Benton township Monroe county Indiana Township No 9 north of Range No 1 East and in Section No 27 of said Township bounded as follows to wit Beginning at a stone the eastern half mile post of said Section No 27 thence S 85° W 81 Poles 16 1/2 links to a stone thence S 4° E 33 Poles 3 links to an elm tree mentioned in Wm Alexander's deed thence N 89 1/2° E 7 Poles 21 links thence S 64° E 13 Poles 21 links thence N 21° E 11 Poles 14 links then N 45 1/2° E 18 Poles thence N 60 1/2° E 22 Poles 19 links to a certain Birch tree mentioned in said Alexander's deed 15 inches in diameter and corner thence N 88 1/2° E 14 Poles 14 links to a red oak standing in the Section line thence N 6° W 23 Poles 7 links to the beginning containing 21 A 2 R 11 P David L Griffin and Wm McCoy chain bearers Sworn and Subscribed to this April 11th AD 1856

James W Spencer  
M C Surveyor




April 12<sup>th</sup> A.D. 1856

Ran the following lot of land in Section No 24 T 9 R 1 East for David D Griffin bounded as follows to wit Beginning at the western half mile post of said Section Then north with the Section line 81 Poles 4 links to a stone witness tree Bush 20 inches in diameter S  $70^{\circ}$  E 21 the dist Bush forked at ground 15' " " N  $34^{\circ}$  W 16 " " Then S  $85^{\circ}$  E 80 Poles to a stone witness tree Bush 12 inches in diameter S  $70^{\circ}$  E 34 the distant White oak 24' " " N  $45^{\circ}$  W 48 " " Then S  $6^{\circ}$  E 81 Poles 4 links to a stone Then S  $85^{\circ}$  W 80 Poles to the place of beginning

William Mc Guy and Jonathan Richardson claim bearers by consent

James A Spencer  
M C Surveyor



April 30<sup>th</sup> A.D. 1856

Ran the following lot of land and made the following corners in Section No 14 T 9 R 2 E Malcom McBride and Samuel Axum Lot No 1 for McBride Beginning at the western 1/2 mile post of said Section wit tree Sugar 20 inches in diameter S  $78^{\circ}$  W 8 the dist Then East 320 Poles to the eastern 1/2 mile post wit tree Chestnut oak 20 inches in diameter S  $70^{\circ}$  E 16 the dist Black gum 10 " " " N  $88^{\circ}$  E 10 " "



Then north 15° 9' Poles to a white oak 20 inches in diameter and corner Then west with the section line 289 Poles to 19 links to a stone witness tree Hornbeam 10 inches in diameter S 60½° E 18½ links distant Then South 80 Poles to a stone witness Black Ash 4 inches in diameter S 33° W 16½ links distant Elm 20 inches in diameter N 88° E 27 links distant Then west 80 Poles to a stone witness Poplar 4 inches in diameter N 15½° W 12 links distant W Walnut 6 " " S 17½° W 12 " " Then South 80 Poles to the beginning

+ Daniel Axam No 2 beginning at the N W corner of Section No 17 T 7 R 2 E a stone standing in open ground Then South 80 Poles to a stone witness Poplar 4 inches in diameter N 15½° W 12 links distant W Walnut 6 inches in diameter S 17½° W 12 links distant Thence east 80 Poles to a stone witness tree Black Ash 4 inches in diameter S 33° W 16½ links distant Elm 20 inches in diameter N 88° E 27 links distant Then north 80 Poles to a stone witness tree Hornbeam 10 inches in diameter S 60½° E 18½ links distant Then west to the beginning containing 40 acres

Malcolm McBride and Henry Lipeo  
Chain bearers by consent of parties

James W Spencer  
M C Surveyor

July 23 & 24 A.D. 1856

Ran in compliance with an order of the court of common pleas of Monroe County Indiana made at its April term 1856 for the benefit of Elizabeth Wampler child of Martha Wampler and heir of John Davis deceased, all her interest as prayed for in said order, Lower being excepted in the lands of which the said John Davis died seized and possessed of The following lot or parcel of land Situated in the South east quarter of Section No 33 Township No 11 north of Range No 2 west of the 2nd principal Meridian and bounded as follows to wit beginning 14 Poles 10½ links north of the South east corner of said Section 33 witness tree white walnut 15 inches in diameter N 24° W 17 links distant Thence S 88° W 88 Poles 2½ links to a stake

Sec 33  
T 11 N, R 2 W



with Beech 24 inches in diameter  $N 29^{\circ} E$  88 links distant  
 Thence  $N 9^{\circ} W$  141 Poles 14½ links to a large cypress  
 tree 48 inches in diameter and corner standing on  
 the South margin of the west fork of White River.  
 Then up said river with its meanderings  
 until it intersects the eastern Section line  
 of said Section No 33. Then south with said  
 Section line to the beginning containing  
 58 acres 2 quarters and 180 Poles  
 James V. Baskirk and Isaac V. Baskirk  
 Chainbearers & sworn

James W. Spencer  
 M C Surveyor

May 12<sup>th</sup> A.D. 1856

Ran the following lines  
 and made the following corners in Sections  
 Nos 9 & 10 Township No 7 north of Range No 1  
 east for Francis Burgeon and David J.  
 Baskirk

Length of the line from the N W corner  
 to the N E corner of Section No 9 T 7 R 1 E  
 325 Poles 23 links  
 Witness trees made at the northern ½ mile post of said  
 Section Chestnut oak 8 inches in diameter  $N 44^{\circ} W$  26 links distant  
 Beech 12 " " " "  $S 13^{\circ} W$  14 " "

Length of line north and South through the center  
 of Section No 9 T 7 R 1 E 325 Poles 9

+ Length of line from the S W corner to the  
 Southern half mile post 161 Poles

Length of the line west of center 162 Poles 14 links  
 " " " " east " " 160 " 6 "  
 " " " " North " " 162 " 13 "  
 " " " " South " " 162 " 19 "

Witness trees made at the center of the Section  
 White oak 30 inches in diameter  $S 63^{\circ} E$  41½ links distant  
 " " 10 " " " "  $N 87^{\circ} W$  35½ links distant

Witness 81 Poles 7 links west of the center  
 Red oak 5 inches in diameter  $N 33^{\circ} E$  the dist  
 Beech 10 " " " "  $S 52^{\circ} W$  10 " "

Witness trees west of the Southern ½ mile post 80 Poles 12½  
 Sugar 8 inches in diameter  $S 89^{\circ} W$  10 links distant  
 Sugar 15 " " " "  $N 61^{\circ} E$  31 " "

New witness trees made at the western ½ mile post



Beech  $2\frac{1}{2}$  inches in diameter S  $88^{\circ}$  W 86 lks dist  
 Beech 10 " " " N  $18^{\circ}$  W 58 " "

Corners made and lines run in section  
 No 10 T 7 R 1 E

Length of line from the N W  
 corner of section 10 to the northern  $\frac{1}{2}$  mile  
 post of the same 169 Poles & 3 lks

New witness tree and corner made again  
 distant between the Southern  $\frac{1}{2}$  mile post  
 and the S W corner of the same  
 Poplar 30 inches in diameter N  $6^{\circ}$  W 21 links distant

+ corner at the N E corner of section No 9 T 7 R 1 E  
 Beech 10 inches in diameter S  $69^{\circ}$  W 16 lks distant  
 Oak 15 " " " S  $77^{\circ}$  E 19 " "

Section 10 T 7 R 1 E Length of the line  
 north of the center 144 Poles & 7 links

Length of line west of center 161 Poles and 20 lks

corner 80 Poles  $22\frac{1}{2}$  links west of the center  
 Beech 10 inches in diameter and corner tree  
 Robert Catright and Milton Stroms chain  
 bearers sworn this may 12<sup>th</sup> 1856

James W Spencer  
 M E Surveyor

Nov 20<sup>th</sup> A. D 1856

Ran the following lines  
 and made the following corners in section  
 11 Township No 10 north of Range No 1 East  
 for Eben Newton of Ohio

Beginning at the  
 eastern  $\frac{1}{2}$  mile post of said section witness  
 trees Sugar 6 inches in diameter N  $32^{\circ}$  E 6 lks dist  
 Sugar 5 " " " S  $31^{\circ}$  W 19 " "  
 Then S  $83^{\circ}$  W 160 Poles to a Stone witness  
 tree Beech 18 inches in diameter S  $74^{\circ}$  E  $26\frac{1}{2}$  lks dist  
 Maple 20 " " " S  $13^{\circ}$  E 60 " "  
 Then S  $5^{\circ}$  E 170 Poles to a Stone witness  
 Poplar 20 inches in diameter S  $26^{\circ}$  E 20 lks dist  
 Beech 10 " " " N  $43^{\circ}$  W 40 " "  
 This last named corner is the Southern



half mile part of Section No 11 and northern  
half mile part of Section No 14 Then  $N 85^{\circ} E 188$   
Poles to the south east corner of said Section 11  
Witness Poplar 18 inches in diameter  $S 35^{\circ} E 34$  links distant  
Lynx 12 " " "  $N 26^{\circ} E 23$  " "

Then north north with the section line 170 Poles  
to the beginning containing 168 acres 2 quarters &  
50 Poles

Length of the line from South west corner  
of Section No 14 T 10 R 1 E to the South east  
corner of the same 333 Poles & 18 links  
half distance 167 Poles 19 links

New witness trees made  
at the South east corner of said Section No 14  
Sugar 15 inches in diameter  $S 44^{\circ} E 28$  links distant  
Sugar 20 " " "  $N 33^{\circ} W 45$  " "

Length of the line west of the center of Section No 14  
T 10 R 1 E 172 Poles 4 links, half 86 Poles & links  
Witness trees made 86 Poles 2 links east of the western 1/2 mile  
part of said Section No 14  
Buck 24 inches in diameter  $S 74^{\circ} E 12\frac{1}{4}$  links distant

Length of the line east of the center of Section  
No 14 159 Poles 21 links

Corner made 88 Poles 22 links east of the South  
west corner of Section 14  
Buck 12 inches in diameter  $S 86^{\circ} W 20\frac{1}{2}$  links distant  
" 20 " " "  $N 83^{\circ} E 38$  " "

Witness trees and corner made at the South east  
corner of the north west quarter of Section No 14  
Sugar 12 inches in diameter  $S 30^{\circ} W 15$  links distant

Length of the north and South line through the  
center of Section No 14 325 Poles 8 1/2 links

New witness made at the Southern half mile part  
of Section No 14  
Buck 20 inches in diameter  $N 34^{\circ} E 19\frac{1}{2}$  links distant  
" 24 " " "  $S 18^{\circ} W 33$  " "

Corner made at the center of Section No 14 T 10 R 1 E  
Buck 20 inches in diameter  $S 45^{\circ} E 26$  links distant  
" 30 " " "  $S 24^{\circ} E 31$  " "

Distance from NE corner of NW quarter of Section No 14



To the S.E. corner of S.W. qr of same 168½ Poles

New witness trees made at the eastern ½ mile post of Section No 11 T 10 R 1 E  
 Lymn 12 inches in diameter N 6° W 19 lks distant  
 Poplar 86 " " " N 83° E 28 " "

May 28 A.D. 1856

Ran the following lot of land for Eben Newton in Section No 11 Township No 10 north of Range No 1 East Beginning at the eastern ½ mile post of said Section No 11 Thence west 80 Poles to a stone witness tree  
 Black Ash 10 inches in diameter S 85° W 12 lks distant  
 Elm 24 " " " N 82° W 14 " "  
 Then north 80 Poles 7 lks to a stone witness tree  
 Black gum 18 inches in diameter S 77° E - lks distant  
 Gum 3 " " " S 70° W 48 " "

Then east 80 Poles to a stone witness tree  
 Hickory 6 inches in diameter S 39½° W 21 lks distant  
 " 7 " " " S 81½° E 12 " "  
 Then South 80 Poles 7 lks to the beginning

Chain bearers James Robins & Elias Hardin  
 Sworn May 20th 1856

James W. Spencer  
 Me Surveyor

John T. Hardin Elias Hardin and Mr  
 Lunk interested in the above survey

May 20th 1856

Ran the following lot of land in Section No 23 T 10 R 1 E for John T. Henderson Beginning at the eastern ½ mile stake of said Section witness trees  
 Beech 16 inches in diameter S 81° E 28½ links distant  
 " 12 " " " S 27½° E 28½ " "  
 Then west 167 Poles 19 links to a stone witness tree  
 Black Ash 8 inches in diameter S 61° E 7½ lks distant  
 Chestnut oak 10 " " " N 39° W 18 " "  
 Thence north 174 Poles and 4 links to the northern ½ mile post of said Section No 23 witness trees  
 Beech 20 inches in diameter N 84° E 17½ lks distant  
 " 24 " " " S 18° W 53 " "  
 Thence east 167 Poles 19 links to the N.E. corner of said Section No 23 witness tree



Sugar 15 inches in diameter  $S 44\frac{1}{2}^{\circ} E 23$  lks dist  
 " 20 " " " "  $N 33\frac{1}{2}^{\circ} W 43$  " "  
 Then South with the Section line to  
 the place of beginning  
 James Robins chain bearer sworn  
 the other chainbearer not recollected

James W. Spencer  
 M. C. Surveyor

May 20<sup>th</sup> A. D. 1856

Ran the following lot of land  
 in Section No 23 T 10 R 1 East for Eben  
 Newton of Ohio beginning at the northern  
 half mile post of said Section No 23  
 beech 20 inches in diameter  $N 34\frac{1}{2}^{\circ} E 19$  lks dist

" 24 " " " "  $S 18^{\circ} W 63$  " "  
 Then South 174 Poles and 4 lks to the  
 center of said Section No 23. witness trees  
 Black Ash 8 inches in diameter  $S 81^{\circ} E 17\frac{1}{2}$  lks dist  
 Chestnut oak 10 " " " "  $N 30^{\circ} W 18$  " "

Then west 88 Poles and 22 links to a stone  
 witness trees beech 20 inches in diameter  $S 38^{\circ} W 14$  lks dist  
 beech 15 " " " "  $N 38^{\circ} E 37\frac{1}{2}$  " "

Then north 176 Poles and 13 links  
 to a stone witness trees  
 beech 12 inches in diameter  $S 86^{\circ} W 20\frac{1}{2}$  lks dist

" 20 " " " "  $N 85^{\circ} E 38$  " "  
 Then east 88 Poles and 22  
 links to the place of  
 beginning

James Robins chain  
 bearer sworn the other  
 chain bearer name not recollected

James W. Spencer  
 Monroe County Surveyor



June 2<sup>nd</sup> A D 1834

Ran the following  
lines and made the following  
corners in Section No 3 T 9 R 31  
west for David Delap and  
Harvey Houston

Length of the line from  
the S.W. corner of said Section  
to the N.W. corner of the same  
319 Poles and  $7\frac{1}{2}$  lks witness trees  
made at the western  $\frac{1}{2}$  mile post  
White oak 12 inches in diameter S  $43^{\circ}$  W  $35\frac{1}{2}$  lks  
distant

Witness trees made 79 Poles and  $20\frac{1}{2}$   
links South of the north west corner  
of Section No 3. Beech 20 inches  
in diameter N  $45^{\circ}$  E 61 lks distant

Length of the line from the north  
west corner of said Section No 3  
T 9 R 1 W 315 Poles  $10\frac{1}{2}$  links  
half 157 Poles  $17\frac{3}{4}$  links

Witness trees made at the northern half  
mile post of said Section No 3  
+ Swamp oak 20 inches in diameter S  $67^{\circ}$  E  $27\frac{1}{2}$  lks distant  
" " 24 " " " S  $36^{\circ}$  W 31 " "

Witness trees made at the center of  
Section No 3  
Beech 12 inches in diameter N  $3^{\circ}$  E 21 lks distant  
" " " " " S  $46^{\circ}$  W 12 " "

Length of the line west of center 157  
Poles  $17\frac{3}{4}$  lks

Length of line north of the center  
157 Poles  $15\frac{3}{4}$  links

Witness trees made 78 Poles and  $22\frac{1}{4}$  links  
east of the N.W. corner of Sec 3.  
Beech 15 inches in diameter N  $84^{\circ}$  E 9 lks distant  
" 10 " " " S  $83^{\circ}$  W  $15\frac{1}{2}$  " "


Witness trees made at the South east  
corner of the north west one fourth  
of the north west quarter of Section  
No 3 T 9 Range one west  
Black walnut 6 inches in diameter S  $24^{\circ}$  E 109 lks distant



Witness tree made at the center of  
Section No 6 T. 9 R. 1 West  
Black ash 18 inches in diameter N 38° W 79 1/4 links dist

+ Chainbearers Robert Delap and James Delap  
by consent of parties

James W. Spencer  
Monroe County Surveyor



November 3<sup>rd</sup> A D 1856  
Ran in compliance with  
an order of the circuit court for the  
county of Monroe State of Indiana  
for the benefit of the widow and heirs of  
John W. Allen late of Monroe county Indiana  
deceased the following lots of land in  
Sections Nos 9 and 10 in Township No 8 north  
of Range one west and bounded as  
follows to wit Lot No 1 beginning at the  
North west corner of the east 1/2 of the north east  
quarter of Section No 9 Township No 8 north, of Range  
No one west witness tree Birch 11 inches in  
diameter S 61° E 7 1/2 links distant Sugar 6 inches in  
diameter N 68° W 21 1/4 links distant Thence N 84 1/2° E 60 Poles  
to a Stone in open ground Thence S 6° E 160 Poles to a  
Stake witness tree Birch 20 inches in diameter S 44 1/2° E 12  
links distant Thence S 84 1/2° W 60 Poles to a Stake witness  
tree Sugar 19 1/2 inches in diameter N 32 1/2° E 45 links dist  
" 23 " " " N 75 1/2° W 41 1/2 " "  
Then N 6° West 60 Poles to the beginning  
containing Sixty acres



State of Indiana  
 Monroe County } S.S.

I M H Brookirk As Surveyor  
 swear that the foregoing is a true copy of the old survey  
 of said County taken from the Original Records

M H Brookirk M.C.  
 Subscribed and sworn to before me this  
 2<sup>nd</sup> day of September 1878

James F Manley  
 Auditor M.C.

Additional records found after the  
 above was on record

Aug 19<sup>th</sup> A.D. 1886

Ran the following  
 lines and made the following corners  
 in Section No 36 T 10 R 2 west 1 for Aaron  
 Shine, William James, Moses Fox, and  
 William Paett

Beginning at the northern  $\frac{1}{2}$  mile  
 post of said Section No 36 witness trees  
 Birch 12 inches in diameter N  $75^{\circ}$  E 22  $\frac{1}{2}$  the distant  
 Thence S  $85^{\circ}$  E 100 Poles and 12 links to a stake  
 witness mulberry 6 inches in diameter N  $26^{\circ}$  E 23  
 links distant 1 Then east 161 Poles 13 links to a  
 stake in open ground Thence N  $55^{\circ}$  W 100 Poles 12  
 links to the N.E. corner of Section 36 witness trees  
 Black Ash 12 inches in diameter S  $20^{\circ}$  W  $6\frac{1}{2}$  the dist  
 Then west 160 Poles 9 links to the beginning  
 containing 101 acres & 13 poles Length of the line  
 north and south through the center 321 Poles 16  $\frac{1}{2}$  the  
 north of the center 161 Poles 2  $\frac{1}{2}$  the  
 south " " 160 " 14 "

Witness trees made at the center of said Section No 36  
 Gum 15 inches in diameter N  $170^{\circ}$  E 24 the distant  
 Dogwood & " " " S  $75^{\circ}$  W - " "

William Launcan & Joseph Wampler chain bearers  
 by consent of parties

James W Spencer  
 M.C. Surveyor



May 29<sup>th</sup> A D 1834

Ran the following lines  
and made the following corners in Section  
No 34 T 10 R 1 E for Michael Flunor, James  
E. Alexander, Martin Brock, John Houston and  
John Morrison

Length of line from the north  
east to the South east corner of Section No 34  
327 Poles 12 links = 5403.42'

New witness trees made at the  
eastern  $\frac{1}{2}$  mile post of said section  
Buck 10 inches in diameter S 81° E 34  $\frac{1}{2}$  links dist  
White oak 4 " " " N 37° E 34  $\frac{1}{2}$  " "

New witness trees made at the S W corner of Section 34  
Buck 10 inches in diameter N 33° E 27  $\frac{1}{2}$  links dist  
Buck 6 " " " " N 56° W 33  $\frac{1}{2}$  " "

Length of line from the S W corner to S  $\frac{1}{2}$  m. p.  
of Section 34. 168 Poles 17 links

Length of line from the S W to the S E corner  
327 Poles 21 links

Corners made 82 Poles 2 links east of  
the Southern  $\frac{1}{2}$  mile post Buck 24 inches in  
diameter N 87° W 55 links dist Red elm 8 " "  
" S 25° W 43  $\frac{1}{2}$  " "

New witness trees made at  
the S W corner Buck 15 inches in diameter  
N 6° W 33  $\frac{1}{2}$  links dist Sugar 13' " " "  
N 65° W 31  $\frac{1}{2}$  " "

New witness trees made at the western  
 $\frac{1}{2}$  mile post of Section 34 T 10 R 1 E  
Buck 40 inches in diameter N 1° E 16 links distant  
Buck 8 " " " " S 88° W 26  $\frac{1}{2}$  " "

Here the record quits off  
abruptly without any signature and a  
blank space of a whole page I think  
there is part of misplaced M H B



September 2nd A D 1854

Ran the following described lot of land in Sections No. 28 and 29 township No. 8 north of Range No. one west for Thomas Mathers and Benjamin and bounded as follows to wit beginning at the South east corner of the west half of the north west quarter of section No. 28 T 8 R 1 West running thence N 6° W 61 Poles to a sugar 12 inches in diameter and corner standing on the South bluff of Jackson creek Then N 82° W 43 Poles 17 links to the South east corner of the stone abutments standing on the north side of said Jackson creek, Thence West with said wall S 23° W 2 Poles 2 links to the South west corner of said abutment, Then S 63° W 6 Poles 3 links to a stake witness blue ash 18 inches in diameter S 4° W 8 links distant Thence S 37° W 36 Poles 13 links, Thence N 82° W 1 Pole 14 links to a stake, Thence S 37° W 12 Poles 12½ links to a stake, Thence S 22° W 11 Poles, Then S 73° W 6 Poles 2 links to a stake, Then S 38½° W 5 Poles 2½ links Then S 18° W 11 Poles 2 links, Then S 30° W 22 Poles, Then S 27° E 6 Poles 9½ links, Then N 83° E 129 Poles 12 links to the beginning containing 41 acres 1 quarter & 29 Poles

Also ran at the same time the following described lot of land in said T 8 R 1 West section No. 29 for said Thomas & Benjamin Mathers & bounded as follows to wit beginning at the South west corner of the east half of the north east quarter of section No. 29 T 8 R 1 West Sugar 12 inches in diameter and corner, Then N 6° W 80 Poles to a stake Then S 27½° E 65 Poles 2 links to a stake, Then S 24° E 20 Poles 6½ links, to a stake, witness tree diameter 30 inches in diameter S 29½° E 66½ links distant, Then S 83° W 30 Poles 3½ links to the beginning containing 7 acres 2 quarters and 34 Poles

Lot No 1 contains	41	1	29	Lot No 2 contains	7	2	34
Whol contents					49	0	28

Benjamin Mathers & Thomas Mathers Chain bearers  
by consent of parties

James W. Spencer  
M. C. Surveyor



September 23<sup>d</sup> A D 1836

Ran the following lines and made the following corners in Section No 34 T 7 north of Range one East for Christy Kellenburg and John Lewis Grub. Began at The South east corner of Section a Stone witness tree Spanish oak 15 inches in diameter N 53° W 33 links distant Maple 12 inches in diameter S 34° W 6½ links distant Then west with the Section line 162½ Poles 20 links to the Southern ½ mile post of said Section Stone flanked witness tree W oak 20 inches in diameter N 30° W 24 links distant Then N 6° W 80 Poles to a Stone witness tree Poplar 15 inches in diameter N 40° W 12 links distant Then N 85° E 146 Poles 20 links distant to a stake Then South with the Section line to the beginning Chainbearers Christy Kellenburg and Peter Norman Sworn

James W Spencer  
Monroe County Sur

Sept 23<sup>d</sup> A D 1834

Ran the following lines and made the following corners in Section No 27 T 7 R 7 S 8 for James Johnson Thomas Todd and Joshua Blackwell. Length of the line from The north east corner to the eastern ½ mile post of said Section No 27 163 Poles & links corner made equidistant between said corners witness tree Sugar 10 inches in diameter S 34° W 48 links distant Then S 85° W 80 Poles to a stone witness tree W oak 36 inches in diameter N 81° E 30½ links distant Then S 85° W 80 Poles to a stake witness tree Gum 18 inches in diameter N 40° W 28 links distant Chainbearers Alexander Jones and Thomas Todd Sworn

James W Spencer  
Monroe County Surveyor



Sept 24<sup>th</sup> A D 1856

Ran the following lines and made the following corners in Section No 17 Township No 7 north of Range No one East for Shatinah McComas Beginning at the northern  $\frac{1}{2}$  mile post of said Section No 17 Then  $S 6^{\circ} E$  80 Poles to a stake standing at the N E corner of the South east  $\frac{1}{4}$  of the North west quarter of Section No 17 witness trees white walnut 20 inches in diameter  $N 49^{\circ} W$  197 lks Then  $S 85^{\circ} W$  138 Poles 16 links to a stake standing in open ground

Chainbearers Robert Calwright and John Livingston Sworn

James W Spencer  
M C Surveyor


Sept 25<sup>th</sup> A D 1856

Ran the following lines and made the following corners in Section No 8 T 7 R 1 East Began at the eastern  $\frac{1}{2}$  mile post Thence  $S 85^{\circ} W$  80 Poles 14 links to a stake witness tree white oak 30 inches in diameter  $S 64^{\circ} E$  82 links distant Then  $S 85^{\circ} W$  80 Poles 14 links to a stake at the center of said Section 8 poplar 10 inches in diameter  $N 48^{\circ} E$  90 links distant Birch 6 inches in diameter  $N 28^{\circ} W$  84 links distant Then  $S 85^{\circ} W$  80 Poles 14 links to a stake witness tree gum 10 inches in diameter  $N 4^{\circ} W$  36 links distant Then  $S 85^{\circ} W$  80 Poles 14 links to the western  $\frac{1}{2}$  mile post

The above done for John P Seiscot Henry Clark and J W Spencer Chainbearers John P Seiscot and Henry Clark by consent of parties

James W Spencer  
M C Surveyor





October the 7th 1856  
 Ran the following  
 lines and made the following  
 corners in Section No 8  
 Township No 9 north of Range  
 No 2 W for James Coerman  
 John Gilmore, Lewis Dowell  
 William Edmonson -  
 Kirby Length of the  
 line North and South  
 through the center of said  
 Section 8 T 9 R 2 is 325  
 Poles 19 links

Corner made at 'B' the center of section No 8  
 Stone planted in open ground  
 Length of the line from the south east corner of sec  
 8 to the north east corner of the same 324 Poles 13 lks  
 half distance 162 Poles 6 1/2 links corner made by planting  
 a stone in open ground at 'G' it being at the Eastern  
 1/2 mile post of said section corner made at (H) 81 Poles  
 3 1/2 links north of the eastern 1/2 mile post of Section 8  
 witness Hickory 18 inches in diameter S 25° E 2 1/4 lks dist  
 Witness tree made at (D) 80 Poles 3 1/2 lks west of the N E  
 corner of said Sec 8 white oak 24 inches in diameter  
 S 20° W 17 1/4 lks dist

Length of the line from the center  
 of Sec No 8 T 9 R 2 W to the Eastern 1/2  
 mile post of the same 161 Poles


corner made and  
 Stone set at (F) 80 Poles 12 1/2 links west of the  
 Eastern half mile post

corner made at (E)  
 witness tree red oak 15 inches in diameter  
 N 80° E 24 links distant

Richard M Coerman  
 and John Gilman Chainbearers sworn  
 this the 7th day of Oct 1856

James W Spencer  
 Monroe County surveyor






October the 27th A D 1856  
 Ran in compliance with  
 an order of the court of  
 common pleas of Monroe  
 county Indiana the following  
 lot of land as Dower for  
 the benefit of Sabilla Coffey  
 widow of Kiley Coffey died  
 in section No 16 T 9 R 2  
 W. Beginning at a stone  
 standing at the center of said  
 section No 16 witness trees Sugar  
 15 inches in diameter N 12° W 7 1/2 lks

distant Birch 15 inches in diameter N 61° E 47 1/2 lks distant  
 Thence S 85° W 80 Poles 21 links to a stone Then N 6° W  
 40 Poles to a stone Then N 85° E 80 Poles 21 links to a  
 stone Sugar 15 inches in diameter and corner  
 Then S 6° E 40 Poles to the beginning containing  
 20 Acres and 33 Poles

Chain bearers David Byers and  
 James W Saunders sworn

James W Spencer M C S



October 27th A D 1856

Ran the following lines  
 and made the following  
 corners in section No 14  
 T 9 R 1 W for Wm Bourke  
 Beginning at the Eastern 1/2 mile  
 post of said section Thence north  
 64 Poles and 4 links to the N E  
 corner of said section Then west  
 80 Poles to a stone witness tree  
 Birch 10 inches in diameter S 19°

W 17 1/2 links distant Then S 6° E 80 Poles to a stake witness  
 white oak 20 inches in diameter N 15° E 33 1/2 lks distant Then  
 S 85° W 80 Pole to a stake witness white oak 18 inches in diameter  
 N 10° E 23 lks distant Then S 6° E 80 Poles to the center of section  
 14 witness trees Sassafras 6 inches in diameter N 80 1/2° W  
 14 1/2 lks distant Elm 24 inches in diameter N 72 1/2° E 6 lks  
 distant Thence N 85° E 160 Poles to the beginning  
 James McBridge and Garrett Hare Chain bearers  
 sworn

James W Spencer  
 M C Surveyor



November 10<sup>th</sup> A D 1856

Ran the following lines and made the following corners in Section No 33 T 9 R 1 W for M M Campbell and Smith Quarry Length of the line from the north east corner of Section No 33 to the South east corner of the same 320 Poles 3 links corner made and stone planted 80 Poles  $\frac{3}{4}$  link South of said north east corner witness tree Black Ash 8 inches in diameter S 83° W 15  $\frac{1}{2}$  links distant

Jonathan Brinson and  
Chainbearers by consent of parties

James W Spencer M. E. S.

Oct 31<sup>st</sup> A D 1856

Ran the following lines and made the following corners in Section No 32 T 9 R 2 West for Joseph Pennington and Edward Pedigo corner made and stone planted 79 Poles 11  $\frac{1}{4}$  links East of the North west corner of said Section also corner made and stone planted 79 Poles 15  $\frac{1}{2}$  links west of the center witness trees maple 20 inches in diameter S 10° W 58 links distant

Benton Simpson & E W Hodges chain  
bearers sworn

James W Spencer  
M. C. Surveyor

Nov 1<sup>st</sup> A D 1856

Ran the following lines and made the following corners in Section No 29 T 9 R 2 west for Joseph Pennington John Stone and Kiram Reed Began at the Southern 1/2 mile post of said Section 29 Thence N 6° W 80 Poles to a stake no witness trees made Thence N 83° E 160 Poles to a stake standing in the eastern section line of Section 29


Benton Simpson and Andrew  
Brassfield chain bearers sworn

James W Spencer  
M. C. Surveyor

Fees of Surveyor

Kiram Reed	Dr	\$0.90
Joseph Pennington		8.20
John Stone		1.50
N.B. John Stone is to pay		5.50
		44.50
		1.05





Oct 24<sup>th</sup> A D 1854  
 Ran the following  
 lines and made  
 the following corners  
 in Section No 19 R 1  
 East for John  
 G Thompson and Garret  
 Fure Corner made  
 at A equidistant  
 between the western  
 1/2 mile post and the  
 South west corner of  
 said Section No 19  
 witness Birch 18 inches  
 in diameter S 75° E 26 1/2  
 links distant

Corner made at B Birch 18 inches in diameter S 82°  
 W 24 links distant Birch 20 inches in diameter S 15° E 28 1/2  
 links distant Corner made at C witness Birch  
 15 inches in diameter N 54° E 26 1/2 links distant  
 Distance from the center of the section to the Eastern  
 1/2 mile post 161 Poles 17 links  
 Distance from A to B is 79 Poles 12 links  
 From B to C 158 " 12 "  
 From C to D 80 "  
 From D to E 158 " 12 links

William Bourke and Clepton J Thompson  
 chain bearers by consent of parties  
 James W Spencer

David Chambers		William Chambers	David Chambers
161 <sup>P</sup> 21	157 <sup>P</sup>	22	
Heirs of William Chambers Deceased	Allen Chambers	David Chambers	Chambers Heirs

March 11<sup>th</sup> A D 1854

" " and made the following lines  
 No 21 T 7 R 1 W for David Chambers  
 Allen Chambers heirs and Wm Chambers deceased



Length of line from the north west corner of section  
21 T 7 R 1 west 318 Poles Departure 79 links  
Length of the line east and west through the  
center of said Section 321 Poles 7 links  
New witness trees made at the western  $\frac{1}{2}$  mile  
post of Section No 24 T 7 R 1 west Mulberry 10 inches  
in diameter N  $11^{\circ}$  E  $18\frac{1}{2}$  links distant  
corner made at the center of Section No 21 T 7 R  
1 west Beech inches in diameter N  $30\frac{1}{2}$  W 27  
links distant Hackberry 12 inches in diameter  $2\frac{1}{2}$  E  
13 links distant

Length of the line East of center 159 Poles  
Length of line west of center 161 Poles  
David Chambers and  
Allen Chambers chainbearers by consent of parties

James W. Spencer M. C. S.

March 12<sup>th</sup> A D 1834

Ran the following  
lines and made the following corners in Section  
No 22 T 7 R 1 west for David Chambers William  
Chambers David Deekard and the heirs of  
Anthony Chambers deceased

Length of the line north and  
south through the center of said Section 22 T 7 R 1 W  
— Poles Departure 88 links Length of the line  
east and west through the center 326 Poles 18 links

Length of the line north of center 161 Poles 4 links

" " " " South " " 161 " 0 "

" " " " west " " 164 " 2 "

" " " " East " " 162 " 16 "

Corner and witness made at the center of said  
Section No 22 Beech 4 inches in diameter N  $48^{\circ}$  E  $7\frac{1}{2}$  links  
distant Hackberry 18 inches in diameter S  $38\frac{1}{2}$  W  $8\frac{1}{2}$  links  
distant

David Chambers and William  
Chambers chainbearers by consent of parties

James W. Spencer  
M. C. Surveyor

This ends the old records that is  
in my possession

M. R. Bustick M. C. S.



Field notes of T 7 R 2 E. of 2<sup>nd</sup> Pm meridian

West 40.00 38.00 80.00	On South Side of Sec 33 T 7 R 2 E. A Hickory 24" N 4° E 8 lks } over hills & rough Chestnut Oak 12 S 17° E 17 " } land. Oak Chestnut &c A Brook 3 lks wide N.W. Corner to Secs 32 & 33 Chestnut Oak 18 S 70° E 9 lks } hills & brush Logwood 5" N 67° W 8 "
West 10.00 25.00 40.00 80.00	On South Side of Section 32 T 7 R 2 E A Brook 3 lks wide North. Same — North A White Oak 10 N 20° E 11 lks } Hillly Oak land Red Oak 18 S 40° E 18 " } Corner to Sections 31 & 32 T, 7, R, 2, E Red oak 18 S 70° E 19 lks } Land & timber same White Oak 8 N 84° W 34 "
West 40.00 61.00 80.00	On South Side of Section 31 T, 7, R, 2, E A Hickory 7 S 65° W 25 lks " 7 N 63° E 31 " A Brook 30 lks S.W. Set a temporary post
North 40.00 80.00 84.00 88.00	Township 6 N R 2 E On East boundary of Sec 1 (7° 30' wide) gr. sec. post W. Oak 20 S 22° W 8 lks Hickory 6 N 75° W 4 " Temporary Town corner A Brook 150 lks S.W. (Line continued by A Holmes) Intersected E & W line and set post corner of Towns 6 & 7 N. Ranges 1 & 2 East Sugar 4 S 33° E 11 lks Hickory 14 N 14° E 28 lks
North 40.00 62.00 80.00	Range line March 29 <sup>th</sup> 1811 From the corner of Towns 2 & 7 Ranges 1 & 2 East run On East boundary of Section 36 T 7 R 1 E gr. section post Hickory 12 S 24° W 20 lks " 9 N 41° E 22 " A W. Oak 40. inches in diameter Set post corner of Sections 25 & 36 Poplar 8 S 48° W 20 lks Hickory 12 N 84° E 16 "
North 70.00 85.00 80.00	On East boundary of Section 25 T 7 R 1 E A Brook 3 lks wide East. a B. Oak 18 inches in diameter a Brown 4 lks S E



- 40.00 gr. sec post *Jun L*  $S 22^{\circ} E$  8 lks  
B. Oak 13'  $N 23^{\circ} E$  21"
- 65.00 a W. Oak 18 inches in diameter
- 80.00 Set post cor. of Sections 24 & 25, T. 7, R. 1, E.  
Hickory 15'  $N 80^{\circ} W$  22 lks  
Sugar 15'  $S 48^{\circ} E$  45 "
- North  
40.00 On East boundary of Sec. 24 T. 7, R. 1, E.  
gr section post W. Oak 15'  $S 19^{\circ} W$  22 lks  
B. Oak 30'  $N 5^{\circ} E$  47 "
- 63.00 a Brook 6 lks wide West
- 80.00 Set post cor. of Sections 13 & 24 T. 7, R. 1, E.  
Poplar 9'  $N 85^{\circ} W$  8 lks  
B. Oak 13'  $N 84^{\circ} E$  29 "
- North  
40.00 On the East boundary of Sections 13 T. 7, R. 1, E.  
gr section post } Brook 9'  $S 47^{\circ} W$  18 lks  
Brook 16'  $N 9^{\circ} E$  33 "
- 48.00 a brook 6 lks West
- 72.50 a B. Oak 20 inches in diameter
- 80.00 Set post corner of Sections 12 & 13 } Brook 8'  $S 42^{\circ} W$  7 lks  
Brook 6'  $N 32^{\circ} E$  6 "
- North  
40.00 Town 7 R. 2 East  
Between Sections 32 & 33, T. 7, R. 2, E.  
gr section corner { Hickory 6'  $N 42^{\circ} W$  8 lks  
Brook 12 lks S.W. } W. Oak 15'  $S 85^{\circ} E$  25 "
- 63.00 Set post corner of Sections 28, 29, 32, & 33  
W. Oak 15'  $S 80^{\circ} W$  37 lks  
Maple 4'  $N 86^{\circ} E$  35 "
- 80.00
- West  
40.125 Corrected between Sections 28 & 33 T. 7, R. 2, E.  
gr sec corner { B. Oak 8'  $S 21^{\circ} W$  23 lks  
B. Oak 26'  $N 2^{\circ} E$  34
- 80.25 Section corner
- North  
40.00 Between Sections 28 & 29, T. 7, R. 2, E.  
gr section corner B. Oak 10'  $S 33^{\circ} W$  18 lks  
B. Oak 4'  $N 23^{\circ} E$  18 "
- 49.00 a Brook 10 lks S.W.
- 80.00 Set post corner to sections 20, 21, 28 & 29  
Dogwood 3'  $N 32^{\circ} E$  7 lks  
Dogwood 3'  $S 71^{\circ} W$  7
- West  
39.875 Corrected between Sections 21 & 28  
gr section corner Chestnut Oak 12'  $S 36^{\circ} W$  18 lks  
Chestnut Oak 20'  $S 5^{\circ} W$  35 "



79.75	Section corner	
North 40.00	Between Sections 20 & 21, T, Y, R, 2, E	
30.00	gr Section corner	{ White Oak 15' N 56' E 14 lbs { Hognut 2 N 30' W 10 "
	Set post corner of sections 16, 17, 20, 21, T, Y, R, 2, E	Gum 5' N 77' W 26 lbs Gum 4' N 60' E 29 "
West 79.75	Corrected Between Sections 16 & 21, T, Y, R, 2, E	
77.50	gr Section post	{ Sugar 10' N 86' E 29 lbs { Maple 12' S 13' W 13 "
	Section corner	
North 33.50	Between Sections 16 & 17	
40.00	gr Section post	{ Gum 6' N 77' E 7 lbs { B. Oak 12' S 83' W 20 "
30.00	Set post corner of secs 8, 9, 16 & 17, T, Y, R, 2, E,	{ W. Oak 15' N 63' W 8 lbs { B. O 16' S 4' E 27 "
West 71.99 1/2	Corrected between Sections 9 & 16, T, Y, R, 2, E	
79.09	gr Section corner	Hickory 12' S 46' W 14 " 13' N 86' E 13
	Section corner	
North 33.50	Between Sections 8 & 9, T, Y, R, 2, E	
40.00	a Black Oak 30 inches in diameter	
30.00	gr Section corner	{ Gum 15' S 41' W 12 lbs { Red Oak 5' S 87' E 34 "
	Set post corner to Sections 4, 5, 8, & 9	{ Ironwood 3' S 6' E 14 lbs { W. Oak 30' N 2' W 12 "
North 34.50	Between Sections 31 & 32, T, Y, R, 2, E	
40.00	a Brook 10 lbs wide, W. O.	
30.00	gr Sec post	{ W. Oak 12' N 61' E 15 lbs { W. Oak 10' N 84' W 24
20.00	a Brook 15' lbs S. O.	
30.00	Set post corner to Sections 29, 30, 31, & 32	Hickory 10' N 84' E 22 lbs W. Oak 30' S 27' E 33 "
West 40.10	Between Secs 29 & 32 (Corrected)	
30.20	gr Section corner	W. Oak 10' N 80' E 9 lbs
	Section corner	" " 30' S 33' W 24 "



North  
27.00 Between Sections 29 & 30 T. 7, N. R. 2, E.  
a brook 12 lks wide S W  
gr Section corner { W Oak 12 S 68 W 9 lks  
Sum 10 S 73° E 11 "  
44.50 a Brook 14 lks wide S. E.  
80.00 Set post corner to Secs. 19, 20, 29 & 30  
{ Maple 6 S 36 W 7 lks  
{ Dogwood 4 N 53° E -

West  
40.00 Corrected between Secs 20 & 29. T. 7, N. R. 2, E.  
gr Section corner { Birch 20 S 25° E 26 lks  
" 4 N 74° W 20 "  
80.00 Section corner

North  
40.00 Between Secs 19 & 20 T. 7, N. R. 2, E.  
gr Section corner { Poplar 8 N 77° E 22 lks  
Chest Oak 10 N 73° W 12 "  
80.00 Set post corner to Sections 17, 18, 19 & 20  
{ Chest Oak 15 S 40° E 10 lks  
{ W. oak 12 N 52° W 41 "

West  
40.20 Corrected between Sections 17 & 20 T. 7, N. R. 2, E.  
gr Section post { W. oak 10 S 4° E 12 lks  
B. Oak 10 N 46° E 12 "  
80.40 Section corner

North  
29.65 Between Sections 17 & 18 T. 7, N. R. 2, E.  
a W. Oak 18 inches in diameter  
40.00 gr Section corner. { Sugar 13 N 80° W 17 lks  
{ Dogwood 3 N 69° W 16 "  
70.50 a Brook 16 lks wide N W  
80.00 Set post corner to Sections 7, 8, 17 & 18  
{ Sum 20 N 83° W 19 lks  
{ Birch 5 S 40° E 17 "

West  
40.16 Corrected between Sections 8 & 17 T. 7, N. R. 2, E.  
gr Section corner { B Oak 30 N 10° E 23 lks  
" 13 S 10 W 12 "  
80.32 Section corner

North  
31.30 Between Secs 7 & 8 T. 7, N. R. 2, E.  
Brook 10 lks wide West  
40.00 gr Section corner { Sugar 10 S 22 W 10 lks  
{ Sum 20 N 87° E 15 "  
70.25 Brook 1 1/2 lks wide West  
80.00 Set post cor to Secs 5, 6, 7, 8 { Sum 10 N 46° E 1 lks  
{ Ironwood 3 S 81° W 7 "



West  
3.50  
40.00  
61.75  
Corrected between 27 & 28 T. 7. N. R. 2. E  
Brook 10 lks South  
gr Section post { W. Oak 15 S 14 W 7 lks  
Hickory 4 S 87° E 15 "  
Set post on N. Boundary 232 lks South of corner  
{ B. Oak 12 N 36° E 12 lks  
Hickory 8 N 15° W 12 "

West  
40.00  
43.30  
63.10  
Between Secs 18 & 19 T. 7. N. R. 2. E  
gr Section corner { Sassafras S 27 E 21 lks  
" " 8 N 24 W 23 "  
B. Oak 20 inches in diameter  
Set post on N. Boundary 130 lks South of corner  
{ W. Oak 10 S 30° W 6 lks  
Buck 5 N 30° E 16 "

West  
10.00  
61.50  
Between Sections 19 & 20 T. 7. N. R. 2. E  
gr Section corner { Poplar 3 S 36 E 4 lks  
chest Oak 20 N 88 W 36 "  
Set post on N. Boundary 196 lks North of corner  
W. Oak 50 S 32° E 48 lks  
" " 15 N 13° W 28 "

West  
40.00  
42.00  
62.75  
Between Secs 20 & 21 T. 7. N. R. 2. E.  
gr Section corner { B. Oak 10 S 16 E 16 lks  
" " 20 N 34 W 20 "  
a Brook 16 lks wide S. E.  
Set post on N. Boundary 49 lks South of corner  
{ W. Oak 40 S 46° E 30 lks  
Hickory 8 N 30° E 23 "

Corners of Secs in T. 6. N. R. 2. E. on Town line  
Showing laps

North  
53.60  
Between Sections 4 & 5 T. 6. N. R. 2. E  
Set post on N. Boundary 430 lks East of corner  
{ W. Oak 12 N 30 E 41 lks  
" " 20 S 43° E 30 "

North  
++  
53.00  
Between Sections 5 & 6 T. 6. N. R. 2. E  
Set post on N. Boundary 722 lks East of the corner  
W. Oak 12 S 32° E 16 lks  
B. Oak 10 S 34° W 21 lks